## JOURNAL OF THE CHEMICAL SOCIETY

# Dalton Transactions

A journal of inorganic chemistry

1994



ROYAL SOCIETY OF CHEMISTRY

© The Royal Society of Chemistry, 1994 All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form, or by any means, electronic, mechanical, photographic, recording, or otherwise, without the prior permission of the publishers.

## **AUTHOR INDEX**

Abdur-Rashid, Kamaluddin, Abel, Edward W., 111, 445, 1079, 2637, 2645, 3441 Abrahams, Isaac, 2581 Abram, Ulrich, 2815 Acharya, Achyuta N., 3727 Adam, Kenneth R., 237, 2791, 3361 Adams, Harry, 1445, 1731 Adams, Kerry J., 477 Adatia, Trushar, 243, 1109, 3069 Ágoston, Károly, 2939 Aguilar, Juan A., 637 Ahmet, Mustafa T., 3355 Ahrens, Birte, 3487 Ahsen, Vefa, 497 Ainscough, Eric W., 1, 215 Aizawa, Sen-ichi, 2749 Al-Juboori, Mohammad A. H. A., 1441 Al-Soudani, Abdul-R. H., 987 Albano, Vincenzo G., 1777 Albertin, Gabriele, 695, 1769 Alberto, Roger, 2815 Alcock, Nathaniel W., 195, 485, 2631, 3533 Alessio, Enzo, 1849, 1903 Ali, Mahammad, 841, 3733 Alibrandi, Giuseppe, 951 Aliev, Abil E., 3193 Almeida, Manuel, 2655 Almond, Matthew J., 311, 835 Alonso-Vante, Nicolás, 1649 Alvarado, José-Guadalupe, 2191 Alvarez, Marie, 2755 Alzuet, Gloria, 2347 Amorim, M. Teresa S., 3099 Andersson, Ingegärd, 1061 Andrés, Antonio, 2995 Andrews, Paul, 1337 Annibale, Giuliano, 731 Anno, Tomoyuki, 2339 Ano, Tomo-aki, 263 Antonaroli, Simonetta, 1145, 3113 Antoniutti, Stefano, 695, 1769 Apreda, M. Carmen, 159 Aquino, Manuel A. S., 429, 683

Ara, Irene, 2735

Arafa, Ezzidin, 3637 Arai, Toru, 7 Arcas, Aurelia, 1505 Archer, Colin M., 1251 Arcos, Teresa, 369 Arena, Carmela G., 1517 Arena, Giuseppe, 1227 Arion, Vladimir B., 1913 Arliguie, Thérèse, 501 Aroney, Manuel J., 91, 2827 Arpalahti, Jorma, 1499 Arriortua, M. Isabel, 2233 Arroyo, Maribel, 1819 Atkins, Richard W., 311, 835 Atkinson, Francis L., 1161 Atwood, Jerry L., 2019 Aurangzeb, Nadeem, 1265 Avent, Anthony G., 3405 Aw. Beng Hwee, 3177 Axon, Tony L., 3427 Azuma, Nagao, 2609 Bailey, Neil A., 1445, 1731, 2861 Bakas, Thomas, 2737 Baker, Paul K., 37, 1401. 3493 Baldwin, Darren S., 237 Bamber, Michael, 3569 Bamgboye, T. Tunde, 1983 Bandín, Raquel, 1185 Bandoli, Giuliano, 1453, 2437, 2471 Banerjee, Pradyot, 841, 3733 Banerjee, Rupendranath, 1349 Bardají, Manuel, 1163 Barguès, Stephane, 3119 Barker, John J., 477 Barnard, Neil J., 3165 Barnes, John C., 1963 Barras, James R., 3025 Barrie, Patrick J., 3193 Barrow, Hazel, 195, 3533 Bartley, Stuart L., 1813 Barycki, Jozef, 811 Basallote, Manuel G., 1717 Bashall, Alan, 237, 1383, 2213 Basset, Jean-Marie, 1153, 1723. 2411 Bastida, Rufina, 1185 Batsanov, Andrei S., 689, 987, 3189

Battaglia, Luigi Pietro, 273, 2651 Battistuzzi, Gianantonio, 279, 285 Baudry, Denise, 1665 Bautista, Delia, 1505 Bayada, Anne, 3107 Bayeul, Daniel, 1533 Bazzicalupi, Carla, 1879, 2995, 3581 Beddoes, Roy L., 2303 Beech, Joanne, 719 Beer, Paul D., 3479 Begley, Michael J., 1935, 1983, 2483 Bekâroğlu, Özer, 323, 497, 1419, 2023 Belchem, Gary, 1949 Belin, Claude, 3119 Bellicini, Marcello, 1805 Bencini, Andrea, 3581 Bengtsson, Lars A., 1857, 3335 Bennett, Stephen C., 3171 Berenguer, Jesús R., 1291, 3343 Bergamini, Paola, 651 Berglund, Johan, 1435 Bergman, Jan, 3279 Bermeio, Manuel R., 1265 Bernardinelli, Gérald, 1685 Berry, Frank J., 1703 Bertolasi, Valerio, 339. 2391 Bhattacharjee, Manish, 2693 Bhattachariee, Samiran, 2799 Bhattacharya, Santanu, 3733 Bhattacharyya, Ramgopal, 2799 Bhattacharyya, Sudeep, 97 Bianchi, Antonio, 637, 2995, 3581 Bignozzi, Carlo A., 2391 Bilyk, Alexander, 77, 2783 Birkelbach, Frank, 2313 Black, Jane R., 3225 Blackwall, Elizabeth S., 445 Blake, Alexander J., 393, 627, 1105, 1463, 1631, 2005, 2167, 2197, 2719, 3291.3377 Blake, Antony B., 1121 Bligh, S. W. Annie, 2335, 3333, 3369 Bloor, David, 3427 Blower, Philip J., 3165

Blum, Thierry, 333, 513 Blunden, Stephen J., 2135 Boča, Roman, 2061 Boersma, Jaap, 2293 Boghosian, Soghomon, 2151 Bohra, Rakesh, 1207 Bois, Claudette, 3769 Bojczuk, Maria, 3723 Bolzati, Cristina, 1453 Bombieri, Gabriella, 407 Bonamartini Corradi, Anna, 273 Bonamico, Mario, 3349 Bonhôte, Pierre, 1549 Bookham, Jonathan L., 1791 Booth, Jonathan, 1711 Bordignon, Emilio, 695, 1769 Borisenko, Konstantin B., 2705 Borrás, Joaquín, 2347 Borrmann, Horst, 633 Borsari, Marco, 279, 285 Bose, Rathindra N., 3717 Bosque, Ramón, 735, 747, 3039 Bossek, Ursula, 2041 Bourosh, Polina N., 1913 Bowmaker, Graham A., 1231, 2621 Braga, Dario, 393, 2167, 2911 Brain, Paul T., 2885, 3775 Braunstein, Pierre, 33, 117, 1533 Brechbiel, Martin W., 2679 Breeze, Steven R., 2545 Bresciani-Pahor, Nevenka, 1903 Brewer, Stuart A., 1067 Bricklebank, Neil, 1759 Brivio, Elisa, 3237 Brodie, Andrew M., 1, 215 Broschag, Matthias, 2705 Brossard, Luc. 249 Brown, David A., 195, 3533 Brown, Michael P., 513 Brown, Nathan C., 3745 Bruck, Michael A., 1003 Buchanan, Robert M., 465, 965 Buchen, Thomas, 2285 Buffon, Regina, 1723 Bühl, Michael, 2885, 3775 Bujoli, Bruno, 2881 Bullick, H. Janet, 3337

Burford, Neil, 997 Burgess, John, 2327 Burns, Robert C., 1641 Butcher, Mark L., 305. 3285 Buwalda, Pieter L., 577 Buys, Irmi E., 2827 Caffyn, Andrew J. M., 609 Caira, Mino R., 785 Cairati, Paolo, 3009 Calligaris, Mario, 1849 Calzaferri, Gion, 3123 Canadell, Enric, 1995 Caneschi, Andrea, 1175 Cano, Félix H., 159 Cano, Juan, 3465 Cano, Mercedes, 1555 Canovese, Luciano, 169, 1145, 3113 Canters, Gerard W., 3017 Cao, Rong, 3459 Cao, Shibai, 2497 Carcelli, Mauro, 2651 Cargill Thompson, Alexander M. W., 645, 1409, 1585 Carlucci, Lucia, 2397, 3009 Carmona, Daniel, 159 Carpenter, Gene B., 2903 Carriedo, Gabino A., 3745 Casella, Luigi, 2347, 3203 Casellato, Umberto, 3231 Cassoux, Patrick, 249 Castaño, Rosario, 2729 Castellanos, Aida, 2861 Castro, Isabel, 2777 Castro, Pilar, 1185 Castro, Rosa, 1115 Cathey, Christopher, 3331 Cattalini, Lucio, 169, 731, 1805, 3539 Cavaco, Isabel, 149 Cavaleiro, Ana M. V., 2585 Cavell, Kingsley J., 415 Cea, Francesco, 1501 Cea-Olivares, Raymundo, 2191 Ceriotti, Alessandro, 3237 Cerrada, Elena, 1325 Cervilla, Antonio, 175, 2953, 3511 Chakravarty, Joydip, 557 Chakravorty, Animesh, 557 Chaloner, Penelope A., 2353, 3405 Chamizo, Jose A., 1819 Champness, Neil R., 3031, Chan, Chi-Keung, 3677 Chan, Chin-Wing, 895 Chan, Hardy S. O., 3177 Chan, Suzanna, 1605 Chandrasekaran,

Annamalai, 63

Chandrasekhar, Jayaraman, 847 Chandrasekhar, Vadapalli, 1301 Chandrashekar, Tavarekere K., 491 Chang, Chung-Cheng, 315 Chapman, Karen, 675 Chapman, Stephen K., 675 Charmant, Jonathan P. H., 477 Chaudhuri, Mihir K., 2693 Chaudhuri, Nirmalendu Rav. 2367 Chaudhuri, Phalguni, 2313 Chaudhury, Muktimoy, 97 Chaudhury, Satyajeet, 1207 Chaudret, Bruno, 1895 Chaves, Sílvia, 3099 Che, Chi-Ming, 57, 895, 1867, 2519, 3067, 3677 Chen, Bor-Hann, 2959 Chen, Hong, 2167 Chen, Ligin, 2545 Chen, Ming-gin, 3211 Chen, Wei, 2697 Chen, Xiao-Ming, 2331 Chen, Zhong Ning, 1917, 1923, 2989 Cheng, Cheu Pyeng, 2011 Cheng, Ming-Chu, 3499 Cheng, Wing-Chi, 57 Cherepanov, Vladimir A., 2719 Chernega, Alexander N., 201, 2925 Cheung, Kung-Kai, 57, 1867, 2587, 3677 Chicote, María-Teresa, 3183 Chiesi-Villa, Angiola, 1243, 2015, 2467 Chiffey, Andrew F., 2835 Chin, Kwok-Fai, 2519 Chiorboli, Claudio, 2391 Chiozzini, Gianni, 3349 Cho, Seung-Je, 2765 Choi, Nick, 2335, 3333, 3369 Choi, Sam Wing-Kin, 2057 Choplin, Agnès, 1153, 1723, 2411 Choudhury, Subrata, 1305 Chow, Tahsin J., 937 Christou, George, 1813 Chung, Chung-Sun, 191, 2959 Ciani, Gianfranco, 471, 2397, 3009 Cifuentes, Marie P., 925 Cini, Renzo, 3753 Claire, Kanwaljit S., 2615 Clark, George R., 1783 Clark, Gregory S., 2903

45

Clark, Stephen J., 2581 Daniele, Salvatore, 695 Clarke, Brenda, 2473 Danopoulos, Andreas A., 907, 977, 1037, 1563 Clarkson, Christopher, 2791 Clase, Howard J., 195 Daran, Jean-Claude, 1311 Das. Asim K., 589 Clearfield, Abraham, 2453 Clegg, William, 1743, 1753 Das, Mahua, 589 Cloke, F. Geoffrey N., 2867 Dasgupta, Tara P., 2327 Clyburne, Jason A. C., 997 Dash, Anadi C., 3727 Cobb, Michael A., 51 Datta, Arunabha, 2145 Coe, Benjamin J., 3427 Datta, Dipankar, 2177, Colbert, Michael C. B., 3201 2215, 2589 David, Dorothy M., 289 Cole, Eleanor, 1619, 2221 Davidson, Jack L., 2423, Cole-Hamilton, David J., 3527 1963, 2899, 3061 Davidson, Matthew G., 2901 Colley, Martin, 1445 Davies, Craig J., 787 Collison, David, 1003 Davies, Murray S., 91, 2827 Compton, Richard G., 1711 Connelly, Neil G., 1161, Day, Martin P., 3405 1163, 2025, 3745 De Angelis, Stefania, 2467 Conole, Grainne C., 3569, de Blas, Andrés, 1185 3607 de Castro, Baltazar, 369, Constable, Edwin C., 645, 571 1409, 1585, 2669 De Cian, André, 117, 1533 Contel, María, 2515 de C. T. Carrondo, Maria A. Conti, Fosca, 1791 A. F., 3099 Copley, Royston C. B., De Gioia, Luca, 3203 1619, 2221 De Munno, Giovanni, 1175, Corain, Benedetto, 2471 1879, 3135, 3465 Corbitt, Thomas S., 2841 de Nysschen, Caren, 297 Corker, Judith M., 1337 de Souza, Ana-Lucia A. B., Corma, Avelino, 2953 2303 Cornelissen, Joost, 249 de Souza, Jaisa, 3683 Cortés, Roberto, 2233, Deb. Alok K., 1305 2573 Decock, Patrick, 811 Costa, Dina, 149 Deeth, Robert J., 1943, Costa, Emiliana, 651 3569 Couto, Alexandra R., 2585 Del Ministro, Elena, 1769 Cragg, Peter J., 719 del Río, Federico, 2861 Cragg-Hine, Ian, 2901 Del Zotto, Alessandro, 2257 Craig, Donald C., 1641 Delbeau, Josianne, 1895 Cramer, Roger E., 563 Delgado, Rita, 3099 Crispini, Alessandra, 1327 Della Pergola, Roberto, Crociani, Bruno, 407, 1145, 1501, 3237 3113 Demartin, Francesco, 3237 Cross, Graham H., 3427 Deng, Daoli, 1665 Crossley, John G., 1161 Denk, Michael, 2405 Cruywagen, Johannes J., Denning, Robert G., 1987 Dennison, Christopher, 437, 3017 Cui, Yuxin, 2523 Cukrowska, Ewa, 2679 Deschenaux, Robert, 1051 Cukrowski, Ignacy, 2679 Dey, Aparna, 557 Cumming, Bridgette M., Di Bianca, Francesca, 407, 1145, 3113 Cummins, W. Jon, 3369 Di Vaira, Massimo, 3739 Cunningham, Desmond, Dias Filho, Newton L., 2473 1493 Currie, David B., 1483 Diebler, Hartmut, 1929 Curtis, Hilary, 243, 1109, Dietrich-Buchecker, 3069 Christiane O., 885 Cutillas, Natalia, 2353 Dilworth, Jonathan R., Dakers, Mark A. R., 209 1251, 3553 Daldy, Julia A., 3383 Dodd, Ian M., 787 Daniel, Thomas, 221 Dolmella, Alessandro, 2437

Doménech, Antonio, 175, 3511 Donaldson, John D., 2581 Dormond, Alain, 1665 Downs, Anthony J., 753, 1169 Drapailo, Andrei B., 2925 Drdáková, Eva, 229 Drew, Michael G. B., 37, 719, 1799, 3025, 3149, 3285, 3479 du Toit, Judith, 785 Duarte, M. Teresa, 149, 2655, 3099 Duesler, Eileen N., 2841 Duffy, Noel W., 2821 Dunlop, Alister A., 2719 Durrant, Marcus C., 1401 Dusausov, Yves, 1533 Dutta, Amitava, 841 Dutta, Somnath, 557 Dutta, Subodh Kanti, 97 Dvorkin, Alexandr A., 1913 Dyson, Paul J., 393, 1105 Eady, Robert R., 2739 Eardley, David R., 1003 Ebihara, Masahiro, 3621 Eder, Artur H., 1125 Edwards, Alison J., 753, Edwards, Andrew J., 645, 1479, 2589, 2669, 2901, 2963, 3273 Edwards, Peter G., 971, 977, 987 Egli, André, 2815 Eikens, Wolfgang, 83, 3329 Einig, Till, 2025 Eisen, Moris S., 3507 Eisenstein, Odile, 1935 Eklund, John C., 1711 Elding, Lars I., 1435, 3723 Elduque, Anabel, 385 Ellison, lan J., 2531 Elsegood, Mark R. J., 1743, 1753 Enemark, John H., 1003 Engel, Dennis W., 1131 Engelhardt, Lutz M., 901, 1121 Ephritikhine, Michel, 501, 3397, 3563 Eriksen, Kim M., 2151 Errington, R. John, 1327 Errington, William, 255, 3533 Erxleben, Andrea, 3667 Escandar, Graciela M., 1189 Escuer, Albert, 259, 3005 Espinosa-Pérez, Georgina, 2191 Esteban, Montserrat, 159 Etxebarria, Nestor, 2729,

3055

Evagorou, Evagoras G., 3369 Evans, John, 1337, 2835 Eyring, Edward M., 2497 Fábián, István, 1355, 2497 Failla, Salvatore, 3333 Fairhurst, Shirley A., 2591 Faleschini, Paolo, 1849 Falvello, Larry R., 3143 Fanizzi, Francesco P., 949 Faraglia, Giuseppina, 3231 Fares, Vincenzo, 3349 Farrugia, Louis J., 2911 Faulmann, Christophe, 249 Faus, Juan, 1175, 1879, 2777, 3465, 3769 Favier, Frederic, 3119 Fawcett, John, 3085, 3383 Fehrmann, Rasmus, 2151 Félix, Vitor, 3099 Fenton, David E., 1097, 1185, 2213 Ferguson, George, 1619, 1971, 2221 Ferigo, Michel, 1549 Fern, George, 3039 Fernández, Eduardo J., 2891, 3487 Fernández, Luis A., 3055 Fernández-Trujillo, M. Jesús, 1717 Ferraro, Fabrizio, 2651 Ferraudi, Guillermo, 2565 Ferreira, M. José, 369 Ferretti, Valeria, 339 Fiallo, Marina M. L., 3689 Field, Christian N., 1943 Field, John S., 1131 Figgis, Brian N., 1121, 1429 Finocchiaro, Paolo, 3333 Fischer, Jean, 117, 1533 Fisher, George A., 1327 Fitzmaurice, Jonathan C., 1995 Fleischhauer, Peter, 2313 Floriani, Carlo, 1243, 2015, 2467 Flörke, Ulrich, 457, 2313 Foces-Foces, Concepción, Folgado, José V., 2573 Fonseca, Isabel, 781 Font-Bardía, Mercè, 735, 747, 3005, 3039, 3075 Fontaine, Marc A., 2875 Fontaine, Xavier L. R., 379, 917 Fontana, Alberta, 407 Fontecave, Marc, 2081 Forder, Robin J., 3377 Fornés, Vicente, 2953 Forniés, Juan, 135, 401, 505, 1291, 2735, 3143, 3343

Forsellini, Eleonora, 407 Forsyth, George A., 2243 Fortier, Denis G., 2071 Foulon, Jean-Dominic, 3427 Fox, Bronwyn L., 1765 Fox. Mark A., 3197 Frampton, Christopher S., 3031.3377 Fraústo da Silva, João J. R., 3099, 3299 Freire, Cristina, 571 Froom, Simon F. T., 3569 Frost, Carole A., 3377 Fu, De Gang, 1917, 1923 Fujitani, Satoko, 583 Fukushima, Mitsuhiro, 239 Fumagalli, Alessandro, 471, 1777 Funahashi, Shigenobu, 2749 Funke, Frank J., 1327 Fusi, Vieri, 3581 Gade, Lutz H., 521 Gailus, Hartmut, 3471 Galarneau, Anne, 2881 Gale, Philip A., 3479 Gallagher, John F., 1619, 2221, 2473 Galsworthy, Jane R., 69, 2359, 3273 Galvão, Adelino M., 3099 Gama, Vasco, 2655 Gancedo, Ramon, 1703 Gangopadhyay, Sumana, 841, 3733 Gansow, Otto A., 2679 Ganter, Christian, 477, 651 Garbassi, Fabio, 1903 García, Gabriel, 19, 2271, 2353 García, Juventino J., 2861 Garcia Alonso, Francisco J., 3745 Garcia-Deibe, Ana. 1265 García-España, Enrique, 637, 2995 García-Granda, Santiago, 539 Garcia Herbosa, Gabriel, 2025 García-Tojal, Javier, 2233 García-Vazquez, Jose A., 1115 Garlaschelli, Luigi, 1501, Garnier-Suillerot, Arlette, 3689 Gash, Rosslyn C., 1105, 1963 Gates, Derek P., 997 Gates, Peter N., 1441 Gavioli, Giovanna, 279 Geilenkirchen, Arnd, 457

Gelling, Andrew, 3545 Geoffroy, Michel, 1685 George, Michael W., 2217 Gerbeleu, Nicolai V., 1913 Gerstmann, Silke, 633 Ghilardi, Carlo A., 175 Ghosh, Ashutosh, 2367 Gibson, Vernon C., 1607 Gillard, Robert D., 149, 2531 Gilli, Gastone, 2391 Gimeno, M. Concepción, 1163, 2891, 3487 Giolando, Dean M., 1213 Giorgi, Claudia, 3581 Glærum, Lisbeth K., 2777 Glaser, Julius, 3243 Glidewell, Christopher, 1971 Gliubich, Francesca, 3203 Gobi, K. Vengatajalabathy, 2445 Godfrey, Stephen M., 1759, 3249 Goff, Simon E. J., 3515 Goh, Lai Yoong, 2697 González, Gabriel, 545 González-Herrero, Pablo, 3183 González-Platas, Javier, 3075 González-Sierra, Manuel, 1189 Goodgame, David M. L., 859 Goswami, Sreebrata, 1305 Goto, Yasutomo, 2085 Gould, Robert O., 2005. 2197 Gouzerh, Pierre, 819, 825 Gozzoli, Eleonora, 273, 285 Graham, Victoria, 1743 Gramlich, Volker, 1689, 2815 Grant, Craig M., 2719 Grant, Simon J., 485 Graziani, Rodolfo, 3231 Greatrex, Robert, 3197 Grebenik, Peter D., 3337 Green, Jennifer C., 2405, 2867 Green, Malcolm L. H., 201, 657, 871, 2851, 2975, 3337 Green, Michael, 3569 Grepioni, Fabrizia, 1777, 2911 Grey, Ian E., 595 Grime, Richard W., 1671 Grove, David M., 703 Guedes da Silva, M. Fátima C., 3299 Guidi, Francesca, 731 Guillaume, François, 3193 Gullotti, Michele, 3203 Guo, Chun-Xiao, 1867, 3677

Guo, Zijian, 3231 Gürek, Ayşe Gül, 1419 Gürol, İlke, 497 Gushikem, Yoshitaka, 1493 Gutberlet, Heinz, 2373 Gutierrez, Atilano, 2861 Gütlich, Philipp, 2285 Haase, Wolfgang, 2313 Haga, Masa-aki, 263 Hagen, Wilfred R., 3305 Haggitt, Jane L., 1013 Hague, David N., 51, 3645 Haiduc, Ionel, 2191 Haines, Raymond J., 1131 Haj-Tayeb, Hayet Bel, 3689 Halcrow, Malcolm A., 1463, 1631, 2197 Hall, Chris, 3515 Hamada, Taisuke, 239 Hämäläinen, Reijo, 2381 Hambley, Trevor W., 91, 355, 2783, 2827 Hamor, Thomas A., 3427 Hampden-Smith, Mark J., 2841 Hamza, Mohamed S. A., 1367, 1373, 1377 Han, Zhijian, 3325 Hancock, Robert D., 1689, 2679 Hanna, John V., 2621 Hannon, Michael J., 2669 Harding, Charles J., 1471 Harding, Margaret M., 77, 2783 Harding, Marjorie M., 33, 787 Hargittai, István, 2705 Harman, Mary, 977, 3553 Harris, Jeremy L., 3515 Harris, Kenneth D. M., 3193 Harris, Sharman D., 1401 Harrison, Alice, 1619, 2221 Harrison, Robin M., 2353 Hart, Robert D., 773, 2621 Haselhorst, Gabriele, 2041 Hastings, Jeremy J., 1061 Hatano, Keiichiro, 2749 Hati, Sanchita, 2177, 3201 Haupt, Hans-Jürgen, 457, 2313 Hausherr-Primo, Lorenza, 1689 Hay-Motherwell, Robyn S., He, Xiao-Dong, 1895 Healy, Peter C., 773, 2621 Heard, Peter J., 445 Heath, Graham A., 3759 Heaton, Brian T., 333, 513, 787, 1857, 2875, 3237, 3335, 3723 Hegetschweiler, Kaspar,

1689, 2815

Helliwell, Madeleine, 1193, 1265 Hemling, Holger, 2947 Henderson, Peter, 1641 Henderson, Richard A., 767 Henderson, William, 1831, 2489, 3085, 3383 Henriques, Rui T., 2655 Her, Tzong-Yih, 315 Heras, Jose V., 1555 Herberhold, Max, 633 Hermoso, Juan A., 19 Hernández, Elisa, 781 Heyns, J. Bernard B., 45 Hidaka, Jinsai, 533 Higgins, Tim, 2473 Higuchi, Chikako, 1097 Hii, King Kuok, 103, 3589 Hill, M. N. Stuart, 209 Hill, Stuart P. W., 859 Hinchliffe, Jonathan R., 2303 Hirazumi, Anne Y., 563 Hiroi, Masayuki, 2265 Hirota, Reiko, 13 Hitchcock, Peter B., 2353, 2867, 3683 Hitchman, Michael A., 595 Hnyk, Drahomír, 2885, 3775 Hofmann, Matthias, 2503, 2885, 3775 Hogarth, Graeme, 3389 Holder, Alan J., 627 Holloway, John H., 1067 Holub, Josef, 1317 Holz, Birgit, 3527 Honda, Akihiro, 2771 Hong, Maochun, 3459 Hong, Xiao, 1867, 3067 Honrath, Ute, 1131 Hope, Eric G., 1067 Hope, Gregory A., 773 Hopkins, Philippa M., 2025 Hor, T. S. Andy, 513, 3177, 3451 Horng, Jia-Cherng, 1825 Horsfield, Edgar C., 1131 Hosken, Gladys D., 2679 Hoskins, Bernard F., 1837 Hou, Hong-wei, 3211 Houlton, Andrew, 3355 Housecroft, Catherine E., 69, 2359, 3273 Howard, Judith A. K., 689, 987, 1619, 2221 Howarth, Oliver W., 1061, 2615, 3149 Howe, Stuart D., 3553 Hsieh, Tung-Ying, 3499 Hsu, Kuei-Fang, 1681 Hu, Hongwen, 3325 Huang, Jin Ling, 2989 Huang, Jinshun, 2099

Huang, Xiao-Chun, 2331 Huang, Xiao-Yun, 1873 Hubberstey, Peter, 667, 1935, 2483, 3189 Hudson, Harry R., 2335 Huffman, Carolyn J., 2737 Huffman, John C., 2737 Hughes, Andrew K., 3337 Hughes, David L., 621, 1401, 1819, 2431, 2457, 2591, 3683 Hulme, Charlotte E., 1265 Humanes, Madalene, 1275, 2023, , 1857 Humphrey, James S., 3273 Humphrey, Mark G., 925 Hun, Tom S. M., 2713 Hursthouse, Michael B., 445, 971, 977, 1037, 2223, 2637, 2645, 3441, 3493, 3553, 3615 Hutson, Antony J., 3553 Hwang, Jiunn-Jye, 937 Hylands, Kevin A., 1079 Ibáñez, Miguel A., 401 Iccharam, Vimal, 2679 Iggo, Jonathan A., 333, 513, 2875, 3335 Iha, Neyde Murakami, 2565 Il'yasov, Akhat, 3333 Imaeda, Kaori, 3621 Imhof, Roman, 3123 Impellizzeri, Giuseppe, 1227 Indelli, M. Teresa, 2391 Ingham, Scott L., 1, 215, 2215, 3607 Inokuchi, Makoto, 249 Insausti, Maite, 2573 Intini, Francesco P., 3753 Ishida, Hitoshi, 239 Ishihara, Nobuhide, 657 Ishihara, Yuri, 583 Ishii, Minoru, 13 Ishizaki, Takahisa, 263 Isobe, Ryuichi, 1097 Isobe, Toshiyuki, 2065 Iwamoto, Toschitake, 1029, 1237, 3695 Iyer, Ramaswamy K., 3711 Jackson, Paul D., 37 Jackson, Sarah, 1935 Jacob, Chacko, 787, 1857, 2875, 3335 Jain, Vimal K., 1207 Janczak, Jan. 2539 Janiak, Christoph, 2947 Jarvis, Adam, 255 Jeffery, John C., 25, 2559, 3171 Jekel, Andries P., 577 Jelínek, Tomáš, 1317 Jelliss, Paul A., 25 Jeynes, Tyrone P., 925

Jezowska-Bojczuk, Malgorzata, 811 Jia, Zhi-Shen, 675 Jiang, Feilong, 3459 Jiménez, Josefina, 1163, Jiménez-Tenorio, Manuel, 2431 Jin, Hong, 415 Jobanputra, Panna, 1251 Johnson, Brian F. G., 243, 393, 521, 759, 1105, 1109, 2167, 2911, 3069 Jones, Christopher J., 1555, 3427 Jones, Peter G., 83, 1163, 1325, 2515, 2891, 3183, 3329, 3487 Joseph, Stephen C. P., 2867 Jouaiti, Abdelaziz, 1685 Joulié, Laurent F., 799 Journaux, Yves, 3769 Julve, Miguel, 1175, 1879, 2777, 3465, 3769 Justin Thomas, K. Rajapandian, 1301 Kaitner, Branko, 1619, 2221 Kaltsoyannis, Nikolas, 1391, 2867 Kalverda, Arnout P., 3017 Kandaswamy, Muthuswamy, 1595 Kane-Maguire, Leon A. P., 289 Kang, Shin-Geol, 853 Kano, Kenji, 263 Kapon, Moshe, 3507 Kapteijn, G. Marc, 703 Karaulov, Alexander I., 3493 Kariuki, Benson, 33 Karunakaran, Sambandhan, Karweer, Sheshu B., 3711 Karydis, Dimitris A., 2151 Kato, Masako, 583 Katti, Kattesh V., 1581 Kawamura, Takashi, 3621 Kawashima, Takuji, 3267 Kayran, Ceyhan, 2239 Kazarian, Sergei G., 3515 Keene, F. Richard, 3659 Kelkar, Ravindra Y., 2145 Kelly, J. Duncan, 1251, 3369 Kemmitt, Raymond D. W., 2489, 3085, 3383 Kennedy, John D., 229, 1317 Keppler, Bernhard K., 3305 Kersten, Mathias, 2509 Kessler, Margarlith, 3607 Ketterer, Jürgen, 1051

Khan, Zahida I., 2581 Kienitz, Carsten, 83, 3329 Kikuyama, Takao, 2933 Killey, Adelle, 3515 Kim, II Soon, 2765 Kim, Kimoon, 853 Kim, Mi-Seon, 853 Kim, Yong-Joo, 943 Kimura, Masaru, 583 Kinnear, Kenneth I., 3637 Kirsch-De Mesmaeker. Andrée, 3651 Kirschbaum, Kristin, 1213 Kiss, Tamas, 347, 811, 3689 Kitagawa, Hiroshi, 327 Kitagawa, Susumu, 2771 Kitazawa, Takafumi, 1029, 2933, 3695 Klapötke, Thomas M., 2705 Klatt, Gunter, 477 Kleinkes, Uwe, 2457 Knorr, Michael, 117, 1533 Knox, Selby A. R., 477 Kobayashi, Hisayoshi, 239 Kobayashi, Kimiko, 13, 1511 Koçak, Makbule, 323, 2023 Koch, Klaus R., 785 Kodas, Toivo T., 2841 Koe, Julian R., 2637, 2645 Kogane, Tamizo, 13 Kohzuma, Takamitsu, 437 Kojima, Norimichi, 327 Kojima, Tatsuya, 7 Komiyama, Makoto, 1511 Konecny, Michael, 1523 Koner, Subratanath, 2367 Konidaris, Peter C., 2851, 2975 Konno, Takumi, 533 Kopečni, Miroslav M., 2209 Kosaka, Masao, 1511 Kotch, Thomas G., 1 Kozłowski, Henryk, 347, 811, 3689 Krishnamurthy, Setharampattu S., 63, 847, 2661 Kruger, Gert J., 2091 Kruger, Paul E., 2129 Kubiak, Ryszard, 2539 Kumar, Sujit Baran, 97 Kumaravel, Santhanathan S., 847 Kurek, Stefan S., 2559 Kurihara, Makoto, 3267 Kurmoo, Mohamedally, 1735 Kuroda, Reiko, 1029 Kuroda-Sowa, Takayoshi, 603, 2771

Kustos, Monika, 2509

Kuwashige, Tomoyoshi, 805 Kyd, Gwenda O., 3129 Kyritsis, Panayotis, 3017 Laguna, Antonio, 1163, 1325, 2515, 2891, 3487 Laguna, Mariano, 1163, 1325, 2515, 2891, 3487 Lahoz, Fernando J., 159 Lahuerta, Pascual, 539, 545 Lai, Chung-Yu, 2959 Lai, Ting-Fong, 895 Laidlaw, William M., 1987 Laitalainen, Tarja, 3279 Lakshminarayanan, M., 1219 Lalinde, Elena, 135, 1291, 2735, 3343 Lamandé, Lydia, 2925 Lamata, M. Pilar, 159 Lambeaux, Claude, 2081 Lan, Wei-Jen, 191 Lance, Monique, 501, 3563 Landgrafe, Claudia, 1885 Lane, Helen P., 1759, 3249 Lane, Janette D., 621 Lappin, A. Graham, 1655 Larkworthy, Leslie F., 1425, 3683 Larramendi, José I. R., 2573 Laschi, Franco, 3237 Latorre, Julio, 539 Latour, Jean-Marc, 1471 Lau, Kent W. C., 3091 Lau, Keung, 3091 Lau, Tai-Chu, 3091 Lavender, Mark H., 3389 Lavery, Aidan J., 3493 Lawrance, Geoffrey A., 355, 793, 3107 Layzell, Timothy P., 379, 917 Leach, John B., 3337 Leadbeater, Nicholas E., 1479 Leal, João Paulo, 2687 Leconte, Michel, 1723 Lécuyer, Christine, 1153 Lee, Fu Chin, 2019 Lee, Gene-Hsiang, 315 Lee, Wen-Hwa, 315 Lee, Yan-Huang, 1825 Lees, Alistair J., 1 Leeson, Philip B., 3479 Legros, Jean-Pierre, 249 Lehtonen, Ari, 2119 Leigh, G. Jeffery, 2457, 2591, 2739, 3683 Leonard, Gordon A., 1425 Leong, Anthony J., 2791 Leung, Wa-Hung, 1659, 2519, 2713 Levason, William, 1483, 2835, 2983, 3225

Leverd, Pascal C., 501, 2423, 3527, 3563 Levitsky, Veaceslav G., 1913 Lewis, Jack, 1, 243, 521, 1109, 2159, 2215, 2589, 3069, 3331 Lezama, Luis, 2233, 2573 Li, Chi-Keung, 2159 Li, Dan, 3677 Li. Dawei, 3717 Li, Guang Qing, 619 Li, Yue-Jin, 1275, 2023 Libertini, Manuela, 3333 Lii, Kwang-Hwa, 931, 1577, 2289 Likó, Zsuzsanna, 2939 Lim, Joo-Sang, 429 Lim, Meng-Chay, 675 Limberg, Christian, 1169 Lin, Su-Ching, 937 Lin, Yonghua, 2109 Lincoln, Stephen F., 423 Lindoy, Leonard F., 237, 2791, 3361 Lindsell, W. Edward, 2423, 3527 Linert, Wolfgang, 1091, 1523 Linford, Lorna, 2091 Lippert, Bernhard, 3667 Lipponer, Karl-Georg, 3305 Liu, Hangin, 3459 Liu, Huang, 2099 Liu, Jie, 3211 Liu, Shi Xiong, 2989 Liu, Shiuh-Tzung, 3499 Liu, Shuang, 185 Llinares, José M., 637 Llopis, Elisa, 175, 2953, 3511 Lloret, Francesc, 1175, 1879, 2777, 3465, 3769 Lloyd, Emma, 675 Lo Schiavo, Sandra, 1517, 1731, 3135 Lockhart, Joyce C., 209, 2243, 3637 Long, Nicholas J., 2215, 2589 Looh, Kok Kheong, 3177 López, Concepción, 735, 747, 3039 López, Gregorio, 19, 2271, López de Luzuriaga, José M., 3487 Lough, Alan J., 1571, 1971 Lu, Qin, 1471 Lucas, C. Robert, 185 Lucas, Jeremy B., 423 Lugan, Noël, 2755 Luis, Santiago V., 637, 2995

Luo, Qin-Hui, 1873, 2523 Lusiak, Przemyslaw, 1581 Lye, Peter G., 793 Lyne, Paul D., 1563 Mabbs, Frank E., 1003 Mac Giolla Coda, Eoghan, 1489 Mac Rory, Philomena P., 619 Macartney, Donal H., 2071 Maccarrone, Giuseppe, 1227 MacDougall, Joanna K., 3061 Macías, Alejandro, 1185 Mackie, Anthony G., 619 Madariaga, Gotzon, 2573 Madariaga, Juan M., 2729, 3055 Maddock, Kenneth, 1489 Maddox, Tania P., 3515 Madhouni, Rachid, 2925 Maeda, Minobu, 3621 Maeder, Marcel, 355, 793, 3107 Maekawa, Masahiko, 603, 2771 Mago, Genjin, 2339 Magon, Luciano, 339 Maher, John P., 143 Mahon, Mary F., 2135 Maina, Theodosia, 2437 Maiwald, Michael, 2457 Mak, Thomas C. W., 3451 Malik, K. M. Abdul, 445, 971, 2637, 2645, 3441, 3493 Manassero, Mario, 3237 Mandal, Gagan C., 2693 Máñez, M. Angeles, 1717 Mani, Fabrizio, 3739 Mann, Brian E., 951 Marangoni, Giampaolo, 169, 1805, 3539 Marchi, Andrea, 339 Marco, José F., 1703 Maresca, Luciana, 949 Marques, Helder M., 297 Marrs, Debbie J., 1471 Martín, Antonio, 135, 2251, 3343 Martín, Avelino, 609 Martin, Caroline M., 2167 Martin, James D., 1995 Martin, Noreen, 1471 Martin, Rupert E., 753 Martinengo, Secondo, 471, 1777 Martínez, Francisco, 505, 1291 Martinez, Manuel, 539, 545, 3159 Martínez-Máñez, Ramón, 645, 1585

Martinez-Ripoll, Martin, 19 Martinho Simões, José A., 2687 Marty, Werner, 1549 Maruyama, Kazushige, 805 Maruyama, Tsukasa, 943 Marvelli, Lorenza, 339 Masciocchi, Norberto, 1501, 3009 Mashino, Takahiro, 805 Mashuta, Mark S., 965 Masoni, Claudio, 1051 Mastrorilli, Pietro, 2761 Masuda, Hideki, 3621 Mathews, A. Jane, 33 Mathieu, René, 2755 Matias, Pedro, 149 Matsumoto, Naohide, 2065, 2339 Matthews, Dorn M., 69 Mavilla, Luigi, 2651 Mawby, Roger J., 1193 Mays, Martin J., 609, 3607 Mazid, Muhammed A., 445, 2637, 2645, 3615 Mazzi, Ulderico, 2437 Mazzocchin, Gian Antonio, 695 McArdle, Patrick, 2473 McAuley, Alexander, 2071 McAuliffe, Charles A., 619, 1115, 1265, 1759, 3249 McCamley, Andrew, 2615, 2867, 3519 McCann, Malachy, 1489 McCleverty, Jon A., 143, 1555, 2415, 2559, 3427 McFarlane, H. Christina E., 1791 McFarlane, William, 437, 1791 McGarry, Celine J., 3683 McGinley, John, 2473 McGowan, Patrick C., 871 McGrady, John E., 3759 McGrath, Catherine M., 2335, 3333 McIntosh, Calum H., 2423 McKee, Vicki, 1471 McPartlin, Mary, 237, 243, 305, 521, 1109, 1383, 2213, 2335, 2791, 3069, 3333, 3369 Mealli, Carlo, 2025 Meetsma, Auke, 577 Meister, Götz, 3215 Menabue, Ledi, 273, 279, 285 Ménage, Stéphane, 2081 Messere, Rino, 2875 Mestroni, Giovanni, 1849, 1903

Metzler, Nils, 2405

Mezza, Gianni, 3009

Mezzetti, Antonio, 2257 Mhatre, Sunanda N., 3711 Miaskiewicz, Karol, 2919 Micera, Giovanni, 347, 2939 Mikola, Marjaana, 1499 Milani, Barbara, 1903 Miller, John R., 3355, 3553 Milne, Paul E. Y., 2719 Mingos, D. Michael P., 1013, 1563, 1735 Miravet, Juan F., 2995 Mishra, Shuddhodan P., 1271 Misra, Ashutosh, 491 Mitchell, Kathryn A., 563 Mitzel, Norbert W., 2503 Molloy, Kieran C., 2135 Momblona, Francisca, 2271 Monari, Magda, 1777 Monge, Angeles, 1555, 2271 Monks, Gary L., 1857, 3335 Monzani, Enrico, 3203 Moore, Peter, 485, 2631 Moorthy, Pervaje N., 3711 Moreira, José C., 1493 Moreno, María Teresa, 135, 2735, 3343 Moresco, Anna, 1453 Moret, Massimo, 2397 Morewood, Catherine A., 2159 Morgan, Grace, , 3149 Mori, Idumi, 3191 Morise, Xavier, 871 Morris, Jill, 243, 1109, 3069 Moszner, Monika, 2531 Moubaraki, Boujemaa, 1121, 1837, 2129 Moucheron, Cécile, 885 Mountford, Philip, 1843, 2851, 2867, 2975, 3337 Moura, Isabel, 3099 Mousley, David P., 3637 Mtetwa, Victor S. B., 201 Muir, Alan S., 1441 Mukherjee, Alok K., 2367 Mukherjee, Monika, 2367 Mukherjee, Rabindranath, 465, 965 Mukhopadhyay, Rina, 2799 Mukhopadhyay, Subrata, Muldoon, David J., 3493 Muller, Guillermo, 3075 Müller, Thomas E., 1735 Munakata, Megumu, 603, 2771 Munerato, Chiara, 2049 Munro, Orde Q., 297 Murata, Takashi, 1073, 1511

Murphy, Brian P., 1383 Murray, Keith S., 1121, 1837, 2129 Murugavel, Ramaswamy, 847 Musashi, Yasuo, 3047 Musso, Fabrizio, 2015 Mutikainen, Ilpo, 3667 Myllyviita, Sari, 2125 Nadarajah, Jeyagowry, 2875 Naing, Kyaw, 2085 Nakahara, Masayoshi, 13 Nakamura, Yasuho, 3191 Nakashima, Toshio, 2339 Nasreldin, Mohamed, 2809 Natile, Giovanni, 949, 3753 Natkaniec, Leszek, 3261 Natsume, Takayuki, 2749 Navarro, Rafael, 505, 3143 Navas Badiola, Jon A., 2415 Ndifon, Peter T., 619 Nelson, Jane, 1471, 3149 Neo, Soh Ping, 3451 Nethaji, Munirathinam, 63, 847, 2661 Neubold, Peter, 457 Ní Cholchúin, Máire, 2473 Ni Dhubhghaill, Orla M., 3305 Nicholson, Brian K., 1831, 2489 Nicolò, Francesco, 3135 Nieh, Yeu-Perng, 1681 Nielsen, Max, 361 Nielson, Alastair J., 1783 Nierengarten, Jean-François, 1649 Nierlich, Martine, 501, 3563 Nishida, Yuzo, 2805 Nishikiori, Shin-ichi, 1029, 3695 Nishinaga, Akira, 805 Nivorozhkin, Alexander L., 361 Noels, Alfred F., 2875 Norman, Nicholas C., 1327, 1743, 1753 Nozaka, Youichi, 603 Nozaki, Koichi, 263 Nozaki, Takeshi, 2339 Nuber, Bernhard, 457, 2041 Nyokong, Tebello, 1359 O'Leary, Margaret A., 3107 Odier, Léon, 1689 Ogami, Masaki, 3621 Ogden, Mark I., 3479 Oglieve, Kay E., 767 Ohkubo, Katsutoshi, 239 Ohno, Takeshi, 263 Ohtaka, Kawori, 2599 Okamoto, Ken-ichi, 533 Okaue, Yoshihiro, 2065

Ōkawa, Hisashi, 1097, 2065, 2339 Okur, Ali I., 323, 2023 Oldroyd, Richard D., 1483, Oliver, Allen G., 1831 Olivier, Pierre, 2091 Olivieri, Alejandro C., 1189 Olmos, Elena, 2891 Olmstead, Marilyn M., 2113 Olsen, Matthew D., 1079 Olsson, Anders, 3723 Omar, Hadi A. A., 485, 2631 Orlandini, Annabella, 175 Oro, Luis A., 159, 385 Orpen, A. Guy, 477, 651, 1161, 1327, 2025, 2251 Orr. Edward C., 2497 Orrell, Keith G., 111, 445, 1079, 3441, 3545 Orrin, Rachel H., 311 Osakada, Kohtaro, 943 Osborne, Anthony G., 111, 1079, 3441, 3545 Ostrander, Robert, 69 Otte, Ronald, 2091 Ozawa, Takehiro, 2609 Özkar, Saim, 2239 Ozutsumi, Kazuhiko, 3267 Pacifico, Concetta, 949, 3753 Page, Nicola A., 2589 Pain, Helen M., 111, 3441 Palanca, Pedro, 175 Palaniandavar, Mallayan, 1219, 2277 Palin, Janet, 255, 1799 Palmer, Stephen, 3515 Panchanan, Subrata, 2381 Pang, Zhen, 955 Panyella, David, 3075 Paoletti, Piero, 3581 Papaefthymiou, Vasilios, 2737 Pappalardo, Giuseppe, 1227 Parisini, Emilio, 2167 Parker, David G., 689, 1619, 2221, 2589 Parry, Julian S., 977 Parsons, Simon, 753, 1169 Partridge, Martin G., 3519 Pascal, Jean Louis, 3119 Paver, Michael A., 1479, 2963 Payne, Marc J., 2899 Pecorale, Andrea, 2437 Pedrosa de Jesus, Júlio D., 2585 Pelizzi, Corrado, 2651 Pelizzi, Giancarlo, 2651 Peñalba, Evaristo, 3005 Peng, Shie-Ming, 315, 3067, 3499

Pereira, Eulália, 571 Perera, Sarath D., 103, 713, 3311.3589 Peris, Eduardo, 539, 545 Perlepes, Spyros P., 2737 Perotti, Angelo, 2347 Persson, Ingmar, 3243 Perutz, Robin N., 3515, 3519 Pessoa, João Costa, 149 Petković, Djordje M., 2209 Petrie, Mark A., 2113 Petrilli, Lucantonio, 3349 Pettersson, Lage, 1061 Phillips, Leonidas, 3257 Philoche-Levisalles, Michèle, 3769 Piarulli, Umberto, 1243 Picher, Maria T., 175 Pickett, Christopher J., 2181 Pickett, Nigel L., 1743, 1753 Pienaar, Jakobus J., 2373 Pierens, Raymond K., 91 Piffard, Yves, 2881 Pilloni, Giuseppe, 2471 Pinilla, Elena, 1555, 2271 Pinillos, M. Teresa, 385 Piraino, Pasquale, 1517 Pitarque, Mari-Angel, 3159 Pitteri, Bruno, 169, 1805, 3539 Plakatouras, John C., 2737 Poganiuch, Peter, 2285 Pol, Harm, 577 Poliakoff, Martyn, 3515 Polito, Wagner L., 1493 Pombeiro, Armando J. L., 3299 Poojary, Damodara M., 2453 Povey, David C., 1251, 1425 Powell, Harold R., 237, 521, 2791 Powell, Harry R., 1383 Powell, John, 1571 Power, Philip P., 2113 Pradhan, Padmanava, 3711 Pratt, John M., 1367, 1373, 1377 Pringle, Paul G., 651 Prinsloo, Frans F., 2373 Pritchard, Robin G., 1115, 1265, 1759, 3249 Proctor, Clive, 3085 Proserpio, Davide M., 471 Proust, Anna, 819, 825 Pruchnik, Florian P., 3261 Psillakis, Elefteria, 2559 Puddephatt, Richard J.,

1283

Puerta, M. Carmen, 2431

Pulidori, Fernando, 2049 Pulukkody, Kanthi, 689 Pyne, Stephen G., 289 Qian, Changtao, 1599, 1665, 2109 Qiu, Jun, 1923, 2989 Quarmby, Ian C., 3745 Quignard, Françoise, 1153, 2411 Rae, A. David, 1783 Raithby, Paul R., 521, 609, 645, 1479, 2159, 2215, 2589, 2669, 2901, 2963, 3331, 3607 Ramaraj, Ramasamy, 2445 Rambo, Joe R., 1813 Ramírez, José A., 175, 637, 2995 Ramírez de Arellano, M. Carmen, 2159, 3331 Randaccio, Lucio, 1903 Rangel, Maria, 369 Rankin, David W. H., 1563, 2885, 3775 Rashidi, Mehdi, 1283 Raso, Michael, 1571 Raston, Colin L., 2019 Ratnam, Javakauri, 787. 1857, 3335 Raubenheimer, Helgard G., 2091 Ravikanth, Mangalampalli, Rawson, Jeremy M., 2005, Ray, Manabendra, 965 Raynor, J. Barrie, 369 Read, Michael C., 3243 Read, Paul W., 971 Real, José Antonio, 3769 Reddy, Damodar, 491 Reddy, Kedika B., 2497 Reddy, Venkata S., 2661 Refosco, Fiorenzo, 1453, 2471 Rehder, Dieter, 3471 Reid, Gillian, 627, 3031, 3291, 3377 Reitsma, David A., 3659 Remelli, Maurizio, 2049 Rennie, Moira-Ann, 2963 Renouard, Corinne, 1731 Renz. Franz. 1523 Rey, Fernando, 2953 Rey, Manuel, 1265 Reynolds, Philip A., 901, 1121, 1429 Rheingold, Arnold L., 69, 2359. 3273 Rheinwald, Gerd, 3215 Ribas, Joan, 259 Ribera, Antonio, 2953, 3511 Riccucci, Cristina, 3349

Richards, Raymond L., 621, 1401, 1819 Richardson, John F., 465, 965, 997 Richardson, Rob M., 2559 Rickard, Clifton E. F., 1783 Riede, Jürgen, 2333 Rieger, Anne L., 2903, 3745 Rieger, Philip H., 2903, 3745 Riera, Victor, 3745 Rigby, Keith, 1003 Rigo, Pierluigi, 2257 Rizzarelli, Enrico, 1227 Rizzoli, Corrado, 1243, 2015, 2467 Robert, Francis, 819, 825, 1311 Roberts, Peter G., 667 Roberts, Yvonne V., 759 Robertson, Heather E., 1563, 2885, 3775 Robinson, Brian H., 2821 Robinson, Katie, 2821 Robinson, Kerry D., 2019 Robinson, Stephen D., 3615 Robson, Richard, 1837 Rocamora, Mercè, 3075 Rocha, João, 2585 Rode, Bernd M., 1125 Rodrigues, Edson, 1493 Rodrigues, J. Vasco, 2655 Rodríguez, Adolfo, 1185 Rodríguez, Teresa, 1185 Rodríguez de Barbarin. Cecilia O., 2861 Rohwer, Elisabeth A., 45 Rojo, Teófilo, 2233, 2573 Roman, Patricia, 1819 Romanenko, Vadim D., 2925 Romero, Jaime, 1115 Rondon, Deyanira, 1895 Roodt, Andreas, 3723 Rooney, A. Denise, 3515 Rosair, Georgina M., 2025 Ross, Sylvia, 2041 Rossi, Roberto, 339 Rossignoli, Monica, 1641 Routledge, Carol A., 1275, 2023, 2809 Rowbottom, Graham L., Roy, Parag S., 2381 Royle, Louise, 1619, 2221 Rudd, Martin D., 3025 Rüegger, Heinz, 1689 Ruhlandt-Senge, Karin, 2113 Ruile, Stefan, 477 Ruiz, Francisco, 19 Ruiz, José, 2353

Ruiz, Rafael, 3465, 3769 Rushton, David J., 209 Russell, Christopher A., 1479, 2963 Russell, Claire E., 1935, 2483, 3189 Russell, David R., 3085. 3383 Rutherford, Todd J., 3659 Ryabov, Alexander D., 1257 Ryder, Karl S., 2181 Sabatino, Piera, 393 Sabo-Etienne, Sylviane, 1895 Sabounchei, Javad S. Z., 333, 513 Sacco, Adriano, 2761 Sacht, Cheryl, 785 Sadler, Peter J., 3305 Sahajpal, Arvind, 3615 Sahoo, Rama K., 3727 Sakaki, Shigeyoshi, 7, 3047 Sakane, Hideto, 2321 Sakiyama, Hiroshi, 1097 Sakurai, Kenii, 3621 Sakurai, Tosio, 1511 Sala, Luis F., 1189 Saladini, Monica, 273, 279, 285 Salek, Spencer N., 3165 Sales, Joaquim, 735, 747 Salmon, G. Arthur, 675 Sanaú, Mercedes, 539, 545 Sánchez, Gregorio, 19, 2271 Sanchez, Michel, 2925 Sanders, J. Roger, 2457, 2591, 3683 Sandström, Magnus, 3243 Sanmartin, Jesus, 1265 Sanna, Daniele, 347, 2939 Sansoni, Mirella, 1501, 3237 Santana, María D., 19 Santos, Isabel C., 2655 Sanz, José, 3465 Sanz-Aparicio, Juliana, 781 Saple, Ashok R., 2145 Sasagawa, Tomoko, 583 Sato, Mitsunobu, 1511 Sato, Rei, 943 Sauvage, Jean-Pierre, 885, 1649 Scandola, Franco, 2391 Scarlett, Nicola V. Y., 595 Schatz, Erik, 799 Schier, Annette, 2333 Schmalle, Helmut W., 1689 Schmidbaur, Hubert, 2333, 2503 Schmidt, Heinar, 2509 Schmülling, Michael, 1257 Schneider, Ralf, 457 Schofield, Peter A., 1445 Schriver, Melbourne J., 997 Schröder, Detlef, 2705

Schröder, Martin, 627, 1463, 1631, 2197, 3291 Schubiger, P. August, 2815 Schulz, Axel, 2705 Schwab, Peter, 3415 Schwarz, Helmut, 2705 Scott, Fred, 2091 Scowen, Ian J., 305, 2213 Scudder, Marcia L., 1641 Sécheresse, Francis, 1311 Seddon, Kenneth R., 3405 Seeley, Andrew J., 2251 Sella, Andrea, 201 Sessanta o Santi, Andrea, 1849 Sgarabotto, Paolo, 273 Shaw, Bernard L., 103, 379, 713, 917, 3311, 3589, 3597 Shawcross, Andrew, 3493 Sheerin, David, 2473 Sheldrick, William S., 1885 Shen, Meng-Chang, 1873 Shieh, Shen-Jye, 3067 Shin, Whanchul, 2765 Shinoda, Sumio, 2265 Shiotsuka, Michito, 2065 Shirin, Zahida, 465 Shortman, Caroline, 621 Shu, Shi, 3211 Shul'pin, Georgiy B., 1505 Sicilia, Violeta, 3143 Šik, Vladimir, 111, 445, 1079, 3441, 3545 Sillanpää, Reijo, 1499, 2119, 2125 Silver, Jack, 747, 3039, 3355, 3553 Silvestru, Cristian, 2191 Simon, Arndt, 1159 Simonnet-Jegat, Corine, Simonov, Yuri A., 1913 Simpson, Jim, 2821 Simpson, Michael C., 1731, 1963, 2899, 3061 Simpson, Nigel J., 2423, 3527 Simpson, Rachel H., 3377 Simpson, Stephen J., 871 Singh, Prahlad R., 1581 Singh, S. Nabakishwar, 3201 Sinicropi, Maria S., 1517 Sinn, Ekkehard, 3511 Sironi, Angelo, 471, 2397, 3009 Sitran, Sergio, 3231 Sivagnanam, Usha, 2277 Skelton, Brian W., 793, 925, Slawin, Alexandra M. Z., 1995 Sletten, Jorunn, 2777

Smeets, Wilberth J. J., 703 Smith, Amanda M., 859 Smith, Anthony K., 33, 333, 513, 1857, 3335 Smith, Fiona C., 689 Smith, Gallienus W., 1425 Smith, Karen D. L., 955 Smith, Raymond J., 3165 Smith, Susan L., 563 Smith, Suzanne V., 2791, 3361 Snaith, Ronald, 2901 Snyder, G. Jeffrey, 1159 Sobolev, Alexander N., 901, Sola, Marco, 279, 285 Solan, Gregory A., 609, 3607 Solans, Xavier, 259, 735, 747, 3005, 3039, 3075 Solari, Euro, 2015, 2467 Sommazzi, Anna, 1903 Song, Xuejing, 3273 Soriano, Conxa, 637 Sosa, Plinio, 1819 Sotiropoulos, Jean-Marc, 2925 Sousa, Antonio, 1115, 1265 Southerington, I. Gary, 1983 Southern, Jeffery T., 2581 Sóvágó, Imre, 2939 Sowerby, D. Bryan, 1983 Spek, Anthony L., 703, Spence, Kimberly L., 551 Srinivas, Pendyala, 2693 Staemmler, Volker, 2313 Steed, Jonathan W., 1949 Steiger, Rolf, 1051 Steudel, Ralf, 2509, 2919 Štíbr, Bohumil, 229, 1317 Stoeckli-Evans, Helen, 1051, 1549, 3215 Stone, F. Gordon A., 25 Stoppioni, Piero, 3739 Strampfer, Martin, 117, 1533 Stratford, Susan E., 1327 Streib, William E., 1813 Strunk, Günther, 1929 Struve, Oliver, 1327 Sudbrake, Claas, 2457 Suh, Myunghyun Paik, 2765 Süli-Vargha, Helga, 2939 Sultan, Wadei I. M., 2239 Sun, Jie, 1665 Sundavadra, Bharat V., 3607 Sundberg, Markku R., 3279 Sundermeyer, Jörg, 1131 Süss-Fink, Georg, 3215 Suzuki, Shinnichiro, 437

Sweet, Tracy K. N., 1037, Sweigart, Dwight A., 2903 Sykes, A. Geoffrey, 429, 437, 675, 683, 1025, 1275, 2023, 2809, 3017 Symons, Martyn C. R., 1271 Taha, Ali, 1091 Tajima, Hiroyuki, 249 Takahashi, Masashi, 2933 Takahashi, Masavuki, 2085 Takeda, Masuo, 2933 Taljaard, Itha, 2091 Tam. Kwok-Kwong, 391 Tan, Kuang Lee, 3177 Tan-Sien-Hee, Lise, 3651 Tanaka, Noriko, 2805 Tanase, Tomoaki, 3191 Tandon, Santokh S., 1425 Tang, Wen Xia, 1917, 1923, 2989 Tanida, Hajime, 2321 Taniquchi, Masahiro, 2085 Tarli, Franco, 3349 Tatehata, Akira, 1655 Taulelle, Francis, 2881 Tavakkoli, Kayumars, 1743 Taylor, Michael J., 3199 Teranishi, Toshiharu, 2967 Terreros, Pilar, 781 Tharmaraj, Paulmony, 1301 Thied, Robert C., 1703 Thompson, Russell M., 1251, 3553 Thöne, Carsten, 83, 3329 Thornton-Pett, Mark, 103, 229, 713, 1791, 3311, 3597 Tiekink, Edward R. T., 1301, 1765, 2129 Tillard-Charbonnel, Monique, 3119 Timms, Peter L., 2251 Tiripicchio, Antonio, 385 Tisato, Francesco, 1453. 2471 Tocher, Derek A., 1949, 3031 Toerien, James G., 2091 Toftlund, Hans, 361 Tokoro, Kenji, 3621 Tokumoto, Madoka, 249 Tomás, Milagros, 401, 505, 2735, 3143 Tomkinson, Nicholas P., 675 Tornieporth-Oetting, Inis C., 2705 Törnroos, Karl W., 3123 Torregrosa, Josefina, 2353 Torrens, Hugo, 781, 1819, 2861 Toscano, Ruben Alfredo,

Toshima, Naoki, 2967 Tournoux, Michel, 2881 Tramuns, David, 3039 Tresoldi, Giuseppe, 1517, 3135 Trickey, Peter, 1105 Trovão, Cristina N., 2585 Tsuboyama, Sei, 2609 Tsutsui, Toshihiko, 805 Tucker, B. Joly, 1425 Tueting, Jonathan L., 551 Turner, Duncan W., 773 Turner, James J., 2217 Turner, Peter, 2783 Ubeda, M. Angeles, 539 Uggla, Rolf, 3279 Ugo, Paolo, 695 Ugozzoli, Franco, 385 Uguagliati, Paolo, 1145, 3113 Uma, Rajendran, 1219 Urriolabeitia, Esteban P., 505, 1291 Urtiaga, M. Karmele, 2233 Ushio, Hiroyuki, 2339 Usón, Miguel A., 401 Usón, Rafael, 401 Valerga, Pedro, 2431 Valk, Jean-Marc, 2293 Valtancoli, Barbara, 3581 van Belzen, Ruud, 2293 van de Grampel, Johan C., van der Huizen, Adri A., 577 van Dorsselaer, Alain, 885 van Eldik, Rudi, 1257, 2373, 2497, 3159 van Koten, Gerard, 703. 2293 van Zyl, Werner, 2091 Várnagy, Katalin, 2939 Vaucher, Sebastien, 1051 Vessey, Jonathan D., 1193, 3597 Vicente, José, 1505, 3183 Vicente, Ramon, 259, 3005 Vigner, Julien, 501, 3563 Viguri, Fernando, 2025 Villiers, Claude, 3397 Vincent, Jean Marc, 2081 Visentin, Fabiano, 1145, 3113 Visseaux, Marc, 1665 Viswanathan, Rathinam, 1219 Vittal, Jagadese J., 1283 Vivanco, Marilin, 3745 von Ragué Schleyer, Paul, 2503, 2885, 3775 Vyas, Anima, 1207 Waerenborgh, João C., 2655

Wagner, Matthias, 2405


Wagner, Michael J., 955 Waikar, Smruti, 1383 Walker, Juliet V., 1585 Wallbridge, Malcolm G. H., 195, 3533 Walton, Paul H., 1935, 2483 Wang, Bing, 2109 Wang, Defen, 3325 Wang, Guoxiong, 3325 Wang, Liufang, 2523 Wang, Shuangxi, 2523 Wang, Sue-Lein, 1681, 1825 Wang, Suning, 955, 2545 Wang, Yu, 315, 1659 Wang, Zhe Ming, 2989 Ward, Gary N., 1079 Ward, Michael D., 143, 799, 2415, 2559, 3095 Warren, Robert M. L., 1655 Watanabe, Iwao, 2321 Watanabe, Megumi, 239 Waterfield, Philip C., 2135 Waters, Joyce M., 1, 215 Waterstradt, Eckhard, 2503 Watkin, David J., 1169 Watkinson, Michael, 1265 Weber, Frank, 799 Webster, Michael, 1337, 2835, 2983 Wegener, Joachim, 1213 Wehman-Ooyevaar, Ingrid C. M., 703 Wehmschulte, Rudolf, 2113 Wei, Gang, 355 Weisenhorn, Albrecht L., 1051

Weisner, Jan, 2591

Welch, Alan J., 1291, 2367, 3129 Weller, Mark T., 1483 Welton, Thomas, 3405 Wen, Huo, 793 Wen, Yuh-Sheng, 937 Wenschuh, Eberhard, 2509 Went, Michael J., 3165, 3171 Werndrup, Pia, 1435 Werner, Helmut, 221, 3415 Westwell, Jeremy R., 2217 Westwood, Gary P., 2213 Wexler, Pamela A., 1003 Whang, Dongmok, 853 Whitcombe, Todd W., 2071 White, Allan H., 773, 793, 925, 2621, 3361 White, Andrew R., 51, 3645 White, Colin, 1445, 1731 White, Peter S., 2705 Whiteley, Mark W., 1671, 2303 Whyman, Robin, 1963 Wieghardt, Karl, 457, 2041 Wilgocki, Michal, 2531 Wilkinson, Geoffrey, 907, 1037, 1563, 2223 Willey, Gerald R., 255, 305, 1799, 3025, 3285 Williams, David J., 859, 907, 1735, 1995 Williams, David N., 1243 Williams, Julian P., 1231 Wilson, Jenny C., 595, 1837 Wilting, Theo, 577 Wimmer, Franz L., 879 Wimmer, Smita, 879

Winpenny, Richard E. P., 2005, 2719 Winter, Manuela, 2313 Włodarczyk, Andrzej, 143, Włoszczynski, Andrea, 2509 Woitha, Claus, 3471 Wong, Kwok-Yin, 1659, 2713 Wong, Wing-Tak, 521, 1605, 2159, 2519, 2713 Woodroffe, Thomas M., 3333 Woollam, Stephen F., 1131 Woollins, J. Derek, 1995 Wrackmeyer, Bernd, 633 Wright, Dominic S., 1479, Wu, Liang-Shen, 1577 Wu, Man-Ching, 1659, 2519 Wu, Qiang-Jin, 1873 Wu, Zhong Kui, 1923 Xiang, Hai, 3325 Xie, Xiulan, 3459 Xin, Xin-quan, 3211 Xin, Yin, 2109 Xu, Chao, 2071 Xu, Chongying, 2841 Xu, Li, 2099 Xu, Zhi-Tao, 2331 Yam, Vivian Wing-Wah, 391, 2057, 2587 Yamada, Saho, 583 Yamagishi, Akihiko, 2085 Yamakawa, Tetsu, 2265 Yamakawa, Yukiko, 2339 Yamamoto, Takakazu, 943 Yamamoto, Yasuhiro, 3191

Yamase, Toshihiro, 2599 Yan, Duangcao, 2099 Yan, Xue F., 1765 Yan, Yaw-Kai, 1735 Yang, Chung Shinn, 2011 Yang, Xingshue, 3325 Yano, Shigenobu, 1073. 1511 Yashiro, Morio, 1073, 1511 Yellowlees, Lesley J., 799, 3129 Yeung, Phyllis Kok-Yan, 2587 Yip, Hon Kay, 2333 Yoshikawa, Sadao, 1073, Young, Charles G., 1765 Yu, Kai Bei, 1917, 1923, 3325 Yu, Shu-Yan, 1873 Yu, Wing-Yiu, 57 Yuan, Yizhong, 2959 Yuge, Hidetaka, 1237 Zakaria, Choudhury M., 1971 Zanello, Piero, 1533, 3237 Zangrando, Ennio, 1903 Zhang, Baolong, 2453 Zhang, Qianer, 2099 Zhang, Zheng, 1873 Zheng, Xiaofan, 1665 Zhou, Zhong-Yuan, 3451 Zhu, Dunming, 1599 Zhu, Shou-Rong, 1873 Zhu, Ying, 2523 Zhuang, Hua-Yun, 1025 Zimmer, Marc, 551 Ziolkowski, Jozef J., 2531



### SUBJECT INDEX

AB INITIO

Molecular structure of gaseous 1,7-dichloro-1,7-dicarba-closo-dodecaborane(12), 1,7-Cl<sub>2</sub>-1,7-C<sub>2</sub>B<sub>10</sub>H<sub>10</sub>, as studied by electron diffraction and *ab initio* calculations, 2885

Molecular structure of gaseous 1,7-dichloro-1,7-dicarba-closo-dodecaborane(12), 1,7-Cl<sub>2</sub>-1,7-C<sub>2</sub>B<sub>10</sub>H<sub>10</sub>, as studied by electron diffraction and *ab initio* calculations (1994, 2885), 3775

ACETAMIDE

Conversion of acetonitrile into acetamide in the co-ordination spheres of *cis*- and *trans*-M<sup>II</sup>(amine)<sub>2</sub> (M = Pt or Pd). Solution and crystal structural studies, 3667

ACETIC ACID

Catalytic reaction of methanol with a series of ruthenium(II) complexes and the mechanism of the formation of acetic acid from methanol alone, 2265

ACETOACETANILIDE

Chemistry of acetoacetanilide and derivatives with zero- and di-valent platinum and palladium complexes; crystal structure of the four-membered ring palladalactam complex

[Pd{CH(COMe)C(O)NPh}(bipy)] (bipy = 2,2'-bipyridyl), 3085

Conversion of acetonitrile into acetamide in the co-ordination spheres of cis- and trans-M<sup>II</sup>(anine)<sub>2</sub> (M = Pt or Pd). Solution and crystal structural studies, 3667

ACETYLACETONATE
Stereoselective photocatalysis of helical ruthenium(II) complexes in the reduction of racemic tris(acetylacetonato)cobalt(III), 239

Aerobic photooxidation and C-C bond cleavage of the acetylacetonate ligand in (2-arylazo)arylpalladium(II) complexes induced

by visible light, 1505
ACETYLIDE

Synthesis of novel donor-acceptor manganese(i) complexes of ferrocenylacetylene: crystal structure of [(C<sub>3</sub>H<sub>3</sub>)Fe(C<sub>3</sub>H<sub>4</sub>)C≡CMn(CO)<sub>3</sub>{Ph<sub>2</sub>PCH(Me)CH<sub>2</sub>PPh<sub>2</sub>}] which has potential for second-order non-linear optics, 2589 Synthesis and crystal structure of a luminescent one-dimensional phenylacetylide-gold(i) polymer with 2,6-bis(diphenylphosphino)-pyridine as ligand, 3067

ACIDITY

Acid-base equilibric of

Acid-base equilibria of co-ordinated ligands. Part 1. The effect of basicity of co-ordinated nitrogen donors upon the acidity of chelating 8-aminoquinoline in some dicationic platinum(II) complexes, 731

Rate law for the linearisation of the incomplete cuboidal Fe<sub>3</sub>S<sub>4</sub><sup>+</sup> active site in aconitase at high pH, 1025
ACTINIDE

Monocyclooctatetraene uranium thiolate complexes. Crystal structure of [{U(η-C<sub>2</sub>H<sub>2</sub>)(μ-SPr<sup>3</sup>)<sub>2</sub>]<sub>2</sub>, 501 Synthesis, X-ray characterisation and spectroscopic studies of metal complexes of N,N<sup>-</sup>1,2-xylene-α,α-diylbis(pyridin-2-one),

A chemical model of the solvent extraction system: water-uranyl nitrate-nitric acid-tri-n-butyl phosphate-diluent, 2209 Synthesis, chiroptical and electrochemical studies of

dioxouranium(vi) complexes of aldimine derivatives of L-/D-histidine and crystal structure of (2,2'-bipyridyl)dioxo(N-o-vanillylidene-L-histidinato)uranium(vi)-water-methanol(1/1/1), 2381

Uranium-ligand bond-dissociation enthalpies of uranium(IV)

poly(pyrazolyl)borate complexes, 2687

carbonylation of the alkyl compounds  $[U(\eta-C_3H_4R)_3R']$  and rearrangement of the acyl derivatives  $[U(\eta-C_3H_4R)_3(\eta^2-COR')]$  into  $C_6H_4RR'$ . Influence of R and R' (Me, Pr' or Bu') and role of the solvent (benzene or tetrahydrofuran), 3397

Synthesis and crystal structure of homoleptic uraniumhexa-thiolates: [NE<sub>2</sub>H<sub>2</sub>]<sub>2</sub>[U(SPh)<sub>6</sub>] and [(Ph<sub>3</sub>P)Cu(μ-SPh)<sub>3</sub>U-(μ-SPh)<sub>2</sub>Cu(PPh<sub>3</sub>)], 3563 **ADSORPTION** 

alcohol, 3499

Structure of copper complexes adsorbed on a silica gel surface chemically modified with benzimidazole, 1493

ALCOHOL

Metal binding of polyalcohols. Part 2. (all-cis-1,3,5-Triaminocyclo-hexane)cobalt(III), a facially co-ordinating, diamagnetic probe exemplified by its complex formation with cis-inositol, 1689 Comparison of carbon-13 nuclear magnetic resonance methods for

the analysis of multiple partially deuteriated products from catalytic reactions: heptan-1-ol and 2-methylpropanol, 3061 Synthesis and co-ordination chemistry of a new tripodal phosphine ALCOHOLATE

Synthesis and crystal structures of dinuclear oxotungsten(vi)

diolato complexes, 2119 Synthetic and structural study of tetra-µ-3-aminopropanolatotricopper(II) catena-pentaiodo-tricuprate(I) and -argentate(I).

Multinuclear magnetic resonance studies on aluminium chelates. Part 1. Chelates with catechol and disodium 4,5-dihydroxy-benzene-1,3-disulfonate, 3711

Chemical mechanism of dioxygen activation by trans-[FeCl<sub>2</sub>(cyclam)] \* (cyclam = 1,4,8,11-tetraazacyclotetradecane) in the presence of reducing agents such as aliphatic aldehydes or linolenic acid, 2805

ALDIMINE

Synthesis, chiroptical and electrochemical studies of dioxouranium(vi) complexes of aldimine derivatives of L-/D-histidine and crystal structure of (2,2'-bipyridyl)dioxo(N-o-vanillylidene-L-histidinato)uranium(vi)-water-methanol(1/1/1),

ALKALI METAL

Novel two-fold-macrocycle-substituted phthalocyanines, 323 Monovalent metal-ion complexation by a bibracchial lariat ether in

The synthesis and crystal structure of [K(18-crown-6)]\*[NCS-SO<sub>2</sub>]\* (18-crown-6 = 1,4,7,10,13,16-hexaoxacyclooctadecane), 753
Influence of alkali- and alkaline-earth-metal cations on the 'salt-

Influence of arkali- and alkaline-earth-metal cations on the 'salt-induced peptide formation' reaction, 1125

The crystal structure of NaBa, an interpenetrating network of sodium tetrahedra and barium octahedra, 1159

Synthesis, spectroscopic and structural studies of alkali metalnickel periodates MNiIO<sub>6</sub> (M = Na, K, Rb, Cs or NH<sub>4</sub>), 1483

Novel two-fold-macrocycle-substituted phthalocyanines

(1994, 323), 2023

(1994, 323), 2023

Studies on organolanthanide complexes. Part 56. Formation of ion-pair complexes [Na·3phen] [Ln(C<sub>3</sub>H<sub>3</sub>)<sub>3</sub>Cl] -phen (Ln = La, Pr or Nd; phen = 1,10-phenanthroline) and crystal structure for Ln = Pr, 2109

Reversible co-ordination of a: λali metals to sulfur-based organometallic ligands [M(SC<sub>6</sub>F<sub>3</sub>)<sub>4</sub>(cp)] (M = Mo or W, cp = η<sup>3</sup>-C<sub>2</sub>H<sub>3</sub>), 2423

Direct synthesis of aphydrous alkali-metal tetrafluorodioxo-

cp = 13<sup>-1</sup>C<sub>3</sub>H<sub>3</sub>), 2423
Direct synthesis of anhydrous alkali-metal tetrafluorodioxouranates(vi), A<sub>2</sub>[UO<sub>2</sub>F<sub>4</sub>], and the first synthesis of alkali-metal
diaquatetrafluorodioxouranate(vi) monohydrates,
A<sub>2</sub>[UO<sub>2</sub>F<sub>4</sub>H<sub>3</sub>O<sub>2</sub>]-H<sub>2</sub>O (A = Na, K or NH<sub>4</sub>), 2693
The first structurally characterised sodium primary amide complex;
synthesis and crystal structure of 2-PhOC<sub>6</sub>H<sub>4</sub>NHNaNMef(CH<sub>2</sub>)<sub>2</sub>NMe<sub>2</sub>]<sub>2</sub>, 2901
Synthesis and co-ordination chemistry of dicobalt-complexed
acetylenic crysty actuals and these 3121

acetylenic crown ethers, 3171

Co-ordination tendencies of two novel compartmental oxa-aza macrobicycles. Crystal structure of a Cu<sup>II</sup>(H<sub>2</sub>O) inclusion complex, 3581

ALKALINE-EARTH METAL

Influence of alkali- and alkaline-earth-metal cations on the 'salt-

induced peptide formation' reaction, 1125
The crystal structure of NaBa, an interpenetrating network of sodium tetrahedra and barium octahedra, 1159

From synthesis to chemical reactivity of supported do complexes. Part 2. Reactivity of silica-anchored alkylzirconium complexes. An attempt toward functionalization of alkanes, 2411

ALKENE

New ansa-metallocenes of the Group 4 transition metals as homogeneous catalysts for the polymerization of propene and styrene, 657

Intramolecular nucleophilic addition of the oxygen of a nitro ligand onto the cis olefin in cationic complexes of platinum(II), 949 The kinetics of the reaction of [Ru(Cl)H(PPh<sub>3</sub>)<sub>3</sub>] with various olefins, 951

Alkene complexes of ruthenium(0): crystal structures, isomerism

and fluxionality, 1193

Highly active homogeneous nickel catalysts for alkene dimerisation: crystal structure of [Ni(η³-C₃H₃)(PPh₃)Br] and in situ characterisation of AlEt₃-activated [Ni(η³-C₃H₃)(PPh₃)Br] by nuclear magnetic resonance and extended X-ray absorption fine structure spectroscopy, 1337

iphenylacetylene complexes of tungsten containing π-acceptor ligands, 1783

ALKENE (contd)

Sterically hindered diphosphines (Ph<sub>2</sub>P)<sub>2</sub>C=CHR (R = Me or Ph) and their derivatives, 1791

ALKOXIDE

LKOXIDE
Chemical reactivities of [Me<sub>2</sub>Al(μ-NPr'<sub>2</sub>)<sub>2</sub>MgMe]<sub>4</sub> and [Me<sub>2</sub>Al-(μ-NEt<sub>2</sub>)MgMe]<sub>5</sub>; crystal structures of [Me<sub>2</sub>Al(μ-NPr'<sub>2</sub>)<sub>2</sub>Mg-(μ-I)]<sub>5</sub>, [Me<sub>2</sub>Al(μ-OBu'<sub>2</sub>)<sub>3</sub>Mg(μ-OBu'<sub>2</sub>)]<sub>5</sub>, Me<sub>2</sub>Al(μ-NPr'<sub>2</sub>)-(μ-OEt)Mg(μ-NPr'<sub>2</sub>)(μ-OEt)AlMe<sub>2</sub> and Me<sub>2</sub>Al(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>3</sub>AlMe<sub>2</sub>, 315
Dimeric antimony complexes capturing dimethylamine as a neutral

donor; syntheses and structural characterisation of [5bCl<sub>2</sub>-(NHMe<sub>2</sub>)(μ-OEt)], and [5bCl(NHMe<sub>2</sub>)(μ-NBu')]<sub>2</sub>, 1479
Reactivity of nickel(ii) diphosphine complexes towards alkoxides: a new route to the synthesis of nickel(i) compounds through nickel(ii) alkoxides, 2761

LKYL
Chemical reactivities of [Me<sub>2</sub>Al(μ-NPr'<sub>2</sub>)<sub>2</sub>MgMe]<sub>4</sub> and [Me<sub>2</sub>Al-(μ-NEt<sub>2</sub>)MgMe]<sub>5</sub>; crystal structures of [Me<sub>2</sub>Al(μ-NPr'<sub>2</sub>)<sub>2</sub>Mg-(μ-D]<sub>2</sub>, [Me<sub>2</sub>Al(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-OBu'<sub>2</sub>)]<sub>2</sub>, Me<sub>2</sub>Al(μ-NPr'<sub>2</sub>)-(μ-OEt)Mg(μ-NPr'<sub>2</sub>)(μ-OEt)AlMe<sub>2</sub> and Me<sub>2</sub>Al(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OBu'<sub>2</sub>)<sub>2</sub>Mg-(μ-OB

after room-temperature photolysis of aqua(sec-butyl)bis-(dimethylglyoximato)cobalt(III) in the presence of N-donor

bases, 309
Unusually labile organoplatinum complexes: a mechanistic study
of insertion-deinsertion into platinum-alkyl complexes of
pyridine-2-carboxylic acid, 415
1,2-Metallotropic shifts in trimethylplatinum(iv) and
tricarbonylrhenium(i) halide complexes of pyridazine

and 4-methylpyridazine, 445

From synthesis to chemical reactivity of supported d<sup>0</sup> complexes. Part 1. An *in situ* infrared spectroscopic study of silica-anchored zirconium hydrides, 1153

Synthesis and characterization of methylplatinum(II) O,O'-dialkyl dithiophosphates. Crystal structure of [PtMe{S<sub>2</sub>P(OPr)<sub>2</sub>}-

distributions and structure of [Friviers2-F(OF)2](AsPh3)], 1207
Alkyl, aryl, vinyl, alkynyl and carbene derivatives of cycloheptatrienylmolybdenum complexes, 1671
Luminescent organometallic gold(1) complexes. Structure and
photophysical properties of alkyl-, aryl- and μ-ethynylene gold(1)
complexes, 1867

From synthesis to chemical reactivity of supported do complexes. Part 2. Reactivity of silica-anchored alkylzirconium complexes. An attempt toward functionalization of alkanes, 2411 Transition-metal Schiff-base complexes as ligands in tin chemistry.

Transition-metal Schiff-base complexes as ligands in tin chemistry. Part 5. Structural studies of intimate ion-paired heterobimetallic complexes of tin(IV) and nickel, copper or zinc with 3-methoxysalicylaldimine ligands, 2473

Synthesis and electrochemistry of dialkylosmium-(IV) and -(V) porphyrins. Crystal structure of [Os(ttp)(CH<sub>2</sub>SiMe<sub>3</sub>)<sub>2</sub>] [H<sub>2</sub>ttp = 5,10,15,20-tetra(p-tolyl)porphyrin], 2713

Hydrolysis, polymerisation, and structure of dimethyltin(IV) in aqueous solution. Molecular structure of the polymer [(SnMe<sub>2</sub>)<sub>2</sub>(OH)<sub>3</sub>]CIO<sub>4</sub>, 2749

η-Cyclopentadienylimido molybdenum chemistry: hydrido, alkyl and η-allyl derivatives, 2975

Carbonylation of the alkyl compounds [U(η-C<sub>3</sub>H<sub>4</sub>R)<sub>3</sub>(η<sup>2</sup>-COR')] into C<sub>6</sub>H<sub>4</sub>RR'. Influence of R and R' (Me, Pr' or Bu') and role of the solvent (benzene or tetrahydrofuran), 3397

LKYLIDENE ALKYLIDENE

Molecular heterogeneous metathesis catalysts: an attempted synthesis of surface-anchored alkylidenetungsten complexes, 1723

ALKYLIDYNE

An amphiphilic trinuclear cobalt cluster-containing molecular unit: synthesis, characterization and Langmuir–Blodgett films, 10 Molecular heterogeneous metathesis catalysts: an attempted synthesis of surface-anchored alkylidenetungsten complexes, 1723 ALKYNE synthesis, characterization and Langmuir-Blodgett films, 1051

Tri- and tetra-nuclear  $\mu$ -alkyne clusters from [Ru<sub>2</sub>( $\mu$ -CO)-( $\mu$ -C<sub>2</sub>R<sub>2</sub>)( $\eta$ -C<sub>5</sub>H<sub>5</sub>)<sub>2</sub>] (R = Ph or CF<sub>3</sub>), 477 Diphenylacetylene complexes of tungsten containing π-acceptor ligands, 1783

An unexpected explanation for the unsymmetrically bridging alkyne ligand in [W<sub>2</sub>(η-C<sub>3</sub>H<sub>4</sub>Pr<sup>1</sup>)<sub>2</sub>Br<sub>4</sub>(μ-C<sub>2</sub>Ph<sub>2</sub>)], 1843

Synthesis and co-ordination chemistry of dicobalt-complexed acetylenic crown ethers, 3171

Stereoselective alkyne insertion into a bridging hydride at a diiron centre: cis-trans isomerisation and metallacycle formation, 3389 ALKYNYL

Di- and tri-nuclear platinum complexes with double acetylide bridges. Molecular structure of [NBu<sub>4</sub>]<sub>2</sub>[Pt<sub>3</sub>(C<sub>6</sub>F<sub>5</sub>)<sub>4</sub>-(µ-C=CPh)<sub>4</sub>]-4thf (thf = tetrahydrofuran), 135

Synthesis of homo- and hetero-dinuclear complexes containing alkynyl bridges. Molecular structure of cis,trans-[(OC)(C<sub>6</sub>F<sub>5</sub>)<sub>2</sub>-

Pt(μ-η²-C=CPh)Pt(C=CPh)(PPh<sub>3</sub>)<sub>2</sub>], 1291 Alkyl, aryl, vinyl, alkynyl and carbene derivatives of cyclohepta-trienylmolybdenum complexes, 1671

trienylmolybdenum complexes, 1671

Neutral PtAg<sub>2</sub> clusters containing unsymmetrical μ<sub>3</sub>-σ and μ-η²,σ alkynyl groups. Crystal structure of [PtAg<sub>2</sub>(C<sub>6</sub>F<sub>3</sub>)<sub>2</sub>(μ-η²,σ-C≡CPh)(PPh<sub>3</sub>)<sub>2</sub>]-0.25CH<sub>2</sub>Cl<sub>2</sub>, 2735

Synthesis and characterization of bis(η²-alkyne)dihalogenomercury(II) compounds: crystal structure of [NBu<sub>4</sub>]<sub>2</sub>[{cis-Pt(C<sub>6</sub>F<sub>3</sub>)<sub>2</sub>(C≡CSiMe<sub>3</sub>)<sub>2</sub>}HgBr<sub>2</sub>]-CH<sub>2</sub>Cl<sub>2</sub>, 3343

ALLENE

As eries of rhodium(t) complexes, including carbene, vinylidene and allenylidene derivatives, with the bifunctional arsine Pri2AsCH2CH2OMe as ligand, 3415

ALLENYLIDENE

A series of rhodium(1) complexes, including carbene, vinylidene and allenylidene derivatives, with the bifunctional arsine Pr<sub>2</sub>AsCH<sub>2</sub>CH<sub>2</sub>OMe as ligand, 3415

Preparation and reactions of [MoH(η³-C<sub>4</sub>H<sub>7</sub>)(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>-κ²P)(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>-κP)]: the intramolecular interconversion between η³-2-methylallyl and η⁴-trimethylenemethane ligands, 767

η-Cyclopentadienyltungsten compounds with vinyl- and allyl-phosphine ligands, 871 Mechanism of nucleophilic attack by diethylamine on cationic

Mechanism of nucleophilic attack by diethylamine on cationic palladium(ii) allyl complexes containing α-diimine ligands, 1145 Highly active homogeneous nickel catalysts for alkene dimerisation: crystal structure of [Ni(η³-C<sub>3</sub>H<sub>3</sub>)(PPh<sub>3</sub>)Br] and in situ characterisation of AlEt<sub>3</sub>-activated [Ni(η²-C<sub>3</sub>H<sub>3</sub>)(PPh<sub>3</sub>)Br] by nuclear magnetic resonance and extended X-ray absorption fine structure spectroscopy, 1337
η-Cyclopentadienylimido molybdenum chemistry: hydrido, alkyl and n-alkyl derivatives, 2975

and η-allyl derivatives, 2975 Equilibrium studies of α-diimine displacement in cationic allylpalladium(ii) complexes by monodentate N-donors and the mechanism of allyl amination by triethylamine and pyridine,

Reactions of co-ordinated ligands. Part 58. The reaction of keactions of co-ordinated nganus. Fat 38. The feaction of dimolybdenum μ-σ: η²-(4e)-vinylidene complexes with proton sources and diazomethane; synthesis and crystal structure of the Mo≡Mo bonded complex [Mo₂{μ-σ: η²-CH₂C(Ph)CH₂}(CO)₃-(η-C₂H₂),][CF₃SO₃], 3569

ALUMINIUM

LOMINIOM

Chemical reactivities of [Me<sub>2</sub>Al(μ-NPr'<sub>2</sub>)<sub>2</sub>MgMe]<sub>4</sub> and [Me<sub>2</sub>Al-(μ-NEt<sub>2</sub>)MgMe]<sub>5</sub>; crystal structures of [Me<sub>2</sub>Al(μ-NPr'<sub>2</sub>)<sub>2</sub>Mg-(μ-1)]<sub>5</sub>, [Me<sub>2</sub>Al(μ-OBu')<sub>2</sub>Mg(μ-OBu')]<sub>2</sub>, Me<sub>3</sub>Al(μ-NPr'<sub>2</sub>)-(μ-OEt)Mg(μ-NPr'<sub>2</sub>)<sub>2</sub>Hg-(μ-OBu')<sub>2</sub>Mg(μ-OBu')<sub>2</sub>Mg-Me<sub>2</sub>, 315

Transition metal-carbohydrate chemistry. Part 2. Homoleptic diacetoneglucose complexes of aluminium and Group 4 metals,

Bimetallic aluminium and gallium derivatives of 1,1,1,5,5,5-hexa-fluoropentane-2,4-dione via selective metallation/hydrometalla-tion, 2019

Intercalation of the oxo-transfer molybdenum(vi) complex [MoO<sub>2</sub>{O<sub>2</sub>CC(S)Ph<sub>2</sub>}<sub>2</sub>]<sup>2-</sup> into a zinc(II)-aluminium(III) layered double hydroxide host. Catalysis of the air oxidation of thiols,

Multinuclear magnetic resonance studies on aluminium chelates. Part 1. Chelates with catechol and disodium 4,5-dihydroxybenzene-1,3-disulfonate, 3711

MIDE
Chemical reactivities of [Me<sub>2</sub>Al(μ-NPr'<sub>2</sub>)<sub>2</sub>MgMe]<sub>4</sub> and [Me<sub>2</sub>Al-(μ-NEt<sub>2</sub>)MgMe]<sub>2</sub>; crystal structures of [Me<sub>2</sub>Al(μ-NPr'<sub>2</sub>)<sub>2</sub>Mg-(μ-D]<sub>3</sub>, [Me<sub>2</sub>Al(μ-OBu')<sub>2</sub>Mg(μ-OBu')]<sub>2</sub>, Me<sub>2</sub>Al(μ-NPr'<sub>2</sub>)-(μ-OEt)Mg(μ-NPr'<sub>2</sub>)(μ-OEt)AlMe<sub>2</sub> and Me<sub>2</sub>Al(μ-OBu')<sub>2</sub>Mg-(μ-OBu')<sub>2</sub>AlMe<sub>2</sub>, 315
Co-ordination behaviour of potentially tridentate disphosphino-amido ligands: synthesis and crystal structures of the complexes [CrCl{N(CH<sub>2</sub>CH<sub>2</sub>PMe<sub>2</sub>)<sub>2</sub>]<sub>2</sub>, [Cr<sub>2</sub>Cl<sub>3</sub>{N(CH<sub>2</sub>CH<sub>2</sub>PMe<sub>2</sub>)<sub>2</sub>]-(CH<sub>2</sub>P(Me)CH<sub>2</sub>CH<sub>3</sub>NCH<sub>2</sub>CH<sub>2</sub>PMe<sub>2</sub>)<sub>3</sub>] and [Cr<sub>2</sub>Cl<sub>4</sub>{N(CH<sub>2</sub>CH<sub>2</sub>PPr'<sub>2</sub>)<sub>2</sub>], 97
Non-oxo chemistry of manganese in high oxidation states. Part 1. Mononuclear tert-butylimido compounds of manganese-(vii) and -(vi), 1037

-(vi), 1037
Acetazolamide binding to zinc(II), cobalt(II) and copper(II) model complexes of carbonic anhydrase, 2347
Synthesis and structural study of [{Pd(CH<sub>2</sub>C<sub>9</sub>H<sub>6</sub>N)}<sub>2</sub>(μ-O<sub>2</sub>CR)-(μ-X)] complexes (R = Me or CF<sub>3</sub>; X = hydroxide, amide or thiolate), 2353

Spectroscopic studies of a square-pyramidal nitridochromium(v) complex, 2609

complex, 2609
The first structurally characterised sodium primary amide complex; synthesis and crystal structure of 2-PhOC<sub>6</sub>H<sub>4</sub>NHNa·NMe[(CH<sub>2</sub>)<sub>2</sub>NMe<sub>2</sub>]<sub>2</sub>, 2901
Intramolecular versus intermolecular bonding in amidoantimony dimers; syntheses and structures of {5b(NMe<sub>2</sub>)[μ-N(mpy)]}<sub>2</sub> (mpy = 4-methylpyridin-2-yl) and [Sb(NMe<sub>2</sub>){μ-N[C<sub>6</sub>H<sub>2</sub>(OMe)<sub>3</sub>-3,4,5]}]<sub>2</sub>, 2963

AMIDE (contd)

Synthesis and crystal structure of the first trinuclear chlorideprintess and crystal structure of the inst trinuciar cnionuc-bridged platinum(II) complex with mutually perpendicular co-ordination planes: cyclo-tri-µ-chloro-tris[chloro(1-hydroxy-1-imino-2,2-dimethylpropane)platinum(II)]-dichloro-methane (0.5/1), 3753

AMIDINATE

Synthesis, molecular structure and solution dynamics of dimeric benzamidinates containing a double diazaallyl lithium bridge. A rapid interconversion of  $\sigma$  and  $\pi$  bonds, 3507 **AMIDINE** 

Nucleophilic attack at co-ordinated isocyanides promoted by the 2-pyridyl ligand, 407

AMINATION

Equilibrium studies of α-diimine displacement in cationic allylpalladium(II) complexes by monodentate N-donors and the mechanism of allyl amination by triethylamine and pyridine,

AMINE

Crystal structure and magnetic behaviour of a new kind of onedimensional nickel(II) thiocyanate compound [{NiL(SCN)-(μ-SCN)}<sub>n</sub>][L = bis(3-aminopropyl)methylamine], 259
Diastereoselective nucleophilic additions to imines attached to

tricarbonyl(arene)chromium moieties, 289

Reactivity of the rhenium(v)-oxo complex [AsPh<sub>4</sub>][ReOCl<sub>4</sub>] toward bis(diphenylphosphino)amine NH(PPh<sub>2</sub>)<sub>2</sub>. Synthesis and crystal structures, 339

Synthesis, protonation and co-ordination abilities of the open-chain polyamine 4,8,11,15-tetraazaoctadecane-1,18-diamine, 637 Acid-base equilibria of co-ordinated ligands. Part 1. The effect of basicity of co-ordinated nitrogen donors upon the acidity of chelating 8-aminoquinoline in some dicationic platinum(II) complexes, 731

Reactions of the hexachlorocyclodiphosphazane [MeNPCl<sub>3</sub>]<sub>2</sub> with primary aromatic amines: formation of highly basic bisphosphinimines, 847

Non-oxo chemistry of manganese in high oxidation states. Part 1 Mononuclear tert-butylimido compounds of manganese-(VII) and

Efficient stereochemical regulation of octahedral cobalt(III) complexes by a chiral bidentate ligand. Part 1. Effect of N-alkyl substitutions, 1073

Co-ordination of solvent molecules to square-planar mixed-ligand nickel(II) complexes: a thermodynamic and quantum-mechanical

Mechanism of nucleophilic attack by diethylamine on cationic palladium(II) allyl complexes containing α-diimine ligands, 1145 Different co-ordination behaviour of 1,2-diaminoethane (en) and

tetracyanonickelate(II) upon accommodation of polar gues tetracyanonickelate(II) upon accommodation of polar guest molecules in their metal complex hosts: crystal structures of [M(en),Ni(CN)4]-2PhNH<sub>2</sub> (M = Ni, Cu, Zn or Cd) and [{Cd(en)}<sub>2</sub>(en){Ni(CN)4}<sub>2</sub>]-4PhOH, 1237

New ruthenium(II) complexes of a,a'-diimines. Synthesis, electrochemical and optical spectral properties of mononuclear complexes containing aryl(2-pyridylmethylene)amine and 2,2'-bipyridine ligands, 1305

Kinetics and mechanism of complex formation reactions of

Kinetics and mechanism of complex-formation reactions of ammonia and methylamine with copper(II) complexes in aqueous solution, 1355

The chemistry of vitamin B<sub>12</sub>. Part 30. Co-ordination of amines, pyridines and diazines by aquacyanocobinamide; nitrogencontaining bases as probes for basicity and other effects in metal-ligand bonding, 1377
Dimeric antimony complexes capturing dimethylamine as a neutral

donor; syntheses and structural characterisation of [SbCl<sub>2</sub>-(NHMe<sub>2</sub>)(µ-OEt)]<sub>2</sub> and [SbCl(NHMe<sub>2</sub>)(µ-NBu<sup>2</sup>)]<sub>2</sub>, 1479

Metal binding of polyalcohols. Part 2. (all-cis-1,3,5-Triaminocyclohexane)cobalt(iii), a facially co-ordinating, diamagnetic probe exemplified by its complex formation with cis-inositol, 1689

Synthetic and structural study of tetra-µ-3-aminopropanolato-tricopper(II) catena-pentaiodo-tricuprate(I) and -argentate(I), 2125

Isomerism in bis(diethylenetriamine)nickel(II) thiocyanate: synthesis, solid-state interconversion and X-ray crystallographic study of sym-fac and mer isomers, 2367

Stabilization of copper(i) by phosphinoamines, 2471
Structural and solid-state <sup>31</sup>P nuclear magnetic resonance studies on 1:1:1 mixed nitrogen and phosphine base complexes with

copper(1) halides, 2621 Design of ligands containing the o-hydroxybenzyl group. Metal-complexing properties of N,N"-bis(2-hydroxybenzyl)diethylene-triamine-N,N',N"-triacetic acid, 2679

Triamine-N<sub>1</sub>N<sub>1</sub>N<sub>1</sub>-triacetic acid, 2019
The first structurally characterised sodium primary amide complex; synthesis and crystal structure of 2-PhOC<sub>6</sub>H<sub>4</sub>NHNa<sub>1</sub>NMe<sub>1</sub>C(H<sub>3</sub>)<sub>2</sub>NMe<sub>2</sub>]<sub>2</sub>, 2901
Synthesis and crystal structure determination of a one-dimensional end-to-end cyanate-bridged copper(II) compound, 3005
Outer-sphere redox reactions in sterically hindered pentaam(m)ine-

cobalt(III) complexes. A temperature and pressure dependence kinetic study, 3159

Reactivity of neutral nitrogen donors in planar d<sup>8</sup> metal complexes. Part 2. The system [2,6-bis(methylsulfanylmethyl)pyridine]-chloroplatinum(II) with pyridines and amines in methanol. Effect of basicity, n-acceptor capacity and steric hindrance, 3539

Conversion of acetonitrile into acetamide in the co-ordination spheres of cis- and trans-M<sup>II</sup>(amine)<sub>2</sub> (M = Pt or Pd). Solution and crystal structural studies, 3667

MINO ACID

AMINO ACID

N-Salicylideneamino acidate complexes of oxovanadium(IV). Part
1. Crystal and molecular structures and spectroscopic properties, 149

Palladium(II) complexes of N-sulfonylamino acids. Part 1. Solid-state behaviour of binary and ternary 2,2'-bipyridine-containing

systems, 2/3
Palladium(II) complexes of N-sulfonylamino acids. Part 2.
Co-ordination behaviour under strongly acidic conditions, 279
Palladium(II) complexes of N-sulfonylamino acids. Part 3. Ternary adducts with 2,2'-bipyridine, 285
Chlorometal(III) complexes of a new chiral quinquedentate

polyamino acid based on (SS)-trans-cyclohexane-1,2-diamine, 355 Complexes of aminophosphonates. Part 8. Copper(II) complexes of N-(phosphonomethyl)amino acids and related compounds, 811 Influence of alkali- and alkaline-earth-metal cations on the 'salt-

induced peptide formation' reaction, 1125 Co-ordination properties of cyclopeptides. Formation and stability of zinc(II) and copper(II) complexes of histidine-containing cyclopeptides, or imidazole, 1227

Binary and ternary copper(II) complexes of N<sup>\*</sup>- and N<sup>\*</sup>-methyl-L-histidine in aqueous solution, 2049
Bioinorganic reaction centres on electrodes. Modified electrodes

possessing amino acid, peptide and ferredoxin-type groups on a poly(pyrrole) backbone, 2181

Synthesis, chiroptical and electrochemical studies of dioxouranium(vt) complexes of aldimine derivatives of L-/D-histidine and crystal structure of (2,2"-bipyridyl)dioxo(N-o-vanillylidene-L-histidinato)uranium(vt)—water—methanol(1/1/1), 2381

**AMINOPHOSPHONATE** 

Complexes of aminophosphonates. Part 8. Copper(II) complexes of N-(phosphonomethyl)amino acids and related compounds, 811 AMMINE

Anisotropic magnetic exchange observed by electron spin resonance in hexaammineruthenium(III) chloride sulfate trihydrate, 901

Charge density in [Ru(ND<sub>3</sub>)<sub>6</sub>][SCN]<sub>3</sub> by X-ray diffraction at 92 K, 1429

Facile isolation and crystal structure determination of trans-[PtCl-(OH)(NH<sub>3</sub>),<sub>2</sub>]+H<sub>2</sub>O, 1499

Reactivity of the tri-µ-hydroxo-bis[triamminecobalt(III)] ion in halide media, 2327

ANILINE

Kinetics of ternary complex formation between cobalt(II) species and N,N-dimethyl(p-pyridin-2-ylazo)aniline, 51

ANTHRACYCLINE Anthracycline anticancer drugs as effective ligands for terbium(III) ions, 3689

ANTIMONY Cationic titanium(IV) complexes via halide abstraction from [Ti(C<sub>3</sub>H<sub>3</sub>)Cl<sub>3</sub>]: crystal and molecular structure of [Ti(C<sub>3</sub>H<sub>3</sub>)(MeCN)<sub>5</sub>][SbCl<sub>6</sub>]<sub>3</sub>·2MeCN, 305

Synthesis, properties and crystal structures of benzene-1,2-

Synthesis, properties and crystal structures of benzene-1,4-dithiolato complexes of antimony-(III) and -(V), 1213
Dimeric antimony complexes capturing dimethylamine as a neutral donor; syntheses and structural characterisation of [SbCl<sub>2</sub>-CH) and [SbCl(NHMe<sub>2</sub>)(µ-NBu')]<sub>2</sub>, 1479

donor; syntheses and structural characterisation of [SbCl<sub>2</sub>-(NHMe<sub>2</sub>)(µ-OEt)]<sub>2</sub> and [SbCl(NHMe<sub>2</sub>)(µ-NBu')]<sub>2</sub>, 1479

Syntheses, crystal structures and properties of [PPh<sub>4</sub>]<sub>2</sub>[SbFe<sub>3</sub>H-(CO)<sub>12</sub>] and [PPh<sub>4</sub>]<sub>2</sub>[AsFe<sub>3</sub>H(CO)<sub>12</sub>], 1641

Neutral phosphine complexes of antimony(III) and bismuth(III) halides, 1743

Anionic phosphine complexes of antimony(III) and bismuth(III) halogenoanions, 1753

Solid-state structures of triarylantimony dihalides: the isolation

Solid-state structures of triarylantimony dihalides; the isolation of some mixed-halide species and crystal structures of Ph<sub>3</sub>SbI<sub>2</sub> and

some mixed-halide species and crystal structures of Ph<sub>3</sub>SbI<sub>2</sub> and [Ph<sub>4</sub>Sb]I<sub>3</sub>, 1759
Reaction of methanol with diphenylantimony(v) trihalides: crystal structure of [SbPh<sub>2</sub>Br<sub>2</sub>(OMe)-MeOH]<sub>2</sub>, 1983
Intramolecular versus intermolecular bonding in amidoantimony dimers; syntheses and structures of {Sb(NMe<sub>2</sub>)[μ-N(mpy)]]<sub>2</sub> (mpy = 4-methylpyridin-2-yl) and [Sb(NMe<sub>2</sub>){μ-N[C<sub>6</sub>H<sub>2</sub>(OMe)<sub>3</sub>-3,4,5]}]<sub>2</sub>, 2963
AQUATION
Synthesis, characterization and aquation kinetics of a new trans diastereoisomer of dichloro(meya-5 12-dimethyl-1 4.8.11-

diastereoisomer of dichloro(meso-5,12-dimethyl-1,4,8,11-tetraazacyclotetradecane)cobalt(III) perchlorate, 2959
Aquation of the anticancer complex trans-[RuCl<sub>4</sub>(Him)<sub>2</sub>]

= imidazole), 3305

ARENE

Diastereoselective nucleophilic additions to imines attached to

Disserted Selective Reciceophilic additions to limite attached to tricarbonyl(arene)chromium moieties, 289

Cluster build-up using the [Os(η<sup>6</sup>-C<sub>6</sub>H<sub>6</sub>)(MeCN)<sub>3</sub>]<sup>2+</sup> cation; synthesis and structural characterisation of some hexa- and hepta-nuclear arene-substituted clusters, 2159

Sequential synthesis of some tetraosmium-arene clusters, 2167

Synthesis of new n4-hexafluorobenzene complexes of ruthenium

Synthesis of new η<sup>4</sup>-hexafluorobenzene complexes of ruthenium and osmium from atoms of the metals: crystal structure of [Ru(η<sup>6</sup>-C<sub>6</sub>H<sub>3</sub>Me<sub>2</sub>-1,3,5)(η<sup>4</sup>-C<sub>6</sub>F<sub>6</sub>)], 2251
Factors affecting the assembly of helical and non-helical zinc(II) bipyridyl metallomacrocycles, 2783
Synthesis, molecular structure and reactivity of cis-[Pd(C<sub>6</sub>F<sub>3</sub>)<sub>2</sub>(C<sub>6</sub>H<sub>2</sub>CH<sub>2</sub>NMe<sub>2</sub>-κC<sup>1</sup>, κΛ)] a compound displaying an unusual η<sup>1</sup> arene-palladium interaction, 3143
Solid-state <sup>13</sup>C nuclear magnetic resonance investigations of molecular dynamics in crystalline benzenetricarbonylchromium, 3193
Hydrogen activation by arene ruthenium complexes in aqueous

Hydrogen activation by arene ruthenium complexes in aqueous solution. Part 2. Build-up of cationic tri- and tetra-nuclear ruthenium clusters with hydrido ligands, 3215 Mean magnetic susceptibility and its solvent dependence for several substituted ferrocenes, ruthenocene and di(η<sup>6</sup>-benzene)chromium,

**ARENEDIAZONIUM** 

Arenediazonium ion insertion into an iron-phosphine bond; synthesis and crystal structure of [Fe(NO)<sub>2</sub>{PPh<sub>2</sub>CH<sub>2</sub>CH<sub>2</sub>-P(Ph)<sub>2</sub>NN(C<sub>6</sub>H<sub>4</sub>F-p)}][PF<sub>6</sub>]-OC<sub>4</sub>H<sub>8</sub>, 1161 ARSENATE

Hydrothermal synthesis and structural characterization of the molybdenum(v1) arsenate (C<sub>5</sub>H<sub>5</sub>NH)<sub>2</sub>(Mo<sub>2</sub>O<sub>5</sub>)(HAsO<sub>4</sub>)<sub>2</sub>·H<sub>2</sub>O, 1681 Synthesis and structure of Cs<sub>3</sub>Ti<sub>3</sub>As<sub>5</sub>O<sub>20</sub>, 2289

RSENIC
Syntheses, crystal structures and properties of [PPh<sub>4</sub>]<sub>2</sub>[SbFe<sub>3</sub>H-(CO)<sub>12</sub>] and [PPh<sub>4</sub>]<sub>2</sub>[AsFe<sub>3</sub>H(CO)<sub>12</sub>], 1641
M<sub>2</sub>As<sub>2</sub>O<sub>2</sub>(H<sub>2</sub>O)<sub>2</sub> (M = Co or Ni): hydrous diarsenates with an intersecting tunnel structure, 1825
Synthesis and characterization of phenoxarsin-10-yl diorganodithiophosphinates. A folded phenoxarsine system in the first dimeric organoarsenic(III) 1,1-dithiolate associated through As···S secondary bonding, 2191
Synthesis and structure of Cs<sub>3</sub>Ti<sub>3</sub>As<sub>5</sub>O<sub>20</sub>, 2289
RSINE.

RSINE

Crystal structures of [W(CO)<sub>5</sub>(PPh<sub>3</sub>)], [M(CO)<sub>5</sub>(AsPh<sub>3</sub>)] and [M(CO)<sub>5</sub>(SbPh<sub>3</sub>)] (M = Mo or W): a comparative study of structure and bonding in [M(CO)<sub>5</sub>(EPh<sub>3</sub>)] complexes (E = P, As or Sb; M = Cr, Mo or W), 2827

Reactions of dihalogenotriorgano-phosphorus, -arsenic and -antimony compounds with [Fe<sub>2</sub>(CO)<sub>3</sub>]. Single-crystal structures of the iron(iii) complexes [(Ph<sub>2</sub>PO)<sub>2</sub>H][FeBr<sub>4</sub>] and [Ph<sub>4</sub>Sb][FeI<sub>4</sub>]-Ph<sub>3</sub>SbI<sub>2</sub> and of [Fe(CO)<sub>3</sub>(Ph<sub>3</sub>P)<sub>2</sub>], 3249

A series of rhodium(i) complexes, including carbene, vinylidene and allenylidene derivatives, with the bifunctional arsine Pr<sub>2</sub>AsCH<sub>2</sub>CH<sub>2</sub>OMe as ligand, 3415

RYL

Di- and tri-nuclear nickel(II) complexes with bridging thiolato groups. Crystal structure of [NBu<sub>4</sub>]<sub>2</sub>[Ni<sub>3</sub>(C<sub>6</sub>F<sub>5</sub>)<sub>4</sub>(µ-SEt)<sub>4</sub>], 19 Ligand substitution reactions in new square-planar iridium,

Ligand substitution reactions in new square-planar iridium, rhodium and platinum complexes containing a potentially terdentate C,N,N' ligand system; crystal structure of [Ir{C<sub>2</sub>H<sub>2</sub>CH<sub>2</sub>N(Me)CH<sub>2</sub>CH<sub>2</sub>NMe<sub>2</sub>-2-C,N,N'}(cod)] (cod = cycloocta-1,5-diene), 703
Structure and reactivity of aryl(bromo)nickel complexes relevant to nickel(0) complex-promoted dehalogenative polycondensation of organic dihalides, 943
Alkyl, aryl, vinyl, alkynyl and carbene derivatives of cycloheptatrienylmolybdenum complexes, 1671
Solid-state structures of triarylantimony dihalides; the isolation of some mixed-halide species and crystal structures of Ph<sub>3</sub>Sbl<sub>2</sub> and [Ph<sub>3</sub>Sb]<sub>3</sub>, 1759
Luminescent organometallic gold(i) complexes. Structure and

Luminescent organometallic gold(i) complexes. Structure and photophysical properties of alkyl-, aryl- and µ-ethynylene gold(i) complexes, 1867

complexes, 186/ Evidence for π bonding in the boron-thiolate compounds (2,4,6-Me<sub>3</sub>C<sub>6</sub>H<sub>2</sub>)<sub>2</sub>B(SPh) and (2,4,6-Pr'<sub>3</sub>C<sub>6</sub>H<sub>2</sub>)B(SPh)<sub>2</sub>, 2113 Synthesis and electrochemistry of dialkylosmium-(IV) and -(V) porphyrins. Crystal structure of [Os(ttp)(CH<sub>2</sub>SiMe<sub>3</sub>)<sub>2</sub>] [H<sub>3</sub>ttp = 5,10,15,20-tetra(p-tolyi)porphyrin], 2713 ARYLSULFONYL

Palladium(II) complexes of N-sulfonylamino acids. Part 1. Solid-state behaviour of binary and ternary 2,2'-bipyridine-containing systems, 273 Palladium(II) complexes of N-sulfonylamino acids. Part 2.

Co-ordination behaviour under strongly acidic conditions, 279
Palladium(II) complexes of N-sulfonylamino acids. Part 3. Ternary
adducts with 2,2'-bipyridine, 285
AZAINDOLATE

A luminescent heterometallic Au<sup>1</sup> · · · Cu<sup>1</sup> complex. Spectroscopic properties and crystal structures of [Au(PPh<sub>3</sub>)(C<sub>7</sub>H<sub>3</sub>N<sub>2</sub>)]

and  $[\{Au(PPh_3)(\mu-C_7H_5N_2)Cu(\mu-C_7H_5N_2)\}_2](C_7H_5N_2 = 7-azaindolate) 3677$ 7-azaindolate), 3677 AZANORBORNADIENE

Exhorison about carbon-nitrogen bonds. The effect of carbonyliron in complexes of 7-azanorbornadiene derivatives, 937 Hindered rotation about carbon-nitrogen bonds in 7-azanorbornadienes and their carbonyliron complexes, 3199

Crystal structure and magnetic properties of a two-dimensional sheet-like copper(II) complex with bridging trans-oxamidate and azide, 1923

azide, 1923
Crystal structure, spectroscopic and magnetic properties of two unusual compounds: [Cu(terpy)(N<sub>3</sub>)Cl] and [{Cu<sub>0.75</sub>Ni<sub>0.25</sub>(terpy)-(N<sub>3</sub>)<sub>2</sub>]<sub>2</sub>1-2H<sub>2</sub>O (terpy = 2,2': 6',2''-terpyridine), 2573
An alternating copper(ii) chain with bridging azide and oxamidate ligands: Crystal structure and magnetic properties of [Cu<sub>2</sub>(dmaeoxd)(N<sub>3</sub>)<sub>2</sub>(H<sub>2</sub>O)<sub>2</sub>] and [{Cu<sub>2</sub>(dmaeoxd)(N<sub>3</sub>)<sub>2</sub>}<sub>2</sub>]-{H<sub>2</sub>dmaeoxd = N,N'-bis[2-(dimethylamino)-ethyl]oxamide}, 3769

AZINE

Complexes of the bidentate ligands PPh<sub>2</sub>CH<sub>2</sub>C(Bu')=NNR<sub>2</sub> (R = H or Me) and PPh<sub>2</sub>CH<sub>2</sub>C(Bu')=N-N=CHPh with palladium and platinum. X-Ray crystal structure of cis-

[Pt{PPh<sub>2</sub>CH<sub>2</sub>C(Bu')=NNH}<sub>2</sub>], 103

Some chemistry with a chiral phosphine generated from fenchone-pinacolone mixed azine: crystal structure of Z,E-Ph<sub>2</sub>PCH<sub>2</sub>C(Bu')=N-N=C<sub>10</sub>H<sub>16</sub>, 713

The chemistry of vitamin B<sub>12</sub>. Part 30. Co-ordination of amines, pyridines and diazines by aquacyanocobinamide; nitrogencontaining bases as probes for basicity and other effects in parts. Its parts by the control in the co

metal-ligand bonding, 1377

Deprotonation, deuteriation and substitution of the backbone of some azine diphosphine complexes of palladium and platinum: crystal structures of [PtI(PPh2CH=CBu1N-N=CBu1CH2PPh2)]

and [PtCl(PPh<sub>2</sub>CH<sub>2</sub>CBu<sup>L</sup>=N-N=CBu<sup>L</sup>CH<sub>2</sub>PPh<sub>2</sub>)][OC<sub>6</sub>H<sub>2</sub>-(NO<sub>2</sub>)<sub>2</sub>-2,4,6], 3311

Terdentate (P-N-O) complexes formed from Z,E-PPh<sub>2</sub>CH<sub>2</sub>C-(Bu<sup>L</sup>)=N-N=CH(C<sub>6</sub>H<sub>4</sub>OH-2) or Z,E-PPh<sub>2</sub>CH<sub>2</sub>C(Bu<sup>L</sup>)=N-N=CH-[C<sub>6</sub>H<sub>3</sub>(OH-2)(OMe)<sub>2</sub>-4,6] and nickel, palladium, platinum, rhodium or iridium, 3589

Preparation of α-diazines and α-2-pyridylazines containing (1R)-(+)-complexes of (R) (-) fenchose residues and their complexes

camphor or (1R)-(-)-fenchone residues and their complexes with Group 6 metal carbonyls, 3597

Aerobic photooxidation and C-C bond cleavage of the acetylacetonate ligand in (2-arylazo)arylpalladium(II) complexes induced by visible light, 1505

Non-linear optical materials containing molybdenum or tungsten mononitrosyl redox centres: diaromatic azo derivatives, 3427

Hemes and hemoproteins. Part 10. Co-ordination of imidazole and other azoles by the iron(iii) porphyrin microperoxidase-8, 1367 The chemistry of vitamin B<sub>12</sub>. Part 29. Co-ordination of imidazoles and 1,2,4-triazole by aquacyanocobinamide, 1373

RARIUM

Crystal structures of [Pb(NO<sub>3</sub>)<sub>6</sub>]<sup>4-</sup> and [Ba(NO<sub>3</sub>)<sub>6</sub>]<sup>4-</sup> salts of 24-pyrimidinium crown 6 {5,12,19,26,33,40-hexamino-3,10,1,24,31,38-hexamethy][1.<sub>6</sub>](1,5)pyrimidiniophane}, 563
The reaction of nitrogen with dilute solutions of barium in liquid lithium: electrical resistivity, X-ray phase analysis, kinetic and thermal analysis studies, 667
Syntheses and characterization of polymology and the second control of the second control o

Syntheses and characterization of polynuclear metal complexes related to a chemical precursor system for the YBa<sub>2</sub>Cu<sub>3</sub>O<sub>7-x</sub>

superconductor, 955

The crystal structure of NaBa, an interpenetrating network of sodium tetrahedra and barium octahedra, 1159

BASICITY

Acid-base equilibria of co-ordinated ligands. Part 1. The effect of basicity of co-ordinated nitrogen donors upon the acidity of chelating 8-aminoquinoline in some dicationic platinum(II) complexes, 731
BENZENE

Cyclohexadiene and benzene derivatives of [Ru<sub>5</sub>C(CO)<sub>15</sub>], 393 New piano-stool ruthenium(II) complexes of benzene and bidentate/tridentate nitrogen-donor ligands: synthesis and characterization, 465

Benzenehexathiol as a template rim for a golden wheel: synthesis and structure of [{CSAu(PPh<sub>3</sub>)}<sub>6</sub>], 2333
BENZIMIDAZOLE

Exchange in mixtures of cadmium with bis(benzimidazoles), 209
Copper(II) complexes of novel tripodal ligands containing
phenolate and benzimidazole/pyridine pendants: synthesis,
structure, spectra and electrochemical behaviour, 1219 Structure of copper complexes adsorbed on a silica gel surface chemically modified with benzimidazole, 1493

Spin-state equilibria in non-aqueous solution and quantum-

BENZIMIDAZOLE (contd)

mechanical investigations of iron(II) and nickel(II) complexes with 4-substituted 2,6-bis(benzimidazol-2-yl)pyridines, 1523 Cytochrome c oxidase models: synthesis and reactivity of iron(III)-

copper(II) complexes of deuterohaemin-polybenzimidazole dinucleating ligands, 3203

binary and ternary complexes of nickel(II) with 2-aminomethyl-benzimidazole and salicylaldehyde: kinetic and equilibrium studies 3727

BENZIMIDAZOLYL

Influence of chelate-ring size and number of sulfur-donor atoms on the spectra and redox behaviour of copper(II) bis(benzimidazolyl) tetra- and penta-thioether complexes, 2277

Crystal structures and luminescence spectra of ten-co-ordinate lanthanide(III) complexes (Ln = Ce, Sm, Eu or Tb) with 2,6-bis(benzimidazol-2-yl)pyridine, 2523

BENZOTRIAZOLE

Two different terminal nitrate bonding modes in [Fe<sub>2</sub>O(NO<sub>3</sub>)<sub>4</sub>(C<sub>7</sub>H<sub>7</sub>N<sub>3</sub>)<sub>4</sub>], 2737 **BIBENZIMIDAZOLE** 

Synthesis and proton-coupled redox properties of mononuclear or asymmetric dinuclear complexes of ruthenium, rhodium and/or osmium containing 2,2'-bis(2-pyridyl)-6,6'-bibenzimidazole, 263

RIPHENVI

Electrochemical control of bridging ligand conformation in a binuclear complex—a possible basis for a molecular switch, 799 Metallosupramolecular assembly of dinuclear double helicates incorporating a biphenyl-3,3'-diyl spacer; molecular structure of bis{3,3'-bis[4-(methylsulfanyl)-2,2'-bipyridin-6-yl]biphenyl-\kappa'2N,N';\kappa'2N',N'']dicopper(1) hexafluorophosphate, 2669

BIPYRIDINE

Syntheses of novel monomeric 1,4,7-trimethyl-1,4,7-triazacyclo-nonane ruthenium complexes. Reactivities and structure of sterically encumbered cationic monoaquaruthenium(11) and monooxoruthenium(IV) complexes, 57

N-Salicylideneamino acidate complexes of oxovanadium(IV). Part 1. Crystal and molecular structures and spectroscopic properties,

Synthesis and proton-coupled redox properties of mononuclear or asymmetric dinuclear complexes of ruthenium, rhodium and/or osmium containing 2,2'-bis(2-pyridyl)-6,6'-bibenzimidazole, 263 Palladium(II) complexes of N-sulfonylamino acids. Part 1. Solid-state behaviour of binary and ternary 2,2'-bipyridine-containing systems, 273

Systems, 22 and 22 and 23 and 24 and 25 and

tris(oxalato)cobaltate(III) and tris(acetylacetonato)cobalt(III) by tris(2,2'-bipyridine)ruthenium(II), 583

Electrochemical control of bridging ligand conformation in a binuclear complex—a possible basis for a molecular switch, 799

New ruthenium(II) complexes of a,a'-diimines. Synthesis, electrochemical and optical spectral properties of mononuclear complexes containing aryl(2-pyridylmethylene)amine and 2,2'-bipyridine ligands, 1305

hgands, 1305
Acidification of [WS<sub>4</sub>]<sup>2-</sup>. Synthesis and structures of di-µ-sulfidobis[(2,2'-bipyridine)chlorooxotungsten(v)] and di-µ-sulfidobis[(2,2'-bipyridine)bromooxotungsten(v)], 1311
Synthesis and characterization of a palladium-osmium mixedmetal cluster; crystal structure of [Os<sub>6</sub>Pd(CO)<sub>18</sub>(bipy)]-CHCl<sub>3</sub>
(bipy = 2,2'-bipyridine), 1605
Crystal structure and magnetic properties of two two-dimensional

(bipy = 2,2'-bipyridine), 1605
Crystal structure and magnetic properties of two two-dimensional sheet-like polynuclear copper complexes with bridging trans-oxamidate and 4,4'-bipyridine or pyrimidine, 1917
New synthetic routes to face-to-face and open-book triazenide-bridged dirhodium bipyridyl complexes with the [Rh<sub>2</sub>]<sup>4\*</sup> core, 2025
Formation of optically active [Ru(bipy)<sub>2</sub>Cl<sub>2</sub>] (bipy = 2,2'-bipyridyl) by photodissociation of [Ru(bipy)<sub>3</sub>]Cl<sub>2</sub> in dichloromethane, 2085
Electron distribution in the excited state of [(OC)<sub>3</sub>W(4,4'-bipy)-W(CO)<sub>4</sub>] (4,4'-bipy) = 4,4'-bipyridyl) determined by time-resolved infrared spectroscopy, 2217
Retardation effect of trimethyl phosphite on chelate ring closure of 2,2'-bipyridine (bipy) in cis-[W(CO)<sub>4</sub>]P(OMe<sub>5</sub>){(bipy)], 2239
Molecular structure and linkage isomerism of cis-[Ru(bipy)<sub>2</sub>-{trans-Cr(cyclam)(CN)<sub>2</sub>)<sub>2</sub>]<sup>4\*</sup> (bipy = 2,2'-bipyridine, cyclam = 1,4,8,11-tetraazacyclotetradecane), 2391
Photoelectrochemical and quenching studies of tris(2,2'-

Photoelectrochemical and quenching studies of tris(2,2'-bipyridine)ruthenium(II) bound to Nafion- and clay-coated electrodes, 2445

Factors affecting the assembly of helical and non-helical zinc(II) bipyridyl metallomacrocycles, 2783
Significant antiferromagnetic coupling in a terephthalate (ta)bridged manganese(II) compound: preparation, crystal structure and magnetic properties of the chain [Mn<sub>2</sub>(bipy)<sub>4</sub>(ta)][ClO<sub>4</sub>]<sub>2</sub> (bipy = 2,2'-bipyridine), 3465 Rhenium(I) tricarbonyl halide complexes of pyrazolylbipyridine ligands. Part 1. Nuclear magnetic resonance studies of solution fluxionality, 3545

Stereochemistry in tris(bidentate ligand)ruthenium(II) complexes containing unsymmetrical polypyridyl ligands, 3659 Radical intermediates in the reductive isomerisation of octahedral

manganese carbonyl bipyridyl complexes; electrochemistry, electron spin resonance spectroscopy and molecular-orbital calculations, 3745

Influence of the length of the quaternisation group on the cyclometallation of [M(2,4'-R-bipy)Cl<sub>3</sub>] (M = Pt<sup>II</sup> or P 2,4'-R-bipy = 1'-alkyl-2,4'-bipyridinium), 879

BIPYRIDYL

Assembly of [2 + 2] bimetallic macrocyclic complexes from bis(bipyridyl) ligands and metal ions, 77

Novel monomeric and dimeric copper(II) pyridone complexes containing the 2,2'-bipyridyl ligand, 2005

Metallosupramolecular assembly of dinuclear double helicates incorporating a biphenyl-3,3'-diyl spacer; molecular structure of bis(3,3'-bis[4-(methylsulfanyl)-2,2'-bipyridin-6-yl]biphenyl-x'-N,N':x'-N''-,N''-]dicopper(I) hexafluorophosphate, 2669

BIPYRIMIDINE

2 ''-Bipyrimidine (bipym)-bridged dinuclear complexes. Part 4

2,2'-Bipyrimidine (bipym)-bridged dinuclear complexes. Part 4. Synthesis, crystal structure and magnetic properties of [Co<sub>2</sub>(H<sub>2</sub>O)<sub>8</sub>(bipym)][NO<sub>3</sub>]<sub>4</sub>, [Co<sub>2</sub>(H<sub>2</sub>O)<sub>8</sub>(bipym)][SO<sub>4</sub>]<sub>2</sub>·2H<sub>2</sub>O and [Co<sub>2</sub>(bipym)<sub>2</sub>(NCS)<sub>4</sub>], 1175

and [CO<sub>2</sub>(DipyIII)<sub>3</sub>(NCO<sub>3</sub>I<sub>4</sub>], 1175
Synthesis, crystal structure and magnetic properties of the alternating chain [VO(H<sub>2</sub>O)<sub>5</sub>][Cu<sub>2</sub>(bipym)<sub>2</sub>(H<sub>2</sub>O)(SO<sub>4</sub>)<sub>3</sub>]-7H<sub>2</sub>O (bipym = 2,2'-bipyrimidine), 1879
Syntheses, crystal structures and electronic properties of [Cu(bipym)(C<sub>3</sub>O<sub>3</sub>)(H<sub>2</sub>O)<sub>2</sub>]-H<sub>2</sub>O and [Cu<sub>2</sub>(bipym)(C<sub>3</sub>O<sub>3</sub>)<sub>2</sub>(H<sub>2</sub>O)<sub>2</sub>]-4H<sub>2</sub>O (bipym = 2,2'-bipyrimidine), 2777

RISMLITH

Synthetic and structural studies on bismuth(III) thiocyanate and selenocyanate complexes, 1327

Neutral phosphine complexes of antimony(III) and bismuth(III) halides, 1743

Anionic phosphine complexes of antimony(III) and bismuth(III) halogenoanions, 1753

halogenoanions, 1753
Cation-anion interactions involving hydrogen bonds. Syntheses, structures and spectroscopic studies of [H<sub>2</sub>dam]-[Bi<sup>III</sup>Ph(O<sub>2</sub>CCF<sub>3</sub>)<sub>4</sub>], [Hpy]<sub>2</sub>[Bi<sup>III</sup>Ph-(O<sub>2</sub>CCF<sub>3</sub>)<sub>4</sub>] and [H<sub>2</sub>dam]-[Bi<sup>III</sup>(O<sub>2</sub>CCF<sub>3</sub>)<sub>5</sub>] (dam = diamine, py = pyridine), 2545
Design of ligands containing the o-hydroxybenzyl group. Metal-complexing properties of N,N'-bis(2-hydroxybenzyl)diethylenetriamine-N,N',N'-triacetic acid, 2679

Bismuth(iii) complexes with sulfur and selenium donor ligands: synthesis and crystal structures of BiCl<sub>3</sub>·Pr<sup>n</sup><sub>2</sub>P(S)P(S)Pr<sup>n</sup><sub>2</sub> and [(Me<sub>2</sub>N)<sub>3</sub>PSeSeP(NMe<sub>2</sub>)<sub>3</sub>]<sup>2+</sup>[(BiCl<sub>4</sub>)<sub>2</sub>]<sub>n</sub><sup>2n-</sup>, 3025 BLEOMYCIN

Binding geometry of cobalt bleomycin, an empirical force-field analysis, 551

BOND ACTIVATION

Activation of carbon-sulfur and carbon-chlorine bonds by the electrophilic ruthenium fragment 'Ru(η-C<sub>3</sub>Me<sub>3</sub>)<sup>+</sup>', 1895 BOND ENERGY

Pearson's chemical hardness, heterolytic dissociative version of Pearson's chemical naroness, neterolytic dissociative version of Pauling's bond-energy equation and a novel approach towards understanding Pearson's hard-soft acid-base principle (1991, 1541), 3201
Pearson's hard-soft acid-base principle and the heterolytic dissociative version of Pauling's bond-energy equation

(1992, 1855), 3201

BONDING

Structural and bonding patterns in tetrahedral and pseudotetrahedral transition-metal complexes containing π-donor ligands, 1607 **BORANE** 

Nine-vertex polyhedral iridamonocarbaborane chemistry. Products of thermolysis of [(CO)(PPh<sub>3</sub>)<sub>2</sub>IrCB<sub>2</sub>H<sub>8</sub>] and emerging alternative cluster-geometry patterns, 229 Polyhedral carbathiaborane chemistry. Ten-vertex *nido* and *arachno*, eleven-vertex *nido*, and eight-vertex *hypho* families of

carbathiaboranes, 1317

The true identity of the 'bare-carbon' cluster, closo-C<sub>3</sub>B<sub>5</sub>H<sub>7</sub>, 3197

Crystal and molecular structure of [SnLCl<sub>3</sub>]. The single-crystal electron paramagnetic resonance spectra of [MoE(L)Cl<sub>2</sub>] and [MoO(L)(NCS)<sub>3</sub>] diluted in [SnLCl<sub>3</sub>] [E = O or S; L = tris(3,5-dimethylpyrazolyl)hydroborate], 1003

Syntheses and electrochemistry of [Mo(NO){HB(mppz)<sub>3</sub>}Cl(ER)] (mppz = 3-p-methoxyphenylpyrazol-l-yl; E = O or NH; R = Ph or C,H<sub>4</sub>Me-2) and the crystal structures of [Mo(NO)-{HB(mppz)<sub>3</sub>}Cl(OPh)] and [Mo(NO){HB(mppz)<sub>3</sub>}-Cl(NHC<sub>6</sub>H<sub>4</sub>Me-2)], 1555

Synthesis and properties of polynuclear complexes containing

Ci(NrC<sub>6</sub>rt<sub>3</sub>me-2)<sub>1</sub>, Synthesis and properties of polynuclear complexes containing {Mo(NO)[HB(dmpz)<sub>3</sub>]Cl} metal centres axially bound to a Ru(tpp) core (dmpz = 3,5-dimethylpyrazol-1-yl; tpp = meso-5,10,15,20-tetraphenylporphyrinate), 2415
Syntheses of 4-benzyl-3,5-dimethylpyrazolylborato complexes of molybdenum and tungsten nitrosyls: molecular structure of

BORATE (contd)

 $[Mo(CO)_2(NO)\{HB(3,5-Me_2-4-PhCH_2C_3N_2)_3\}]$ , a complex with an 'inverted' bowl-like structure, 2559
Uranium-ligand bond-dissociation enthalpies of uranium(IV)

poly(pyrazolyl)borate complexes, 2687

Linkage isomerism in bis[hydrotris(1,2,4-triazolyl)borato]zinc from a molecular chelate complex to a three-dimensional co-ordination polymer, 2947

Intramolecular hydrogen-bonding stabilisation of tetrafluoroborate co-ordination to copper(II): crystal structure of (2,2'-bipyridine)bis-(2-cyanoguanidine)bis(tetra-fluoroborato)copper(II), 3189

BORIDÉ

Syntheses and molecular structures of two boride cluster anions: octahedral [Rh<sub>2</sub>Ru<sub>4</sub>(CO)<sub>16</sub>B] and double-prismatic [Rh<sub>2</sub>Ru<sub>6</sub>(CO)<sub>23</sub>B<sub>2</sub>], 2359

BORON

Nine-vertex polyhedral iridamonocarbaborane chemistry. Products of thermolysis of [(CO)(PPh<sub>3</sub>)<sub>2</sub>IrCB<sub>7</sub>H<sub>8</sub>] and emerging alternative cluster-geometry patterns, 229
Dicarbadodecaborane rearrangements: an appraisal of rotational

mechanisms, 759
Polyhedral carbathiaborane chemistry. Ten-vertex *nido* and *arachno*, eleven-vertex *nido*, and eight-vertex *hypho* families of carbathiaboranes, 1317

carbathiaboranes, 1317

Synthesis and structure of a charge-compensated ferracarborane, commo-[3,3'-Fe{4-(Me<sub>2</sub>S)-1,2-C<sub>2</sub>B<sub>3</sub>H<sub>10</sub>}<sub>2</sub>], and its charge-transfer salt with 2,3-dichloro-5,6-dicyano-p-benzoquinone, 1735

Evidence for π bonding in the boron-thiolate compounds (2,4,6-Me<sub>3</sub>C<sub>6</sub>H<sub>2</sub>)<sub>2</sub>B(SPh) and (2,4,6-Pr̄<sub>3</sub>C<sub>6</sub>H<sub>2</sub>)B(SPh), 2113

Solid-state nuclear magnetic resonance studies on the co-ordination geometry of boron in polyoxotungstates, 2585

Molecular structure of gaseous 1,7-dichloro-1,7-dicarba-closo-dodecaborane(12), 1,7-Cl<sub>2</sub>-1,7-C<sub>2</sub>B<sub>10</sub>H<sub>10</sub>, as studied by electron diffraction and ab initio calculations, 2885

Steric effects in heteroboranes. Part 9. Cycloocta-1,5-diene palladium and platinum complexes of mono- and di-phenyl C<sub>2</sub>B<sub>2</sub>

palladium and platinum complexes of mono- and di-phenyl C<sub>2</sub>B<sub>9</sub> ligands: metal-mediated polyhedral rearrangement, 3129
The true identity of the 'bare-carbon' cluster, closo-C<sub>3</sub>B<sub>5</sub>H<sub>7</sub>, 3197

The true identity of the bare-carbon' cluster, closs-C<sub>3</sub>B<sub>3</sub>H<sub>3</sub>, 319/ Boron-nitrogen coupling in a ruthenium-rich ruthenaborane cluster: synthesis, and molecular and electronic structures of [Ru<sub>4</sub>H(CO)<sub>12</sub>BH(µ-NCHMe)], 3273 Reactivity of nide<sub>1</sub>C<sub>2</sub>-{Fe(q-C<sub>4</sub>H<sub>3</sub>)}B<sub>3</sub>H<sub>10</sub>] with some transition-metal hydride complexes, 3337 Molecular structure of gaseous 1,7-dichloro-1,7-dicarba-closo-dodecaborane(12), 1,7-Cl<sub>2</sub>-1,7-C<sub>2</sub>B<sub>10</sub>H<sub>10</sub>, as studied by electron diffraction and ab initio calculations (1994, 2885), 3775

Solvation structures for bromide ion in various solvents by

extended X-ray absorption fine structure, 2321

Seven-co-ordinate dibromo complexes of molybdenum(II)
and tungsten(II) derived from [MBr<sub>2</sub>(CO)<sub>3</sub>(NCMe)<sub>2</sub>].

Crystal structures of the isostructural complexes
[WX<sub>2</sub>(CO)<sub>3</sub>(NCMe)(SbPh<sub>3</sub>)]-CH<sub>2</sub>Cl<sub>2</sub> (X = Br or I), 3493

BROMINE

Solvation structures for bromide ion in various solvents by extended X-ray absorption fine structure, 2321

BUTADIENE

Syntheses, structures and fluxional behaviour of n4-1,4-di-tertbutylbuta-1,3-diene complexes of iron and ruthenium, 2615

Synthesis and reactions of but-2-yne complexes of tungsten(II) containing pyridine-2-thionate (SC<sub>3</sub>H<sub>4</sub>N): crystal structure of [W(CO)(NCMe)(SC<sub>3</sub>H<sub>4</sub>N)(η²-MeC<sub>2</sub>Me)<sub>2</sub>][BPh<sub>4</sub>], 37

CADMILIM

Exchange in mixtures of cadmium with bis(benzimidazoles), 209 Selection of metal ions by geometric isomers of a polyamine macrocycle with pendant donors, 793

Clathrate compounds of cadmium cyanide and related hosts with cristobalite-like lattice structures, 1029

4,6-Dimethylpyrimidine-2-thionato (dmpymt ) complexes of nickel(II) and cadmium(II). Crystal structure of [Cd(dmpymt)<sub>2</sub>]: a compound with a calixarene-like structure, 1115

Different co-ordination behaviour of 1,2-diaminoethane (en) and tetracyanonickelate(II) upon accommodation of polar guest molecules in their metal complex hosts: crystal structures of [M(en)<sub>2</sub>Ni(CN)<sub>4</sub>]-2PhNH<sub>2</sub> (M = Ni, Cu, Zn or Cd) and [{Cd(en)<sub>2</sub>/en}{Ni(CN)<sub>4</sub>}-2]-4PhOH, 1237
Interaction of environmentally important metal ions with nitrogensulfur-donor macrocycles. The crystal structures of seven-co-

ordinate lead(II) and mercury(II) complexes of an 18-membered

ordinate leadul i) and mercury(ii) complexes of an 18-membered N<sub>4</sub>S<sub>2</sub> macrocycle, 1383

Cadmium cyanide–ether clathrates: crystal structures of Cd<sub>8</sub>(CN)<sub>16</sub>-(H<sub>2</sub>O)<sub>6</sub>·6G (G = Et<sub>2</sub>O or Pr<sup>1</sup><sub>2</sub>O) and Cd<sub>3</sub>(CN)<sub>6</sub>(H<sub>2</sub>O)<sub>2</sub>·2Pr<sup>2</sup><sub>2</sub>O, 2933

Proton transfer in a phenol-based compartmental cryptate; solution and solid-state structural studies, 3149

Interaction of transition- and post-transition-metal ions with O<sub>2</sub>N<sub>2</sub>donor macrocycles incorporating pendant pyridylmethyl groups,

Three-dimensional framework structures built of heptacyanotricadmate(II) units providing polyhedral cavities classification of the zeolite-like structures, 3695

Exchange in mixtures of cadmium with bis(benzimidazoles), 209
CAFSIUM-133

organometallic ligands [M(SC<sub>6</sub>F<sub>5</sub>)<sub>4</sub>(cp)]<sup>-</sup> (M = Mo or W, cp = n<sup>5</sup>-C<sub>5</sub>H<sub>5</sub>), 2423 CALCIUM Reversible co-ordination of alkali metals to sulfur-based

CaM<sub>2</sub>(PO<sub>4</sub>)<sub>2</sub>(HPO<sub>4</sub>) (M = Fe or V): phosphates containing dimers of edge-sharing MO<sub>6</sub> octahedra, 931
CALIXARENE

4,6-Dimethylpyrimidine-2-thionato (dmpymt<sup>-</sup>) complexes of nickel(II) and cadmium(II). Crystal structure of [Cd(dmpymt)<sub>2</sub>]: a compound with a calixarene-like structure, 1115 Structures of potassium encapsulated within the 1,3-alternate

conformation of calix[4] arenes, 3479

CARBABORANE

Synthesis and crystal structures of the gold-carbaborane complexes [9-exo-{Au(PPh<sub>3</sub>)-9-(µ-H)-10-endo-{Au(PPh<sub>3</sub>)-7,8-Me<sub>2</sub>-nido-7,8-C<sub>2</sub>B<sub>9</sub>H<sub>4</sub>] and [10-exo-{Au<sub>2</sub>(PPh<sub>3</sub>)<sub>2</sub>}-10-endo-{Au(PPh<sub>3</sub>)}-7,8-Me<sub>2</sub>-nido-7,8-C<sub>3</sub>B<sub>9</sub>H<sub>4</sub>], 25

Dicarbadodecaborane rearrangements: an appraisal of rotational merhanisms, 759

Polyhedral carbathiaborane chemistry. Ten-vertex *nido* and *arachno*, eleven-vertex *nido*, and eight-vertex *hypho* families of carbathiaboranes, 1317

Synthesis and structure of a charge-compensated ferra-carborane, commo-[3,3'-Fe{4-(Me,S)-1,2-C,B<sub>9</sub>H<sub>10</sub>}<sub>2</sub>], and its charge-transfer salt with 2,3-dichloro-5,6-dicyano-

p-benzoquinone, 1735

Molecular structure of gaseous 1,7-dichloro-1,7-dicarba-closo-dodecaborane(12), 1,7-Cl<sub>2</sub>-1,7-C<sub>2</sub>B<sub>10</sub>H<sub>10</sub>, as studied by electron diffraction and *ab initio* calculations, 2885

diffraction and *ab initio* calculations, 2885

Steric effects in heteroboranes. Part 9. Cycloocta-1,5-diene palladium and platinum complexes of mono- and di-phenyl C<sub>2</sub>B<sub>9</sub> ligands: metal-mediated polyhedral rearrangement, 3129

The true identity of the 'bare-carbon' cluster, *closo*-C<sub>3</sub>B<sub>5</sub>H<sub>7</sub>, 3197

Molecular structure of gaseous 1,7-dichloro-1,7-dicarboa-*closo*-dodecaborane(12), 1,7-Cl<sub>2</sub>-1,7-C<sub>2</sub>B<sub>10</sub>H<sub>10</sub>, as studied by electron diffraction and *ab initio* calculations (1994, 2885), 3775

Nucleophilic attack at co-ordinated isocyanides promoted by the 2-pyridyl ligand, 407

Highly stereospecific carbene insertions into platinum-halide bonds. Crystal structure of [PtCl(S-CHClSiMe<sub>3</sub>)(S,S-Ph<sub>2</sub>PCHMeCH<sub>2</sub>CHMePPh<sub>2</sub>)], 651

Alkyl, aryl, vinyl, alkynyl and carbene derivatives of cyclohepta-trienylmolybdenum complexes, 1671
Formation and characterization of neutral and cationic amino-

(thio)carbene complexes of gold(i) from thiazolyl precursors, 2091

A series of rhodium(t) complexes, including carbene, vinylidene and allenylidene derivatives, with the bifunctional arsine Pri-AsCH<sub>2</sub>CH<sub>2</sub>OMe as ligand, 3415

CARBIDE

ARBIDE

Reactions of the hexanuclear mixed-metal cluster

[Ru,RhC(CO)<sub>14</sub>(η<sup>3</sup>-C<sub>5</sub>Me<sub>5</sub>)] and the synthesis, characterisation and structural analysis of the pentanuclear derivative

[Ru,RhC(CO)<sub>12</sub>(η<sup>3</sup>-C<sub>5</sub>Me<sub>5</sub>)], 243

Adducts of trigonal-prismatic and octahedral metal clusters containing interstitial atoms (nitrogen or carbon) with

[Au(PPh<sub>3</sub>)] <sup>7</sup>, 333

Cyclobex add penyage derivatives of FR II C(CO) 1, 393

Cyclohexadiene and benzene derivatives of [Ru<sub>5</sub>C(CO)<sub>15</sub>], 393 Phosphine-substituted trigonal-prismatic and octahedral clusters,

513
Bis(cyclopentadienyl) clusters of ruthenium: the synthesis, characterisation and molecular structures of [Ru<sub>3</sub>C(CO)<sub>10</sub>(η<sup>5</sup>-C<sub>3</sub>H<sub>3</sub>)<sub>2</sub>], 1105
Reactions of the pentanuclear mixed-metal cluster compound [Ru<sub>4</sub>RhC(CO)<sub>12</sub>(η<sup>5</sup>-C<sub>3</sub>Me<sub>3</sub>)]. Synthesis, characterisation and crystal structure of the pentanuclear derivative [Ru<sub>4</sub>RhC(CO)<sub>11</sub>-H(η<sup>5</sup>-C<sub>3</sub>Me<sub>3</sub>)], 1109
Reversible skeletal rearrangement in a carbido carbonyl cluster induced by ligand substitution. Synthesis and carbot of the tractive of

Reversible skeletal rearrangement in a carbido carbonyl cluster induced by ligand substitution. Synthesis and crystal structure of the anion [Rh<sub>12</sub>C<sub>2</sub>(CO)<sub>23</sub>(AuPPh<sub>3</sub>)]<sup>-</sup>, 1777

Synthesis of the mixed-metal clusters [Ru<sub>3</sub>RhC(CO)<sub>14</sub>(cod)Y]

[Y = H, Au(PEt<sub>3</sub>) or Au(PPh<sub>3</sub>); cod = cycloocta-1,5-diene]; reactions of [Ru<sub>3</sub>RhC(CO)<sub>14</sub>(cod){Au(PR<sub>3</sub>)}] (R = Ph or Et) and crystal structure of [Ru<sub>3</sub>RhC(CO)<sub>14</sub>(cod){µ<sub>3</sub>-Au(PPh<sub>3</sub>)}], 3060

CARBOHYDRATE

Iron(III) complexes of lactobionic acid: equilibrium and structural studies in aqueous solution, 1189

Transition metal-carbohydrate chemistry. Part 2. Homoleptic diacetoneglucose complexes of aluminium and Group 4 metals,

Synthesis and solid-state structure of  $[Pd_6Ru_6(CO)_{24}]^{2^-}$ . Electrochemistry and  $^{13}C$  nuclear magnetic resonance spectra of  $[Fe_8Pd_6H(CO)_{24}]^{3^-}$  and  $[Pd_6Ru_6(CO)_{24}]^{2^-}$ , 3237 CARBON-13

Synthesis and solid-state structure of [Pd<sub>6</sub>Ru<sub>6</sub>(CO)<sub>24</sub>]<sup>2-</sup>. Electrochemistry and <sup>13</sup>C nuclear magnetic resonance spectra of [Fe<sub>6</sub>Pd<sub>6</sub>H(CO)<sub>24</sub>]<sup>3-</sup> and [Pd<sub>6</sub>Ru<sub>6</sub>(CO)<sub>24</sub>]<sup>2-</sup>, 3237 CARBONATE

CARBONATE
Synthesis, properties and crystal structures of [Ru<sup>111</sup><sub>2</sub>(tacn)<sub>2</sub>(μ-OH)<sub>2</sub>(μ-CO<sub>3</sub>)]Br<sub>2</sub>·3.75H<sub>2</sub>O and [Ru<sup>2-5</sup><sub>2</sub>(dtne)(μ-O)<sub>2</sub>(μ-CO<sub>3</sub>)]PF<sub>6</sub>·5H<sub>2</sub>O [tacn = 1,4,7-triazacyclononane,
dtne = 1,2-bis(1,4,7-triazacyclononan-1-yl)ethane], 457
CARBON DIOXIDE

An ab initio molecular-orbital study of insertion of CO2 into a

Rhi-H bond, 3047 CARBON MONOXIDE

Kinetics of carbon monoxide exchange in chloro and bromo carbonyl complexes of palladium(II) and platinum(II), 3723

ARBONYL

Synthesis and photochemical reactivity of phenylthioureatotriosmium cluster complexes: crystal structures of [Os<sub>3</sub>H(CO)<sub>10</sub>-{μ-SC(NPh)(NHPh)}] and [Os<sub>3</sub>H(CO)<sub>9</sub>{μ<sub>3</sub>-SC(NPh)(NHPh)}], 1

Reaction of the unsaturated triosmium cluster [Os<sub>3</sub>H(CO)<sub>9</sub>{Ph<sub>2</sub>PCH<sub>2</sub>P(Ph)C<sub>6</sub>H<sub>4</sub>}] with HBF<sub>4</sub> and [Au(PPh<sub>3</sub>)]PF<sub>6</sub>; crystal structure of [Os<sub>3</sub>AuH(CO)<sub>8</sub>{Ph<sub>2</sub>PCH<sub>2</sub>P(Ph)C<sub>6</sub>H<sub>4</sub>}(PPh<sub>3</sub>)]PF<sub>6</sub>, 33

Contrasting pathways for the reactions of triruthenaborane cluster anions with [{M(η<sup>5</sup>-C<sub>5</sub>Me<sub>5</sub>)Cl<sub>2</sub>}<sub>2</sub>] (M = Rh or Ir). Molecular structures of [RhRu<sub>3</sub>(η<sup>5</sup>-C<sub>5</sub>Me<sub>5</sub>)H<sub>2</sub>(CO)<sub>8</sub>(PPh<sub>3</sub>)BH] and [IrRu<sub>3</sub>(η<sup>5</sup>-C<sub>5</sub>Me<sub>5</sub>)H(CO)<sub>10</sub>BH<sub>2</sub>], 69

A study of the polarities, anisotropic polarisabilities and carbonyl

[IrRu<sub>3</sub>(η<sup>2</sup>-C<sub>3</sub>Me<sub>3</sub>)H(CO)<sub>10</sub>BH<sub>2</sub>], 69
A study of the polarities, anisotropic polarisabilities and carbonyl infrared vibrational frequencies of the complexes
[M(CO)<sub>5</sub>{P(OCH<sub>2</sub>)<sub>5</sub>CMe}] (M = Cr, Mo or W) and the crystal structure of [Mo(CO)<sub>5</sub>{P(OCH<sub>2</sub>)<sub>5</sub>CMe}]: evidence for π-acceptor behaviour in co-ordinated phosphorus, 91
2.2'. 6', 2"-Terpyridine (terpy) acting as a fluxional bidentate ligand. Part 3. Ruthenium carbonyl halide complexes, [RuX<sub>2</sub>(CO)(terpy)] (X = Cl, Br or I) and metal tetracarbonyl complexes [M(CO)<sub>4</sub>(terpy)] (M = Cr, Mo or W): nuclear magnetic resonance studies of their solution dynamics and synthesis of trans-[RuX<sub>2</sub>(CO)(terpy)] (X = Cl, Br or I), 111
Reactions of the hexanuclear mixed-metal cluster [Ru<sub>3</sub>RhC(CO)<sub>14</sub>(η<sup>5</sup>-C<sub>3</sub>Me<sub>5</sub>)] and the synthesis, characterisation and structural analysis of the pentanuclear derivative [Ru<sub>4</sub>RhC(CO)<sub>12</sub>(η<sup>5</sup>-C<sub>3</sub>Me<sub>5</sub>)]. 243
Diastereoselective nucleophilic additions to imines attached to tricarbonyl(arene)chromium moieties, 289

tricarbonyl(arene)chromium moieties, 289 Cyclohexadiene and benzene derivatives of [Ru<sub>3</sub>C(CO)<sub>15</sub>], 393 Reactions of the nitridocarbonyl cluster anion [Rh<sub>6</sub>N(CO)<sub>15</sub>]

with strong bases: synthesis and crystal structure of the hydridic dianion [Rh<sub>6</sub>(μ-H)N(CO)<sub>14</sub>]<sup>2-</sup>, 471

Tri- and tetra-nuclear μ-alkyne clusters from [Ru<sub>2</sub>(μ-CO)-(μ-C<sub>2</sub>R<sub>2</sub>)(η-C<sub>3</sub>H<sub>3</sub>)<sub>2</sub>] (R = Ph or CF<sub>3</sub>), 477

Phosphine-substituted trigonal-prismatic and octahedral clusters, 513

Synthesis and structural characterisation of the osmium cluster

Synthesis and structural characterisation of the osmium cluster dianions [Os<sub>12</sub>(CO)<sub>36</sub>]<sup>2</sup> and [Os<sub>20</sub>(CO)<sub>46</sub>]<sup>2</sup> , 521

The influence of the ring substituent, R, on the substitution of carbonyl groups by phosphine ligands in [Co<sub>2</sub>(µ-PPh<sub>2</sub>-CHCRC(O)){(µ-PPh<sub>2</sub>)(CO)<sub>4</sub>] (R = H, Ph or SiMe<sub>3</sub>), 609

Some chemistry with a chiral phosphine generated from fenchone-pinacolone mixed azine: crystal structure of Z,E-Ph<sub>2</sub>C(Bu')=N-N=C<sub>10</sub>H<sub>16</sub>, 713

Photo-oxidation of [V(CO)<sub>6</sub>] in low-temperature matrices containing O<sub>2</sub>: formation of a novel superoxovanadium species, 835

835

835
Ruthenium carbonyl cluster complexes with oxygen ligands. Δart 2.
Auration of a hexaruthenium 'raft' cluster; crystal structures of [Ru<sub>6</sub>(μ<sub>3</sub>-H)(μ-H)(μ-O:μ-C:η<sup>6</sup>-OC<sub>6</sub>H<sub>3</sub>OMe-4)(CO)<sub>16</sub>] and [AuRu<sub>6</sub>(μ<sub>3</sub>-H)(μ-O:μ-C:η<sup>6</sup>-OC<sub>6</sub>H<sub>3</sub>OMe-4)(CO)<sub>16</sub>(PPh<sub>3</sub>)], 925
Hindered rotation along carbon-nitrogen bonds. The effect of carbonyliron in complexes of 7-azanorbornadiene derivatives, 937
An amphiphilic trinuclear cobalt cluster-containing molecular unit:

synthesis, characterization and Langmuir-Blodgett films, 1051 Synthesis and characterisation of osmium carbonyl fluorides, 1067

Fluxional rhenium(i) tricarbonyl halide complexes of pyrazolyl-pyridine ligands. A detailed nuclear magnetic resonance investigation, 1079

investigation, 1079 Bis(cyclopentadienyl) clusters of ruthenium: the synthesis, characterisation and molecular structures of [Ru<sub>3</sub>C(CO)<sub>10</sub>( $\eta^5$ -C<sub>3</sub>H<sub>3</sub>)<sub>2</sub>] and [Ru<sub>6</sub>C(CO)<sub>12</sub>( $\eta^5$ -C<sub>3</sub>H<sub>5</sub>)<sub>2</sub>], 1105 Reactions of the pentanuclear mixed-metal cluster compound [Ru<sub>4</sub>RhC(CO)<sub>12</sub>-C<sub>2</sub>Me<sub>3</sub>)]. Synthesis, characterisation and crystal structure of the pentanuclear derivative [Ru<sub>4</sub>RhC(CO)<sub>11</sub>-H( $\eta^5$ -C<sub>3</sub>Me<sub>3</sub>)], 1109 Reactions of diphosphazane-bridged derivatives of diruthenium nonacarbonyl with metal-containing electrophiles: formation of solvento species [Ru<sub>2</sub>(CO)<sub>5</sub>(solv){ $\mu$ -(RO)<sub>2</sub>PN(Et)P(OR)<sub>2</sub>}<sub>2</sub>]<sup>2+</sup>

(R = Me or Pri) and their reactivity towards various nucleophiles, 1131

nucteopnies, 1131
Six- and seven-co-ordinate complexes of molybdenum(11) and tungsten(11) with thioether ligands. Crystal structures of [WI<sub>2</sub>(CO)<sub>3</sub>{4-MeC<sub>6</sub>H<sub>2</sub>S(CH<sub>2</sub>)<sub>2</sub>S<sub>C</sub>H<sub>4</sub>Me-4}] and [WI<sub>2</sub>(CO)<sub>2</sub>[MeS(CH<sub>2</sub>)<sub>2</sub>S(CH<sub>2</sub>)<sub>2</sub>SMe-S<sub>2</sub>S, S<sup>2</sup>], 140]
Synthesis, characterization and crystal structures of [Ir<sub>9</sub>H(CO)<sub>19</sub>]<sup>4-</sup>

and [Ir<sub>10</sub>(CO)<sub>21</sub>]<sup>2-</sup>, 1501

Synthesis, structure and relative hydrolytic stability of *cis*-[PtCl<sub>2</sub>L] and *cis*-[W(CO)<sub>4</sub>L] where L is the bidentate triaminophosphine

ligand [MeNCH<sub>2</sub>CH<sub>2</sub>N(Me)PN(Me)CH<sub>2</sub>]<sub>2</sub>, 1571
Synthesis and characterization of a palladium—osmium mixedmetal cluster; crystal structure of [Os<sub>6</sub>Pd(CO)<sub>18</sub>(bipy)]-CHCl<sub>3</sub> (bipy = 2,2'-bipyridine), 1605
Syntheses, crystal structures and properties of [PPh<sub>4</sub>]<sub>2</sub>[SbFe<sub>3</sub>H-(CO)<sub>12</sub>] and [PPh<sub>4</sub>]<sub>2</sub>[AsFe<sub>3</sub>H(CO)<sub>12</sub>], 1641
Reversible skeletal rearrangement in a carbido carbonyl cluster induced by ligand substitution.

induced by ligand substitution. Synthesis and crystal structure of the anion [Rh<sub>12</sub>C<sub>2</sub>(CO)<sub>23</sub>(AuPPh<sub>3</sub>)]<sup>-</sup>, 1777
Preparation and structure of a non-carbide-stabilized octahedral

rhenium cluster: [NEt<sub>4</sub>][Re<sub>6</sub>H<sub>7</sub>(CO)<sub>18</sub>], 2011 Cluster build-up using the [Os(η<sup>6</sup>-C<sub>6</sub>H<sub>6</sub>)(MeCN)<sub>3</sub>]<sup>2+</sup> cation; synthesis and structural characterisation of some hexa- and hepta-nuclear arene-substituted clusters, 2159

hepta-nuclear arene-substituted clusters, 2159
Sequential synthesis of some tetraosmium-arene clusters, 2167
Electron distribution in the excited state of [(OC)<sub>5</sub>W(4,4'-bipy)W(CO)<sub>5</sub>] (4,4'-bipy = 4,4'-bipyridyl) determined by time-resolved infrared spectroscopy, 2217
Retardation effect of trimethyl phosphite on chelate ring closure of 2,2'-bipyridine (bipy) in cis-[W(CO)<sub>4</sub>{P(OMe)<sub>3</sub>}(bipy)], 2239
Syntheses and molecular structures of two boride cluster anions: octahedral [Rh<sub>3</sub>Ru<sub>6</sub>(CO)<sub>16</sub>B]<sup>-</sup> and double-prismatic [Rh<sub>3</sub>Ru<sub>6</sub>(CO)<sub>25</sub>B]<sup>-</sup>, 2359
Photochemical and photophysical properties of fac[Re(CO)<sub>3</sub>(L)<sub>2</sub>CI] (L = quinoline or isoquinoline), 2565
Organometallics of diphosphazanes. Part 10. Dinuclear Group 6 metal carbonyl complexes bridged by a cyclodiphosphazane in its cis or trans form, 2661
Synthesis and reactivity of [NEt<sub>4</sub>]<sub>2</sub>[ReBr<sub>3</sub>(CO)<sub>3</sub>]. Formation and

Synthesis and reactivity of [NEt<sub>4</sub>]<sub>2</sub>[ReBr<sub>3</sub>(CO)<sub>3</sub>]. Formation and structural characterization of the clusters [NEt<sub>4</sub>][Re<sub>3</sub>(µ<sub>3</sub>-OH)(µ-OH)<sub>3</sub>(CO)<sub>6</sub>] and [NEt<sub>4</sub>][Re<sub>2</sub>(µ-OH)<sub>3</sub>(CO)<sub>6</sub>] by alkaline titration,

Water-soluble Co<sub>2</sub>C and Co<sub>2</sub>C<sub>2</sub> clusters; redox chemistry and electrochemical reactions in water, 2821

Crystal structures of [W(CO)<sub>3</sub>(PPh<sub>3</sub>)], [M(CO)<sub>3</sub>(AsPh<sub>3</sub>)] and [M(CO)<sub>3</sub>(SbPh<sub>3</sub>)] (M = Mo or W): a comparative study of structure and bonding in [M(CO)<sub>3</sub>(EPh<sub>3</sub>)] complexes (E = P, As or Sb; M = Cr, Mo or W), 2827

(E = Γ, Aso 15), M = C1, Mo 0 M ), 2621 Effect of temperature on the solid-state molecular structure of [Fe<sub>3</sub>(CO)<sub>12</sub>], 2911 Synthesis of the mixed-metal clusters [Ru<sub>5</sub>RhC(CO)<sub>14</sub>(cod)Y] [Y = H, Au(PEt<sub>3</sub>) or Au(PPh<sub>3</sub>); cod = cycloocta-1,5-diene]; reactions of [Ru<sub>5</sub>RhC(CO)<sub>14</sub>(cod){Au(PR<sub>3</sub>)}] (R = Ph or Et) and crystal structure of [Ru<sub>5</sub>RhC(CO)<sub>14</sub>(cod){μ<sub>3</sub>-Au(PPh<sub>3</sub>)}], 3069

Solid-state <sup>13</sup>C nuclear magnetic resonance investigations of molecular dynamics in crystalline benzenetricarbonylchromium,

Hindered rotation about carbon-nitrogen bonds in 7-azanorbornadienes and their carbonyliron complexes, 3199

norbornadienes and their carbonyliron complexes, 3199
Reactions of dihalogenotriorgano-phosphorus, -arsenic and
-antimony compounds with [Fe<sub>2</sub>(CO)<sub>9</sub>]. Single-crystal structures
of the iron(iii) complexes [(Ph<sub>2</sub>PO)<sub>2</sub>H][FeBr<sub>4</sub>] and
[Ph<sub>4</sub>Sb][FeI<sub>4</sub>]-Ph<sub>3</sub>SbI<sub>2</sub> and of [Fe(CO)<sub>3</sub>(Ph<sub>2</sub>P)<sub>2</sub>], 3249
Boron-nitrogen coupling in a ruthenium-rich ruthenaborane
cluster: synthesis, and molecular and electronic structures of
[Ru<sub>4</sub>H(CO)<sub>2</sub>BH(μ-NCHMe)], 3273
Reaction of [O<sub>8</sub>(μ-Cl)(CO)<sub>13</sub>] with the [Au(PPh<sub>3</sub>)]<sup>+</sup> cation
involving insertion of an Os(CO)<sub>4</sub> fragment into the gold—
phosphorus bond 3331

phosphorus bond, 3331
Stereoselective alkyne insertion into a bridging hydride at a diiron centre: cis-trans isomerisation and metallacycle formation, 3389 Rhenium(i) tricarbonyl halide complexes of pyrazolylbipyridine ligands. Part 1. Nuclear magnetic resonance studies of solution fluxionality, 3545

Stereochemistry in tris(bidentate ligand)ruthenium(II) complexes containing unsymmetrical polypyridyl ligands, 3659 Kinetics of carbon monoxide exchange in chloro and bromo

carbonyl complexes of palladium(ii) and platinum(ii), 3723 Radical intermediates in the reductive isomerisation of octahedral manganese carbonyl bipyridyl complexes; electrochemistry, electron spin resonance spectroscopy and molecular-orbital calculations, 3745

CARBONYLATION

Carbonylation of organic halides catalysed by rhodium

triethylphosphine complexes, 2899 Carbonylation of the alkyl compounds  $[U(\eta-C_3H_4R)_3R']$  and rearrangement of the acyl derivatives  $[U(\eta-C_3H_4R)_3(\eta^2-COR')]$ 

CARBONYLATION (contd) into C<sub>6</sub>H<sub>4</sub>RR'. Influence of R and R' (Me, Pri or But) and role of the solvent (benzene or tetrahydrofuran), 3397

CARBOXAMIDE

Control of the stereochemistry of four-co-ordinate copper(II) complexes by pyridinecarboxamide ligands: crystal structure, spectral and redox properties, 965

CARBOXYLATE

Unusually labile organoplatinum complexes: a mechanistic study

Unusually labile organoplatinum complexes: a mechanistic study of insertion-deinsertion into platinum-alkyl complexes of pyridine-2-earboxylic acid, 415

Exchange reactions of acetate ligands and electrophilic rhodium-carbon bond activation in orthometallated rhodium(ii) compounds with trifluoroacetic acid. Crystal structure of [Rh<sub>2</sub>(O<sub>2</sub>CCF<sub>3</sub>)<sub>3</sub>{(C<sub>6</sub>H<sub>4</sub>)PPh<sub>2</sub>}]-2CF<sub>3</sub>CO<sub>2</sub>H, 539

Mechanism of the acid-catalysed cyclometallation reaction of dirhodium(ii) compounds with general formula [Rh<sub>2</sub>(O<sub>2</sub>CMe)-(µ-O<sub>2</sub>CMe)-{(C<sub>6</sub>H<sub>4</sub>)-PPh<sub>3</sub>}{P(C<sub>6</sub>H<sub>4</sub>X)-3}(OH<sub>3</sub>)], 545

Structures of the yttrium complexes of 1,47,10-tertazaze-cyclododecane-N,N',N'',N'',N''',N''',N'''-tetraacetic acid (H<sub>4</sub>dota) and N,N'',bis(be<sup>2</sup>uzylcarbamoylmethyl)diethylenetriamine-N,N'',N''-triacetic acid and the solution structure of a zirconium complex of H<sub>4</sub>dota, 689 complex of H<sub>4</sub>dota, 689 Electrochemical synthesis and structural characterization of

bis(triphenylphosphine)copper(i) fluoroacetates, 773

Complexes of aminophosphonates. Part 8. Copper(ii) complexes of N-(phosphonomethyl)amino acids and related compounds, 811

Oxidation of thioglycolic acid and glutathione by (transcyclohexane-1,2-diamine-N,N,N',N'-tetraacetato)manganate(III) in aqueous media, 841

in aqueous media, o41 Syntheses and characterization of polynuclear metal complexes related to a chemical precursor system for the YBa<sub>2</sub>Cu<sub>3</sub>O<sub>7-x</sub> superconductor, 955 Efficient stereochemical regulation of octahedral cobalt(III) com-

plexes by a chiral bidentate ligand. Part 1. Effect of N-alkyl substitutions, 1073

Dinuclear manganese(II) complexes of unsymmetric phenol-based dinucleating ligands with amino and imino chelating arms: synthesis, structure and catalase-like activity, 1097 Iron(III) complexes of lactobionic acid: equilibrium and structural

studies in aqueous solution, 1189

Kinetics and mechanism of complex-formation reactions of ammonia and methylamine with copper(II) complexes in aqueous solution, 1355

Crystal structures of a tetranucleating macrocycle and its dimanganese(III) derivative, and magnetism of the latter, 1837 Synthesis and characterization of monochelated carboxylatopalla-

Synthesis and characterization of monochelated carboxylatopalla-dium(II) complexes with nitrogen-donor chelating ligands. Crystal structures of diacetato(1,10-phenanthroline)- and diacetato-(2,9-dimethyl-1,10-phenanthroline)-palladium(II), 1903 Synthesis, mechanism of formation and characterization of a new class of octanuclear mixed-metal clusters Na<sub>2</sub>M'<sub>2</sub>[M<sub>3</sub>O<sub>4</sub>-(O<sub>2</sub>CEt)<sub>8</sub>]<sub>2</sub> (M' = Cr or V; M = Mo or W), 2099 A model complex for the carboxylate-histidine-zinc system in zinc enzymes. Crystal structure of [Zn(Him)<sub>2</sub>(MeCO<sub>2</sub>)<sub>2</sub>] (Him = imidazole), 2331 Synthesis and structural study of f[Pd(CH<sub>2</sub>C,H<sub>2</sub>N)<sub>2</sub>(II<sub>2</sub>O,CR)<sub>2</sub>)

Synthesis and structural study of  $[Pd(CH_2C_9H_6N)]_2(\mu-O_2CR)-(\mu-X)]$  complexes  $(R = Me \text{ or } CF_3; X = hydroxide, amide or thiolate), 2353$ 

Mechanistic information on ligand-substitution reactions of gadolinium(III) in aqueous solution from high-pressure stopped-flow experiments, 2497

flow experiments, 2497
Cation-anion interactions involving hydrogen bonds. Syntheses, structures and spectroscopic studies of [H<sub>2</sub>dam][Bi<sup>III</sup>Ph(O<sub>2</sub>CCF<sub>3</sub>)<sub>4</sub>], [Hpy]<sub>2</sub>[Bi<sup>III</sup>Ph-{O<sub>2</sub>CCF<sub>3</sub>)<sub>4</sub>] and [H<sub>2</sub>dam][Bi<sup>III</sup>(O<sub>2</sub>CCF<sub>3</sub>)<sub>5</sub>] (dam = diamine, py = pyridine), 2545
Design of ligands containing the o-hydroxybenzyl group. Metalcomplexing properties of N,N"-bis(2-hydroxybenzyl)diethylenetriamine-N,N',N"-triacetic acid, 2679

Structure and magnetic studies of a two-dimensional sheet-like copper(II) complex with bridging pyridine-4-carboxylate and trans-oxamidate ligands, 2989

Trianium oxo carboxylate compounds. Crystal and molecular structures of [{TiCl<sub>2</sub>(O<sub>2</sub>CEt)(EtCO<sub>2</sub>H)}<sub>2</sub>O] and [Ti<sub>2</sub>Cl<sub>3</sub>O<sub>2</sub>(O<sub>2</sub>CEt)<sub>3</sub>] and an unusual quantitative conversion of a

Ti<sub>2</sub>O to a Ti<sub>3</sub>O<sub>2</sub> oxo derivative, 3533

CARBOXYLIC ACID

Reactions of titanium tetrachloride with carboxylic acids. Crystal and molecular structure of the dinuclear titanium oxo compound

[[TiCl<sub>2</sub>(O<sub>2</sub>CBu')(Bu'CO<sub>2</sub>H)]<sub>2</sub>O], 195 Copper(II) and oxovanadium(IV) complexes of 2,3-dihydroxy-terephthalic and 2,3,4-trihydroxybenzoic acids, 347 CATALYSIS

Hydrogenation catalysis by an iron porphyrin and its application to  $\alpha, \beta$ -unsaturated esters, 7

Mechanism of the acid-catalysed cyclometallation reaction of dirhodium(II) compounds with general formula [Rh<sub>2</sub>(O<sub>2</sub>CMe)-(μ-O<sub>2</sub>CMe)<sub>2</sub>((C<sub>6</sub>H<sub>4</sub>)-PPh<sub>2</sub>){P(C<sub>6</sub>H<sub>4</sub>X)<sub>3</sub>}(OH<sub>2</sub>)], 545

Kinetics and mechanism of ruthenium(III) catalysed oxidation of formic acid by cerium(IV) in aqueous sulfuric acid media, 589

New ansa-metallocenes of the Group 4 transition metals as homogeneous catalysts for the polymerization of propene and styrene, 657

Highly active homogeneous nickel catalysts for alkene dimerisation: crystal structure of [Ni(η³-C<sub>3</sub>H<sub>3</sub>)(PPh<sub>3</sub>)Br] and in situ characterisation of AlEt<sub>3</sub>-activated [Ni(η³-C<sub>3</sub>H<sub>3</sub>)(PPh<sub>3</sub>)Br] by nuclear magnetic resonance and extended X-ray absorption fine structure

magnetic resonance and extended X-ray absorption fine structure spectroscopy, 1337
Chiral cyclopentadienyl catalysts. Part 3. Synthesis and reactions of (S)-1-(1-dimethylaminoethyl)-2-(2,3,4,5-tetramethylcyclopenta-1,3-dienyl)benzene; crystal structure of [Rh{η²-C<sub>5</sub>Me<sub>4</sub>C<sub>6</sub>H<sub>4</sub>-CH(Me)NMe<sub>5</sub>]Cl<sub>5</sub>], 1445
[Mo<sub>2</sub>(MeCN)<sub>8</sub>][BF<sub>4</sub>]<sub>4</sub> supported on silica: an efficient heterogeneous catalyst for the ring-opening metathesis polymerization of norbornene, 1489

Molecular heterogeneous metathesis catalysts: an attempted synthesis of surface-anchored alkylidenetungsten complexes, 1723 μ-Oxo-bridged diiron(III) complexes and H<sub>2</sub>O<sub>2</sub>: monooxygenase-and catalase-like activities, 2081

Catalytic reaction of methanol with a series of ruthenium(II) complexes and the mechanism of the formation of acetic acid from methanol alone, 2265

From synthesis to chemical reactivity of supported d<sup>0</sup> complexes. Part 2. Reactivity of silica-anchored alkylzirconium complexes. An attempt toward functionalization of alkanes, 2411

An attempt toward functionalization of alkanes, 2411
Carbonylation of organic halides catalysed by rhodium
triethylphosphine complexes, 2899
Intercalation of the oxo-transfer molybdenum(vi) complex
[MoO<sub>2</sub>(O<sub>2</sub>CC(S)Ph<sub>2</sub>)<sub>2</sub>]<sup>2</sup> into a zinc(ii)—aluminium(iii) layered
double hydroxide host. Catalysis of the air oxidation of thiols, 2953
Ultrafine palladium particles supported on chelate resin-metal
complexes: promotion effect of lanthanide ions on catalytic
activity, 2967
Comparison of carbon-13 nuclear magnetic resonance methods for

comparison of carbon-13 nuclear magnetic resonance methods for the analysis of multiple partially deuteriated products from catalytic reactions: heptan-1-ol and 2-methylpropanol, 3061 Crystal structure and oxo-transfer properties of [NH<sub>4</sub>]<sub>2</sub>-[W"lO<sub>2</sub>{O<sub>2</sub>CC(S)Ph<sub>2</sub>}<sub>2</sub>], 3511 CATECHOL

Multinuclear magnetic resonance studies on aluminium chelates. Part 1. Chelates with catechol and disodium 4,5-dihydroxybenzene-1,3-disulfonate, 3711

CATECHOLATE

Electrochemical control of bridging ligand conformation in a binuclear complex—a possible basis for a molecular switch, 799

CERAMIC Spectral sensitization of large-band-gap semiconductors (thin films and ceramics) by a carboxylated bis(1,10-phenanthroline)copper(i) complex, 1649 CERIUM

Kinetics and mechanism of ruthenium(III) catalysed oxidation of formic acid by cerium(IV) in aqueous sulfuric acid media, 589 CHAIN

Synthesis, crystal structure and magnetic properties of the alternating chain [VO(H<sub>2</sub>O)<sub>5</sub>][Cu<sub>2</sub>(bipym)<sub>2</sub>(H<sub>2</sub>O)(SO<sub>4</sub>)<sub>3</sub>]-7H<sub>2</sub>O (bipym = 2,2'-bipyrimidine), 1879 New polymeric compounds containing vanadium-oxygen chains, 2457

An alternating copper(II) chain with bridging azide and oxamidate ligands: Crystal structure and magnetic properties of [Cu<sub>2</sub>(dmaeoxd)(N<sub>3</sub>)<sub>2</sub>(H<sub>2</sub>O)<sub>2</sub>] and [{Cu<sub>2</sub>(dmaeoxd)(N<sub>3</sub>)<sub>2</sub>]<sub>4</sub>] {H<sub>2</sub>dmaeoxd = N,N'-bis[2-(dimethylamino)-ethyl]oxamide},

CHALCOGENIDE

A theoretical investigation of the bonding of early transition metals to tellurium, 1391 CHARGE DENSITY

Charge density in [Ru(ND<sub>3</sub>)<sub>6</sub>][SCN]<sub>3</sub> by X-ray diffraction at 92 K, 1429

CHARGE TRANSFER

Optical investigation of the intervalence charge-transfer interactions in the three-dimensional gold mixed-valence compounds  $Cs_2Au_2X_6$  (X = Cl, Br or I), 327

Cs<sub>2</sub>Au<sub>2</sub>X<sub>6</sub> (X = Cl, Br or I), 327

Synthesis and structure of a charge-compensated ferracarborane, commo-[3,3'-Fe{4-(Me<sub>2</sub>S)-1,2-C<sub>2</sub>B<sub>9</sub>H<sub>10</sub>]<sub>2</sub>], and its charge-transfer salt with 2,3-dichloro-5,6-dicyano-p-benzoquinone, 1735

Charge-transfer interactions between sulfur dioxide and Group 8 half-sandwich complexes, 3515

Interpretation of the electronic spectra of the confacial bioctahedral nonahalides [Ru<sub>2</sub>Cl<sub>9</sub>]<sup>3-</sup> and [Ru<sub>2</sub>Br<sub>9</sub>]<sup>3-</sup> using the SCF-Xα-SW method: location of the σ → σ\* transition, 3759

CHEMICAL HARDNESS

Pearson's chemical hardness heterolytic dissociative version of

Pearson's chemical hardness, heterolytic dissociative version of Pauling's bond-energy equation and a novel approach towards understanding Pearson's hard-soft acid-base principle (1991, 1541), 3201

CHEMICAL HARDNESS (contd)
Pearson's hard-soft acid-base principle and the heterolytic
dissociative version of Pauling's bond-energy equation (1992, 1855), 3201

Chemical hardness of metal ions in the gas phase: a thermochemical approach (1994, 2177), 3201 CHIRALITY

Diastereoselective nucleophilic additions to imines attached to tricarbonyl(arene)chromium moieties, 289

tricarbonyl(arene)chromium moieties, 289
Highly stereospecific carbene insertions into platinum-halide bonds. Crystal structure of [Pfcl(s-CHClSiMe<sub>3</sub>)(s,S-Ph<sub>2</sub>PCHMeCH<sub>2</sub>CHMePPh<sub>2</sub>)], 651
Chiral cyclopentadienyl catalysts. Part 3. Synthesis and reactions of (S)-1-(1-dimethylaminoethyl)-2-(2,3,4,5-tetramethylcyclopenta-1,3-dienyl)benzene; crystal structure of [Rh{η<sup>5</sup>-C<sub>3</sub>Me<sub>4</sub>C<sub>6</sub>H<sub>4</sub>-CH(Me)NMe<sub>2</sub>]Cl<sub>2</sub>], 1445
Formation of optically active [Ru(bipy)<sub>2</sub>Cl<sub>2</sub>] (bipy = 2,2'-bipyridyl) by photodissociation of [Ru(bipy)<sub>3</sub>]Cl<sub>2</sub> in dichloromethane, 2085
Synthesis, chiroptical and electrochemical studies of dioxo-granium(x)) complexes of addimine derivatives of L<sub>2</sub>(x-bistidine)

uranium(vi) complexes of aldimine derivatives of L-/D-histidine and crystal structure of (2,2'-bipyridyl)dioxo(*N*-o-vanillylidene-L-histidinato)uranium(vi)—water—methanol(1/1/1), 2381

CHLORIDE

Design and synthesis of ionophores with multiple receptor sites: solution nuclear magnetic resonance studies of their interaction with chloride, sodium and potassium ions, 3637

Synthesis and crystal structure of the first trinuclear chloride-bridged platinum(II) complex with mutually perpendicular co-ordination planes: cyclo-tri-µ-chloro-tris[chloro(1-hydroxy-1-imino-2,2-dimethylpropane)platinum(II)]—dichloromethane (0.5/1), 3753

CHROMIUM

A study of the polarities, anisotropic polarisabilities and carbonyl infrared vibrational frequencies of the complexes [M(CO)<sub>5</sub>{P(OCH<sub>2</sub>)<sub>5</sub>CMe}] (M = Cr, Mo or W) and the crystal structure of [Mo(CO)<sub>5</sub>{P(OCH<sub>2</sub>)<sub>5</sub>CMe}]: evidence for

structure of [Mo(CO)<sub>5</sub>|P(OCH<sub>2</sub>)<sub>5</sub>CMe<sub>5</sub>]: evidence for π-acceptor behaviour in co-ordinated phosphorus, 91 2,2':6',2'-Terpyridine (terpy) acting as a fluxional bidentate ligand. Part 3. Ruthenium carbonyl halide complexes, [RuX<sub>2</sub>(CO)(terpy)] (X = Cl. Br or I) and metal tetracarbonyl complexes [M(CO)<sub>4</sub>(terpy)] (M = Cr. Mo or W): nuclear magnetic resonance studies of their solution dynamics and synthesis of trans-[RuX<sub>2</sub>(CO)(terpy)] (X = Cl. Br or I), 111 Diastereoselective nucleophilic additions to imines attached to tricarbonyl(arene)chromium moieties, 289 Chlorometal(III) complexes of a new chiral quinquedentate

Chlorometal(III) complexes of a new chiral quinquedentate polyamino acid based on (SS)-trans-cyclohexane-1,2-diamine, 355

Co-ordination behaviour of potentially tridentate disphos-Co-ordination behaviour of potentially tridentate disphosphinoamido ligands: synthesis and crystal structures of the complexes [CrCl{N(CH<sub>2</sub>CH<sub>2</sub>PMe<sub>2</sub>)<sub>2</sub>}, [Cr<sub>2</sub>Cl<sub>3</sub>{N(CH<sub>2</sub>CH<sub>2</sub>PMe<sub>2</sub>)<sub>2</sub>}], [Cr<sub>2</sub>Cl<sub>3</sub>{N(CH<sub>2</sub>CH<sub>2</sub>PMe<sub>2</sub>)<sub>2</sub>] and [Cr<sub>2</sub>Cl<sub>4</sub>N(CH<sub>2</sub>CH<sub>2</sub>PMe<sub>2</sub>)<sub>2</sub>] s87

Preparation and properties of the heterometallic cuboidal complex [Mo<sub>3</sub>CrS<sub>4</sub>(H<sub>2</sub>O)<sub>1,2</sub>]<sup>4+</sup>: comparisons with [Mo<sub>4</sub>S<sub>4</sub>(H<sub>2</sub>O)<sub>1,2</sub>]<sup>4+</sup>, 1275

Crystal structures and magnetic behaviour of the two forms of tetra-n-butylammonium tetraisothiocyanatochromate(i), 1425

Synthesis and electrochemistry of imidexthemium(v) components

tetra-n-butylammonium tetraisothiocyanatochromate(ii), 1425 Synthesses and electrochemistry of imidochromium(v) compounds. Crystal structure of [PPh<sub>4</sub>][Cr(NBu<sup>0</sup>)Cl<sub>4</sub>(OH<sub>2</sub>)], 1659 Synthesis and chemistry of 1,1-bis(3-indenyl)ethane; crystal structure of [{Ru(CO)<sub>2</sub>}<sub>2</sub>/<sub>2</sub>/η<sup>2</sup>·CH<sub>3</sub>CH<sub>4</sub>(C<sub>6</sub>H<sub>6</sub>)<sub>2</sub>], 1731 Functionalizable 5,5,10,10,15,15,20,20-octaethylporphyrinogen complexes of early transition metals: synthesis and crystal structure of titanium-, vanadium- and chromium-(III) derivatives and a two-electron oxidation of the porphyrinogen skeleton,

2015
Preparation and properties of the heterometallic cuboidal complex [Mo<sub>3</sub>CrS<sub>4</sub>(H<sub>2</sub>O)<sub>12</sub>]<sup>4+</sup>; comparisons with [Mo<sub>4</sub>S<sub>4</sub>(H<sub>2</sub>O)<sub>12</sub>]<sup>4+</sup> (1994, 1275), 2024
Unusual solid-state reaction of [{CrL(acac)}<sub>2</sub>(μ-H<sub>3</sub>O<sub>2</sub>)][PF<sub>6</sub>]<sub>3</sub>. Isolation and crystal structures of [CrL(acac)F]PF<sub>6</sub> and [CrL(acac)(O<sub>2</sub>PF<sub>2</sub>)]PF<sub>6</sub> (L = 1,4,7-trimethyl-1,4,7-triazacyclononane, acac = pentane-2,4-dionate), 2041
Synthesis, mechanism of formation and characterization of a new class of octanuclear mixed-metal clusters Na.M.T.M.O.-

Synthesis, mechanism of formation and characterization of a new class of octanuclear mixed-metal clusters Na<sub>2</sub>M'<sub>2</sub>[M<sub>3</sub>O<sub>4</sub>- (O<sub>2</sub>CEt)<sub>8</sub>]<sub>2</sub> (M' = Cr or V; M = Mo or W), 2099

A novel tetranuclear [Cr<sup>III</sup><sub>2</sub>Mn<sup>III</sup><sub>2</sub>(μ<sub>3</sub>-O)<sub>2</sub>]<sup>8+</sup> core with an S<sub>T</sub> = 0 spin ground state, 2313

Molecular structure and linkage isomerism of cis-[Ru(bipy)<sub>2</sub>-{trans-Cr(cyclam)(CN)<sub>2</sub>}]<sup>4+</sup> (bipy = 2,2'-bipyridine, cyclam = 1,48,11-letraazacyclotetradecane), 239]

Spectroscopic studies of a square-pyramidal nitridochromium(v) complex, 2609

Carbon-tellurium bond cleavage in tellurolatochromium

Carbon-tellurium bond cleavage in tellurolatochromium complexes. Synthesis and single-crystal structures of [Cr<sub>4</sub>(cp)<sub>4</sub>Te<sub>n</sub>O<sub>4-n</sub>] (cp = η<sup>5</sup>·C<sub>5</sub>H<sub>5</sub>, n = 1-3), 2697 Solid-state <sup>13</sup>C nuclear magnetic resonance investigations of

molecular dynamics in crystalline benzenetricarbonylchromium,

Mean magnetic susceptibility and its solvent dependence for several substituted ferrocenes, ruthenocene and di(η<sup>6</sup>-benzene)chromium, 3257

Preparation of  $\alpha$ -diazines and  $\alpha$ -2-pyridylazines containing (1R)-(+)camphor or (1R)-(-)-fenchone residues and their complexes with Group 6 metal carbonyls, 3597

Clathrate compounds of cadmium cyanide and related hosts with cristobalite-like lattice structures, 1029 Different co-ordination behaviour of 1,2-diaminoethane (en) and

Different co-ordination behaviour of 1,2-diaminoethane (en) at tetracyanonickelate(II) upon accommodation of polar guest molecules in their metal complex hosts: crystal structures of [M(en)<sub>2</sub>Ni(CN)<sub>4</sub>)-2PhNH<sub>2</sub> (M = Ni, Cu, Zn or Cd) and [{Cd(en)}<sub>2</sub>(en){Ni(CN)}<sub>4</sub>)-2PhOH, 1237 Cadmium cyanide-ether clathrates: crystal structures of Cd<sub>8</sub>(CN)<sub>16</sub>(H<sub>2</sub>O)<sub>6</sub>-6G (G = Et<sub>2</sub>O or Pr<sup>1</sup><sub>2</sub>O) and Cd<sub>3</sub>(CN)<sub>6</sub>(H<sub>2</sub>O)<sub>2</sub>·2Pr<sup>3</sup><sub>2</sub>O, 2933 Three-dimensional framework structures built of heptacyanotricadmate(II) units providing polyhedral cavities for guests: classification of the zeolite-like structures, 3695

CLUSTER

Synthesis and photochemical reactivity of phenylthioureato-triosmium cluster complexes: crystal structures of [Os,H(CO)<sub>10</sub>-{μ-SC(NPh)(NHPh)}] and [Os,H(CO)<sub>9</sub>{μ<sub>2</sub>-SC(NPh)(NHPh)}], 1 Reaction of the unsaturated triosmium cluster

Reaction of the unsaturated triosmium cluster

[Os,H(CO)<sub>8</sub>(Ph<sub>2</sub>PCH<sub>2</sub>P(Ph)C<sub>6</sub>H<sub>4</sub>]] with HBF<sub>4</sub> and

[Au(Ph<sub>3</sub>)]PF<sub>6</sub>; crystal structure of

[Os,AuH(CO)<sub>8</sub>{Ph<sub>2</sub>PCH<sub>2</sub>P(Ph)C<sub>6</sub>H<sub>4</sub>}(PPh<sub>3</sub>)]PF<sub>6</sub>, 33

Contrasting pathways for the reactions of triruthenaborane cluster anions with [{M(n<sup>2</sup>-C<sub>3</sub>Me<sub>3</sub>)Cl<sub>2</sub>}<sub>2</sub>] (M = Rh or Ir). Molecular structures of [RhRu<sub>3</sub>(n<sup>2</sup>-C<sub>3</sub>Me<sub>3</sub>)H<sub>2</sub>(CO)<sub>8</sub>(PPh<sub>3</sub>)BH] and

[IrRu<sub>3</sub>(n<sup>2</sup>-C<sub>3</sub>Me<sub>3</sub>)H(CO)<sub>10</sub>BH<sub>2</sub>], 69

Reactions of the hexanuclear mixed-metal cluster [Ru<sub>3</sub>RhC(CO)<sub>14</sub>(n<sup>2</sup>-C<sub>3</sub>Me<sub>3</sub>)] and the synthesis, characterisation and structural analysis of the rentanuclear derivative [Ru<sub>3</sub>RhC(CO)<sub>1</sub>(n<sup>2</sup>-C<sub>3</sub>Me<sub>3</sub>)] 243

of the pentanuclear derivative [Ru<sub>4</sub>RhC(CO)<sub>12</sub>(η<sup>5</sup>-C<sub>3</sub>Me<sub>5</sub>)], 243 Adducts of trigonal-prismatic and octahedral metal clusters containing interstitial atoms (nitrogen or carbon) with [Au(PPh<sub>3</sub>)]<sup>+</sup>, 333

[Aut Fig.], 333 Cyclohexadiene and benzene derivatives of  $[Ru_5C(CO)_{15}]$ , 393 Reactions of the nitridocarbonyl cluster anion  $[Rh_6N(CO)_{15}]^-$ Reactions of the nitridocarbonyl cluster anion  $[Rh_6N(CO)_{15}]^-$  with strong bases: synthesis and crystal structure of the hydridic dianion  $[Rh_6(\mu+H)N(CO)_{14}]^2-471$ Tri- and tetra-nuclear  $\mu$ -alkyne clusters from  $[Ru_2(\mu-CO)_{(\mu-C_2R_2)(\eta-C_3H_3)_2}]$  (R=Ph or  $CF_3$ ), 477
Phosphine-substituted trigonal-prismatic and octahedral clusters, 513

Synthesis and structural characterisation of the osmium cluster

Synthesis and structural characterisation of the osmitm cluster dianions  $[Os_{17}(CO)_{36}]^2$  and  $[Os_{20}(CO)_{46}]^2$ , 521 Ruthenium carbonyl cluster complexes with oxygen ligands. Part 2. Auration of a hexaruthenium 'raft' cluster; crystal structures of  $[Ru_6(\mu_3-H)(\mu-O:\mu-C:\eta^6-OC_6H_3OMe-4)(CO)_{16}]$  and  $[AuRu_6(\mu_3-H)(\mu-O:\mu-C:\eta^6-OC_6H_3OMe-4)(CO)_{16}(PPh_3)]$ , 925 Synthesis and characterisation of penta- and hexa-platinum cluster

compounds, 1013 An amphiphilic trinuclear cobalt cluster-containing molecular unit: synthesis, characterization and Langmuir-Blodgett films, 1051

Bis(cyclopentadienyl) clusters of ruthenium: the synthesis

characterisation and molecular structures of [Ru<sub>3</sub>C(CO)<sub>10</sub>(η<sup>5</sup>-C<sub>3</sub>H<sub>5</sub>)<sub>2</sub>] and [Ru<sub>6</sub>C(CO)<sub>1</sub>(η<sup>5</sup>-C<sub>3</sub>H<sub>5</sub>)<sub>2</sub>]. 1105

Reactions of the pentanuclear mixed-metal cluster compound [Ru<sub>6</sub>RhC(CO)<sub>12</sub>(η<sup>5</sup>-C<sub>3</sub>Me<sub>5</sub>)]. Synthesis, characterisation and crystal structure of the pentanuclear derivative [Ru<sub>6</sub>RhC(CO)<sub>1</sub>-C<sub>3</sub>Me<sub>5</sub>). H(η5-C5Me5)I], 1109

Preparation and properties of the heterometallic cuboidal complex [Mo<sub>3</sub>CrS<sub>4</sub>(H<sub>2</sub>O)<sub>12</sub>]<sup>4+</sup>: comparisons with [Mo<sub>4</sub>S<sub>4</sub>(H<sub>2</sub>O)<sub>12</sub>]<sup>4+</sup>, 1275 Cleavage and reassembly of trinuclear palladium clusters in reactions with an isocyanide ligand, 1283 Synthesis, characterization and crystal structures of [Ir<sub>2</sub>H(CO)<sub>12</sub>]<sup>4+</sup>

Synthesis, characterization and crystal structures of [Ir<sub>0</sub>H(CO)<sub>19</sub>]<sup>2-</sup> and [Ir<sub>10</sub>(CO)<sub>21</sub>]<sup>2-</sup>, 1501
Synthesis and characterization of a palladium-osmium mixed-metal cluster; crystal structure of [Os<sub>6</sub>Pd(CO)<sub>18</sub>(bipy)]-CHCl<sub>3</sub> (bipy = 2,2'-bipyridine), 1605
Reversible skeletal rearrangement in a carbido carbonyl cluster induced by ligand substitution. Synthesis and crystal structure of the anion [Rh<sub>1</sub>C<sub>2</sub>(CO)<sub>23</sub>(AuPPh<sub>3</sub>)] -, 1777
Preparation and structure of a non-carbide-stabilized octahedral

Treparation and structure of a non-carbide-stabilized octahedral rhenium cluster: [NEt<sub>4</sub>][Re<sub>6</sub>H<sub>7</sub>(CO)<sub>18</sub>], 2011
Preparation and properties of the heterometallic cuboidal complex [Mo<sub>3</sub>CrS<sub>4</sub>(H<sub>2</sub>O)<sub>12</sub>]<sup>4+</sup>: comparisons with [Mo<sub>4</sub>S<sub>4</sub>(H<sub>2</sub>O)<sub>12</sub>]<sup>4+</sup> (1994, 1275), 2024

Tetrahedral gold-phosphine clusters: a relativistic molecular orbital study, 2061

Synthesis, mechanism of formation and characterization of a new Synthesis, inclaims in ordination and characterization class of octanuclear mixed-metal clusters Na<sub>2</sub>M'<sub>2</sub>[M<sub>3</sub>O<sub>4</sub>- (O<sub>2</sub>CEt)<sub>8</sub>]<sub>2</sub> (M' = Cr or V; M = Mo or W), 2099 Cluster build-up using the  $[Os(\eta^6-C_6H_6)(MeCN)_3]^{2+}$  cation;

CLUSTER (contd)

synthesis and structural characterisation of some hexa- and hepta-nuclear arene-substituted clusters, 2159

Sequential synthesis of some tetraosmium—arene clusters, 2167 Syntheses and molecular structures of two boride cluster anions: octahedral [Rh<sub>2</sub>Ru<sub>4</sub>(CO)<sub>16</sub>B] and double-prismatic [Rh<sub>3</sub>Ru<sub>6</sub>(CO)<sub>23</sub>B<sub>2</sub>], 2359
Carbon-tellurium bond cleavage in tellurolatochromium

Carbon-tellurium bond cleavage in tellurolatochromium complexes. Synthesis and single-crystal structures of  $[Cr_4(cp_4),T_e,Q_4]$  (cp =  $\eta^3-CH_5,n$  = 1–3), 2697 Neutral PtAg, clusters containing unsymmetrical  $\mu_3$ - $\sigma$  and  $\mu$ - $\eta^2,\sigma$  alkynyl groups. Crystal structure of  $[PtAg_2(C_6F_3)_2(\mu$ - $\eta^2,\sigma$ - $C=CPh)(Pth_3)_9-[0.25CH_2C_1,2735$  Preparation and aqueous solution properties of the heterometallic cuboidal complex  $[W_3CuS_4(H_2O_{10})^3$ +, 2809 Synthesis and reactivity of  $[NEt_4]_2[ReB_1(CO)_3]$ . Formation and structural characterization of the clusters  $[NEt_4]_2[Re_3(\mu_3-OH)(\mu-OH)_3(CO)_9]$  and  $[NEt_4]_2[Re_3(\mu-OH)_3(CO)_9]$  by alkaline titration, 2815

Water-soluble Co<sub>3</sub>C and Co<sub>2</sub>C<sub>2</sub> clusters; redox chemistry and electrochemical reactions in water, 2821

electrochemical reactions in water, 2621 Effect of temperature on the solid-state molecular structure of [Fe<sub>3</sub>(CO)<sub>12</sub>], 2911 Synthesis of the mixed-metal clusters [Ru<sub>5</sub>RhC(CO)<sub>14</sub>(cod)Y] [Y = H, Au(PE<sub>3</sub>) or Au(PPh<sub>3</sub>); cod = cycloocta-1,5-diene]; reactions of [Ru<sub>5</sub>RhC(CO)<sub>14</sub>(cod){Au(PR<sub>3</sub>)}] (R = Ph or Et) and crystal structure of [Ru<sub>5</sub>RhC(CO)<sub>14</sub>(cod){µ<sub>3</sub>-Au(PPh<sub>3</sub>)}], 2060.

3069
Synthesis, crystal structure and non-linear optical properties of [NEt<sub>4</sub>]<sub>4</sub>[Cu<sub>6</sub>Mo<sub>2</sub>S<sub>6</sub>O<sub>2</sub>Br<sub>2</sub>I<sub>4</sub>], 3211
Hydrogen activation by arene ruthenium complexes in aqueous solution. Part 2. Build-up of cationic tri- and tetra-nuclear ruthenium clusters with hydrido ligands, 3215
Synthesis and solid-state structure of [Pd<sub>6</sub>Ru<sub>6</sub>(CO)<sub>24</sub>]<sup>2-</sup>. Electrochemistry and <sup>13</sup>C nuclear magnetic resonance spectra of [Fe<sub>6</sub>Pd<sub>6</sub>H(CO)<sub>24</sub>]<sup>3-</sup> and [Pd<sub>6</sub>Ru<sub>6</sub>(CO)<sub>24</sub>]<sup>2-</sup>, 3237
Boron-nitrogen coupling in a ruthenium-rich ruthenaborane cluster; synthesis, and molecular and electronic structures of

Boron-introgen coupling in a runenum-rical runtenaborane cluster: synthesis, and molecular and electronic structures of [Ru<sub>4</sub>H(CO)<sub>12</sub>BH(μ-NCHMe)], 3273

Reaction of [O<sub>8</sub>(μ-Cl)(CO)<sub>13</sub>] with the [Au(PPh<sub>3</sub>)]<sup>+</sup> cation involving insertion of an Os(CO)<sub>4</sub> fragment into the gold–phosphorus bond, 3331

Ligand substitution reactions of aquacobalamin: further evidence for a dissociative interchange mechanism, and factors controlling reaction rates, 297

COBALOXIME

Electron spin resonance study of the cobalt(II) species formed after room-temperature photolysis of aqua(see-butyl)bis(dimethylglyoximato)cobalt(III) in the presence of N-donor bases, 369 COBALT

Kinetics of ternary complex formation between cobalt(II) species and N,N-dimethyl(p-pyridin-2-ylazo)aniline, 51 Stereoselective photocatalysis of helical ruthenium(II) complexes in the reduction of racemic tris(acetylacetonato)cobalt(III), 239

Ligand substitution reactions of aquacobalamin: further evidence for a dissociative interchange mechanism, and factors controlling reaction rates, 297

Chlorometal(III) complexes of a new chiral quinquedentate polyamino acid based on (SS)-trans-cyclohexane-1,2-diamine, 355

355
Spin equilibrium in five-co-ordinate Lewis-base adducts of cobalt(II)
Schiff-base complexes with a S<sub>2</sub>N<sub>3</sub> ligand environment. Molecular
and crystal structure of [CoL⁴(mim)] at 293 and 103 K [H<sub>2</sub>L⁴ =
N,N'-bis(5-mercapto-3-methyl-1-phenylpyrazol-4-ylmethylene)o-phenylenediamine, mim = N-methylimidazole], 361
Electron spin resonance study of the cobalt(II) species formed
after room-temperature photolysis of aqua(sec-butyl)bis(dimethylglyoximato)cobalt(III) in the presence of N-donor
bases 369

(dimethylgyoximato)cobalt(iii) in the presence of N-donor bases, 369

Tri- and tetra-nuclear μ-alkyne clusters from [Ru<sub>2</sub>(μ-CO)-(μ-C<sub>2</sub>R<sub>2</sub>)(η-C<sub>3</sub>H<sub>3</sub>)<sub>2</sub>] (R = Ph or CF<sub>3</sub>), 477
Aggregation of fac-[Ir(aet)<sub>3</sub>] (aet = 2-aminoethanethiolate) around the [Co<sup>11</sup><sub>4</sub>O]<sup>6+</sup> core. Structures and some properties of spontaneously resolved S-bridged octanuclear complexes [{Ir(aet)<sub>3</sub>}<sub>3</sub>M<sub>4</sub>O]Br<sub>6</sub> (M<sub>4</sub> = Co<sup>11</sup><sub>4</sub>, Zn<sup>11</sup><sub>2</sub> or Zn<sup>11</sup><sub>2</sub><sub>3</sub>Co<sup>11</sup><sub>12</sub>), 533

Binding geometry of cobalt bleomycin, an empirical force-field analysis 551

analysis, 551

Stereoselective photosensitized decomposition of tris(oxalato)cobaltate(III) and tris(acetylacetonato)cobalt(III) by tris(2,2'-bipyridine)ruthenium(II), 583

tris(2,2'-bipyridine)ruthenium(II), 583

The influence of the ring substituent, R, on the substitution of carbonyl groups by phosphine ligands in [Co<sub>2</sub>{µ-PPh<sub>2</sub>-CHCRC(O)}(µ-PPh<sub>2</sub>)(CO)<sub>4</sub>] (R = H, Ph or SiMe<sub>3</sub>), 609

Complexes containing ferrocenyl groups as redox spectators; synthesis, molecular structure and co-ordination behaviour of 4'-ferrocenyl-2,2':6',2"-terpyridine, 645

Electrochemical behaviour of cobalt(i) hydrides, 695

On the mechanism of a model quercetinase reaction using a cobalt Schiff-base complex, 805

Synthesis and structure of a series of unique cobalt phosphides, 971 An amphiphilic trinuclear cobalt cluster-containing molecular unit: synthesis, characterization and Langmuir-Blodgett films, 1051 Efficient stereochemical regulation of octahedral cobalt(III) com-

plexes by a chiral bidentate ligand. Part 1. Effect of N-alkyl substitutions, 1073

2,2'-Bipyrimidine (bipym)-bridged dinuclear complexes. Part 4.

2.2'-Bipyrimidine (bipym)-bridged dinuclear complexes. Part 4. Synthesis, crystal structure and magnetic properties of [Co<sub>2</sub>(H<sub>2</sub>O)<sub>8</sub>(bipym)][NO<sub>3</sub>]<sub>4</sub>, [Co<sub>2</sub>(H<sub>2</sub>O)<sub>8</sub>(bipym)][SO<sub>4</sub>]<sub>2</sub>·2H<sub>2</sub>O and [Co<sub>2</sub>(bipym)<sub>3</sub>(NCS)<sub>4</sub>], 1175 Synthesis and characterization of mononuclear nickel(II) and cobalt(II) complexes of 2,2,4,4-tetrakis(3,5-dimethylpyrazolyl)-6,6-diphenyl-2λ<sup>3</sup>,4λ<sup>3</sup>,6λ<sup>3</sup>-cyclotriphosphaza-1,3,5-triene L: crystal structure of [NiLCl<sub>2</sub>], 1301 The chemistry of vitamin B<sub>12</sub>. Part 29. Co-ordination of imidazoles and 1,2,4-triazole by aquacyanocobinamide, 1373 The chemistry of vitamin B<sub>12</sub>. Part 30. Co-ordination of amines, pyridines and diazines by aquacyanocobinamide; nitrogencontaining bases as probes for basicity and other effects in metal-ligand bonding, 1377

metal-ligand bonding, 1377

Efficient stereochemical regulation of octahedral cobalt(III) complexes by a chiral bidentate ligand. Part 2. Remarkable effect of the chelate-ring size in the stereoselective formation of sym-cis-(ethylenediamine-N,N'-diacetato)(pentane-2,4-diamine)cobalt(III), 1511

Chiral induction in the reduction of [Co(glyO)(ox)<sub>2</sub>]<sup>2-</sup> by [Co(phen)<sub>3</sub>]<sup>2+</sup>(glyO = glycinate, ox = oxalate, phen = 1,10-phenanthroline), 1655

Metal binding of polyalcohols. Part 2. (all-cis-1,3,5-Triaminocyclo-

Metal binding of polyalcohols. Part 2. (all-cis-1,3,5-Triaminocyclohexane)cobalt(III), a facially co-ordinating, diamagnetic probe exemplified by its complex formation with cis-inositol, 1689 M<sub>3</sub>As<sub>2</sub>O<sub>7</sub>(H<sub>2</sub>O<sub>2</sub>) (M = Co or Ni): hydrous diarsenates with an intersecting tunnel structure, 1825 Unusual solid-state reaction of [{CrL(acac)}{2(μ-H<sub>2</sub>O<sub>2</sub>)][PF<sub>6</sub>]<sub>3</sub>. Isolation and crystal structures of [CrL(acac)F]PF<sub>6</sub> and [CrL(acac)(O<sub>2</sub>FF<sub>2</sub>)]PF<sub>6</sub> (L = 1,4,7-trimethyl-1,4,7-triazacyclononane, acac = pentane-2,4-dionate), 2041 Reduction of nitric oxide by tetramesityliridium(IV) and cobaltocene. Reactions of hyponitrite complexes and of the ether [Co(η<sup>5</sup>-C<sub>2</sub>H<sub>3</sub>)(η<sup>4</sup>-C<sub>3</sub>H<sub>3</sub>)](μ-O-exo) with nitroalkanes, acids and amines, 2223

Reactivity of the tri-µ-hydroxo-bis[triamminecobalt(III)] ion in

halide media, 2327 Acetazolamide binding to zinc(II), cobalt(II) and copper(II) model complexes of carbonic anhydrase, 2347

Photoelectrochemical and quenching studies of tris(2,2'-bipyridine)ruthenium(II) bound to Nafion- and clay-coated electrodes, 2445

Preparation and characterisation of organocobalt(III) complexs of tetraaza macrocyclic ligands. Crystal structures of ethyl- and propyl-cobalt(III) complexes of 3,7,11,17-tetraaazabicyclo-[11.3.1]heptadeca-1(17),13,15-triene, 2631

Synthesis, structure and properties of [Hpy]<sub>2</sub>[{M(mnt)<sub>2</sub>}<sub>2</sub>] (M = Co or Fe, Hpy = pyridinium, mnt = maleonitriledithiolate),

2655
Preparation and aqueous solution properties of the heterometallic cuboidal complex  $[W_3CuS_4(H_2O)_{10}]^{5+}$ , 2809
Water-soluble  $C_0C$  and  $C_0C_2$  clusters; redox chemistry and electrochemical reactions in water, 2821
Dithiolenes revisited: an electron spin resonance study of some five-co-ordinate cobalt complexes and the crystal structures of  $[C_0\{S_2C_2(CF_3)_2\}_2\{P(OPh)_3\}]$  and  $[C_0\{S_2C_2(CF_3)_2\}_2(PPh_3)]$ , 2903

Synthesis, characterization and aquation kinetics of a new trans diastereoisomer of dichloro(meso-5,12-dimethyl-1,4,8,11-tetraazacyclotetradecane)cobalt(III) perchlorate, 2959 Redox reactivity of the type 1 (blue) copper protein amicyanin

from Thiobacillus versutus with inorganic complexes, 3017 Outer-sphere redox reactions in sterically hindered pentaam(m)inecobalt(III) complexes. A temperature and pressure dependence kinetic study, 3159

Synthesis and co-ordination chemistry of dicobalt-complexed acetylenic crown ethers, 3171

acetylenic crown etners, 31/1 Synthesis and electrochemistry of nickel and cobalt complexes of mixed thia-aza crown ethers: single-crystal structures of [Ni([18]aneN<sub>2</sub>S<sub>4</sub>)][PF<sub>6</sub>]<sub>2</sub>·0.33H<sub>2</sub>O and [Co([18]aneN<sub>2</sub>S<sub>4</sub>)][PF<sub>6</sub>]<sub>3</sub>· 3H<sub>2</sub>O ([18]aneN<sub>2</sub>S<sub>4</sub> = 1,4,10,13-tetrathia-7,16-diazacyclo-octadecane), 3291

Phosphorus-sulfur bond cleavage at a mixed-metal centre; reaction of [(OC)<sub>3</sub>Co(μ-PhCCH)Mo(CO)<sub>2</sub>(η<sup>5</sup>-C<sub>5</sub>H<sub>3</sub>)] with PPh<sub>2</sub>(SPh), 3607

Kinetics of ternary complex formation between cobalt(II) species and 5-nitrosalicylic acid: the effect of charge, 3645

COBINAMIDE

The chemistry of vitamin B<sub>12</sub>. Part 29. Co-ordination of imidazoles and 1,2,4-triazole by aquacyanocobinamide, 1373

COBINAMIDE (contd)

The chemistry of vitamin B<sub>12</sub>. Part 30. Co-ordination of amines, pyridines and diazines by aquacyanocobinamide; nitrogen-containing bases as probes for basicity and other effects in metal-ligand bonding, 1377

ONDUCTIVITY
Synthesis, crystal structure and electrical properties of two new palladium complexes of selenium and sulfur ligands:
[NMe<sub>4</sub>][Pd(C<sub>2</sub>S<sub>3</sub>Se<sub>2</sub>)<sub>2</sub>], and [PMe<sub>4</sub>][Pd(C<sub>3</sub>S<sub>3</sub>)<sub>2</sub>], 249
Preparation, crystal structures, conductivities and electronic structures of [et],[NiCl<sub>4</sub>]-H<sub>2</sub>O and [et],[AuBr<sub>4</sub>] [et = bis(ethylenedithio)tetrathiafulvalene], 1995
Evidence for hydrogen bonding in solutions of 1-ethyl-3-methylimidazolium halides, and its implications for room-temperature halogeneous minust(n) ionic liquids 240s

halogenoaluminate(III) ionic liquids, 3405 CONFORMATION

Conformational isomers of bis(tert-butylphosphine)osmium complexes, 221

Conformational study of the macrocycle 1,4,7-trithiacyclononane in metal complexes, 719

Preparation and characterisation of bis(1,1,1,5,5,5-hexafluoropentane-2,4-dionato)copper(n) complexes with diazaaromatic compounds. Part 1. Crystal structures and characterisation of several adducts with diazines, 13
Assembly of [2 + 2] bimetallic macrocyclic complexes from bis(bipyridyl) ligands and metal ions, 77

bis(bipyridyl) ligands and metal ions, 77
Unusual properties of metal complexes involving acyclic polydentate thioether ligands. Copper, nickel and palladium complexes of 3,6,9,12,15-pentathiaheptadecane, 185. Kinetics of acid-catalysed dissociation of tetraazamacrocyclic ligand complexes of copper(ii), 191
Synthesis and structural characterisation of five-co-ordinate copper(i) and silver(i) 2,2':6',2-terpyridine complexes, 215
Novel two-fold-macrocycle-substituted phthalocyanines, 323
Copper(ii) and oxovanadium(iv) complexes of 2,3-dihydroxyterephthalic and 2,3,4-trihydroxybenzoic acids, 347
Proton nuclear magnetic resonance assignments and the electron

Proton nuclear magnetic resonance assignments and the electron self-exchange rate constant for pseudoazurin from Achromobacter cycloclastes, 437

Studies of pendant-arm macrocyclic ligands. Part 8. Synthesis of two pentaazamacrocycles based upon pyridine-containing tetraazamacrocycles with a single pendant co-ordinating 2-pyridylmethyl arm, and characterisation of their nickel(II), copper(II) and zinc(II) complexes. Crystal structure of 7-(2'-pyridylmethyl)-3,7,11,17-tetraazabicyclo[11.3.1]heptadeca-1(17),13,15-trienezinc(II) tetrafluoroborate, 485
Synthesis and structure of di- and tetra-copper(I) complexes bridged by pyridazine, 603

Electrochemical synthesis and structural characterization of bis(triphenylphosphine)copper(I) fluoroacetates, 773

Complexes of aminophosphonates. Part 8. Copper(II) complexes of N-(phosphonomethyl)amino acids and related compounds, 811

Synthesis and characterization by fast atom bombardment and electrospray mass spectrometry of new copper(1) complexes with substituted 1,4,5,8,9,12-hexaazatriphenylenes and macrocycles,

Syntheses and characterization of polynuclear metal complexes related to a chemical precursor system for the YBa2Cu3O7-x superconductor, 955

superconductor, 955
Control of the stereochemistry of four-co-ordinate copper(II)
complexes by pyridinecarboxamide ligands: crystal structure,
spectral and redox properties, 965
Clathrate compounds of cadmium cyanide and related hosts with
cristobalite-like lattice structures, 1029

Copper(ii) complexes of novel tripodal ligands containing phenolate and benzimidazole/pyridine pendants: synthesis, structure, spectra and electrochemical behaviour, 1219

Co-ordination properties of cyclopeptides. Formation and stability of zinc(II) and copper(II) complexes of histidine-containing cyclopeptides, or imidazole, 1227

Different co-ordination behaviour of 1,2-diaminoethane (en) and tetracyanonickelate(II) upon accommodation of polar guest molecules in their metal complex hosts: crystal structures of [M(en)<sub>2</sub>Ni(CN)<sub>4</sub>]-2PhNH<sub>2</sub> (M = Ni, Cu, Zn or Cd) and [{Cd(en)<sub>2</sub>/en}{Ni(CN)<sub>4</sub>}-2PhPhOH, 1237

Kinetics and mechanism of complex-formation reactions of ammonia and methylamine with copper(II) complexes in aqueous solution. 1355

solution, 1355

Solution, 132 bridging ligands: spectroscopic, magnetic and electrochemical properties, 1471 Structure of copper complexes adsorbed on a silica gel surface chemically modified with benzimidazole, 1493

Synthesis, electrochemical and magnetic properties of a series of new

unsymetrical macrocyclic binuclear copper(II) complexes, 1595
Spectral sensitization of large-band-gap semiconductors (thin films and ceramics) by a carboxylated bis(1,10-phenanthroline)-copper(I) complex, 1649

Mono- and bi-dentate phosphaalkene ligands: structures of their copper(i) chloride complexes, 1685

Studies on a dioxotetraamine macrocyclic ligand, its copper(II) and nickel(II) complexes and solution equilibria, 1873 Synthesis, crystal structure and magnetic properties of the

Synthesis, crystal structure and magnetic properties of the alternating chain [VO(H<sub>2</sub>O)<sub>3</sub>][Cu<sub>2</sub>(bipym)<sub>2</sub>(H<sub>2</sub>O)(SO<sub>4</sub>)<sub>3</sub>]-7H<sub>2</sub>O (bipym = 2,2'-bipyrimidine), 1879

Crystal structure and magnetic properties of two two-dimensional

Crystal structure and magnetic properties of two two-dimensional sheet-like polynuclear copper complexes with bridging transoxamidate and 4,4'-bipyridine or pyrimidine, 1917

Crystal structure and magnetic properties of a two-dimensional sheet-like copper(II) complex with bridging trans-oxamidate and azide, 1923

azide, 1923
Three- and four-co-ordinate copper(1) complexes: 1:1 and 1:2
1-cyanoguanidine-copper(1) halide adducts, 1935
Novel monomeric and dimeric copper(1) pyridone complexes containing the 2,2'-bipyridyl ligand, 2005
Novel two-fold-macrocycle-substituted phthalocyanines
(1994, 323), 2023

(1994, 323), 2023
Binary and ternary copper(II) complexes of N\*- and N\*-methyl-L-histidine in aqueous solution, 2049
Crystal structures and single-crystal electron spin resonance spectra of π-π type molecular complexes of bis(1-methyliminomethyl-2-naphtholato).copper(II), 2065
Statistical structures and of latence 2 aminographylatic properties.

Synthetic and structural study of tetra-µ-3-aminopropanolato-tricopper(ii) catena-pentaiodo-tricuprate(i) and -argentate(i), 2125 Synthesis, structure, magnetism and electrochemistry of binuclear

synthesis, structure, magnetism and electrocensistry of binuclea nickel(II) and copper(II) complexes of an unsymmetrical pentadentate Schiff-base ligand, 2129
Partial hydrolysis of a Schiff-base tripodal ligand induced by copper(II) salts: crystal structure of the product from reaction with copper(II) perchlorate, 2213
Synthesis structure, seectoescopic and magnetic properties of the

with copper(II) perchlorate, 2213
Synthesis, structure, spectroscopic and magnetic properties of two copper(II) dimers containing pyridine-2-carbaldehyde thiosemicarbazonate (L), [{CuL(X)}<sub>2</sub>] (X = Cl or Br), 2233
Influence of chelate-ring size and number of sulfur-donor atoms on the spectra and redox behaviour of copper(II) bis(benzimidazolyl) tetra- and penta-thioether complexes, 2277
Ligand-field control in the self-assembly of polymeric metal

complexes: copper(II) complexes with quadridentate Schiff-base ligands involving an imidazole moiety, 2339
Acetazolamide binding to zinc(II), cobalt(II) and copper(II) model

Acctazolatina or initing to 2nk(1), Cobarth) and copper(t) inodes complexes of carbonic anhydrase, 2347

Reactions of copper(t) nitrate with pyridazine (pydz) and crystal structures of catena-[Cu(μ-η²-pydz)(μ-OH)(μ-O,NO)]-H<sub>2</sub>O and [Cu<sub>3</sub>(μ-η²-pydz),(μ-NO<sub>3</sub>),(NO<sub>3</sub>)<sub>4</sub>], 2397

Stabilization of copper(t) by phosphinoamines, 2471

Transition-metal Schiff-base complexes as ligands in tin chemistry.

Part 5. Structural studies of intimate ion-paired heterobimetallic complexes of tin(IV) and nickel, copper or zinc with 3-methoxysalicylaldimine ligands, 2473

Bis(µ-pyridazine)-bis[(2-cyanoguanidine)copper(1)] cation: a molecule containing two co-ordinatively unsaturated copper(1)

Crystal structure, spectroscopic and magnetic properties of two unusual compounds: [Cu(terpy)(N<sub>3</sub>)Cl] and [{Cu<sub>0.75</sub>Ni<sub>0.25</sub>(terpy)-(N<sub>3</sub>)<sub>2</sub>]<sub>2</sub>-2H<sub>2</sub>O (terpy = 2,2':6',2'-terpyridine), 2573
Structural and solid-state <sup>31</sup>P nuclear magnetic resonance studies

on 1:1:1 mixed nitrogen and phosphine base complexes with copper(1) halides, 2621

copper(i) halides, 2621

A convenient method for the preparation of 3-(2-pyridyl)triazolo[1,5-a]pyridine (L). Crystal structures of L and
[CuL<sub>2</sub>(OH<sub>3</sub>)<sub>2</sub>][NO<sub>3</sub>]<sub>2</sub>, 2651

Metallosupramolecular assembly of dinuclear double helicates incorporating a biphenyl-3,3'-diyl spacer; molecular structure of bis{3,3'-bis[4-methylsulfanyl)-2,2'-bipyridin-6-yl]biphenyl-x²N,N':x²N',N"]|dicopper(i) hexafluorophosphate, 2669

Design of ligands containing the o-hydroxybenzyl group. Metal-complexing properties of N,N"-bis(2-hydroxybenzyl)diethylenetriamine-N,N',N"-triacetic acid, 2679

Synthesis, crystal structures and thermal decomposition studies of a series of copper–lanthanoid complexes of 6-methyl-2-pyridone, 2719

Building a two-dimensional co-ordination polymer having a

Building a two-dimensional co-ordination polymer having a multilayered arrangement. A molecular assembly comprising hanging phenazine molecules between polymeric stair

hanging phenazine molecules between polymeric stair frameworks of copper(i) halides, 2771

Syntheses, crystal structures and electronic properties of [Cu(bipym)(C<sub>2</sub>O<sub>3</sub>)(H<sub>2</sub>O)<sub>2</sub>]-H<sub>2</sub>O and [Cu<sub>2</sub>(bipym)(C<sub>2</sub>O<sub>3</sub>)<sub>2</sub>(H<sub>2</sub>O)<sub>2</sub>]-4H<sub>2</sub>O (bipym = 2,2'-bipyrimidine), 2777

Preparation and aqueous solution properties of the heterometallic cuboidal complex [W<sub>2</sub>CuS<sub>4</sub>(H<sub>2</sub>O)<sub>10</sub>]<sup>3</sup> +, 2809

Potentiometric and spectroscopic studies on copper(II) and zinc(II) complexes of peptides containing bis(imidazolyl) ligands, 2939

Structure and magnetic studies of a two-dimensional sheet-like copper(II) complexe with bridging pyridine-4-carboxylate and copper(II) complex with bridging pyridine-4-carboxylate and trans-oxamidate ligands, 2989

COPPER (contd)

OFFER (Contu)
Mono- and bi-nuclear copper(π) complexes of azaparacyclophanes with a single aromatic spacer. Crystal structure of [Cu<sub>2</sub>L<sup>2</sup>Cl<sub>4</sub>]-1.5H<sub>2</sub>O (L<sup>2</sup> = 2,5,8,11-tetraaza[12]paracyclophane), 2995
Synthesis and crystal structure determination of a one-dimensional

synthesis and crystal sit utula determination of a one-uninstonal end-to-end cyanate-bridged copper(ii) compound, 3005 Redox reactivity of the type 1 (blue) copper protein amicyanin from *Thiobacillus versutus* with inorganic complexes, 3017 Electron spin resonance studies and crystal structures of copper(ii)

complexes of some 12-, 13- and 14-membered oxatriaza macrocycles, 3099

Metal-directed synthesis of aminobenzyl polyaza macrocycles: candidates for attachment to polymers and biomolecules, 3107 Crystal and molecular structure of anhydrous copper(II)

Crystal and molecular structure of anhydrous copper(II) perchlorate, 3119

X-Ray photoelectron spectroscopic characterization of [{Pt(PPh<sub>3</sub>)<sub>2</sub>(μ<sub>3</sub>-S)<sub>2</sub>PtCl<sub>2</sub>], [{Pt<sub>2</sub>(PPh<sub>3</sub>)<sub>4</sub>(μ<sub>3</sub>-S)<sub>2</sub>Cu}<sub>2</sub>(μ-dppf)]-[PF<sub>6</sub>]<sub>2</sub> [dppf = Fe(C<sub>3</sub>H<sub>4</sub>PPh<sub>3</sub>)<sub>2</sub>] and other heterometallic aggregates derived from [{Pt(PPh<sub>3</sub>)<sub>2</sub>(μ-S)}<sub>2</sub>], 3177

Intramolecular hydrogen-bonding stabilisation of tetrafluoroborate co-ordination to copper(II): crystal structure of (2,2'-bipyridine)-bis(2-cyanoguanidine)-bis(tetrafluoroborato)copper(II), 3189

Cytochrome c oxidase models: synthesis and reactivity of iron(III) copper(II) complexes of deuterohaemin-polybenzimidazole

copper(II) complexes of deuterohaemin-polybenzimidazole dinucleating ligands, 3203

Synthesis, crystal structure and non-linear optical properties of [NEt<sub>4</sub>]<sub>4</sub>[Cu<sub>6</sub>Mo<sub>2</sub>S<sub>6</sub>O<sub>2</sub>Br<sub>2</sub>I<sub>4</sub>], 3211

Synthesis and solution multinuclear magnetic resonance studies of homoleptic copper(I) complexes of sulfur, selenium and tellurium donor ligands, 3225

The first binuclear copper(II) complex of a bibracchial lariat ether: synthesis, magnetic susceptibility and crystal structure, 3325

3325

First structural characterisation of an amino phosphonate

monoester metal complex, 3333 monoester metal compiex, 3535

Promotion of tetrahedral copper(I) dimers by chelation of 1,1'bis(diphenylphosphino)ferrocene (dppf). Crystal structures of
[{Cu(μ-X)(dppf-P,P')}<sub>2</sub>] (X = O<sub>2</sub>CH, I or NO<sub>3</sub>), 3451
Synthesis and crystal structure of homoleptic uranium hexathiolates: [NEt,H<sub>2</sub>]<sub>2</sub>[U(SPh)<sub>6</sub>] and [(Ph<sub>3</sub>P)Cu(μ-SPh)<sub>3</sub>U(μ-SPh)<sub>3</sub>Cu(PPh<sub>3</sub>)], 3563

Bonding interaction between Group 10 and 11 metals. Synthesis, structure and properties of  $[M_3(S_2CNR_2)_6M'_2]^{2+}$  (M = Pt or Pd; M' = Ag or Cu; R = Et, Pr¹, Pr³, Bu³ or C<sub>6</sub>H<sub>11</sub>), 3621 A luminescent heterometallic Au¹ · · · Cu¹ complex. Spectroscopic properties and crystal structures of  $[Au(PPh_3)(C_7H_5N_2)]$  and  $[\{Au(PPh_3)(L_7H_5N_2)Cu(\mu-C_7H_5N_2)\}_2]$  ( $C_7H_5N_2 = 7$ azaindolate), 3677

azaindolately, 507/ An alternating copper(II) chain with bridging azide and oxamidate ligands: Crystal structure and magnetic properties of [Cu<sub>2</sub>(dmaeoxd)(N<sub>3</sub>)<sub>2</sub>(H<sub>2</sub>O)<sub>2</sub>] and [{Cu<sub>2</sub>(dmaeoxd)(N<sub>3</sub>)<sub>2</sub>]<sub>4</sub>] {H<sub>2</sub>dmaeoxd = N,N'-bis[2-t]dimethylamino)-ethyl]oxamide},

COPPER-63

Synthesis and solution multinuclear magnetic resonance studies of homoleptic copper(1) complexes of sulfur, selenium and tellurium donor ligands, 3225

CORRINOID

The chemistry of vitamin B<sub>12</sub>. Part 29. Co-ordination of imidazoles and 1,2,4-triazole by aquacyanocobinamide, 1373
The chemistry of vitamin B<sub>12</sub>. Part 30. Co-ordination of amines, pyridines and diazines by aquacyanocobinamide; nitrogencontaining bases as probes for basicity and other effects in metal-ligand bonding, 1377
CROCONATE

Syntheses, crystal structures and electronic properties of [Cu(bipym)(C<sub>3</sub>O<sub>3</sub>)(H<sub>2</sub>O)<sub>2</sub>]-H<sub>2</sub>O and [Cu<sub>2</sub>(bipym)(C<sub>3</sub>O<sub>3</sub>)<sub>2</sub>(H<sub>2</sub>O)<sub>2</sub>]-4H<sub>2</sub>O (bipym = 2,2'-bipyrimidine), 2777

CROWN ETHER

Novel two-fold-macrocycle-substituted phthalocyanines, 323
The synthesis and crystal structure of [K(18-crown-6)]\*[NCS-SO<sub>2</sub>]\* (18-crown-6 = 1,4,7,10,13,16-hexaoxacyclooctadecane), 753
Novel two-fold-macrocycle-substituted phthalocyanines

(1994, 323), 2023

Criteria to judge preorganisation in the study of known and the design of new thiocrown ethers, 2243
Synthesis and co-ordination chemistry of dicobalt-complexed

acetylenic crown ethers, 3171

acetylenic crown etners, 31/1 Synthesis and electrochemistry of nickel and cobalt complexes of mixed thia-aza crown ethers: single-crystal structures of [Ni([18]aneN<sub>2</sub>S<sub>4</sub>)][PF<sub>6</sub>]<sub>2</sub>.0.33H<sub>2</sub>O and [Co([18]aneN<sub>2</sub>S<sub>4</sub>)]-[PF<sub>6</sub>]<sub>3</sub>3H<sub>2</sub>O ([18]aneN<sub>2</sub>S<sub>4</sub> = 1,4,10,13-tetrathia-7,16-diaza-cyclooctadecane), 3291

The first binuclear copper(II) complex of a bibracchial lariat ether: synthesis, magnetic susceptibility and crystal structure, 3325

Design and synthesis of ionophores with multiple receptor sites:

solution nuclear magnetic resonance studies of their interaction with chloride, sodium and potassium ions, 3637

CRYPTAND

Dicopper cryptates with 1,1 and 1,3 bridging ligands: spectroscopic, magnetic and electrochemical properties, 1471
Co-ordination tendencies of two novel compartmental oxa-aza macrobicycles. Crystal structure of a Cu<sup>II</sup>(H<sub>2</sub>O) inclusion complex, 3581

Proton transfer in a phenol-based compartmental cryptate; solution and solid-state structural studies, 3149

CRYSTAL STRUCTURE

RYSTAL STRUCTURE
Synthesis and photochemical reactivity of phenylthioureatotriosmium cluster complexes: crystal structures of [Os<sub>3</sub>H(CO)<sub>10</sub>{μ-SC(NPh)(NHPh)}] and [Os<sub>3</sub>H(CO)<sub>5</sub>(μ<sub>3</sub>-SC(NPh)(NHPh)}], 1
Preparation and characterisation of bis(1,1,1,5,5,5hexafluoropentane-2,4-dionato)copper(n) complexes with
diazaaromatic compounds. Part 1. Crystal structures and
characterisation of several adducts with diazines, 13

Characterisation of several adducts with diazines, 13 Di- and tri-nuclear nickel(ii) complexes with bridging thiolato groups. Crystal structure of [NBu<sub>4</sub>]<sub>2</sub>[Ni<sub>3</sub>(C<sub>6</sub>F<sub>3</sub>)<sub>4</sub>(µ-SEt)<sub>4</sub>], 19 Synthesis and crystal structures of the gold-carbaborane complexes [9-exo-{Au(PPh<sub>3</sub>)}-9-(µ-H)-10-endo-{Au(PPh<sub>3</sub>)}-7,8-Me<sub>2</sub>-nido-7,8-C<sub>2</sub>B<sub>3</sub>H<sub>8</sub>] and [10-exo-{Au<sub>2</sub>(PPh<sub>3</sub>)}-10-endo-{Au(PPh<sub>3</sub>)}-7,8-Me<sub>2</sub>-nido-7,8-C<sub>2</sub>B<sub>3</sub>H<sub>8</sub>], 25

Me<sub>2</sub>-nido-7,8-C<sub>2</sub>B<sub>3</sub>H<sub>8</sub>J, 25
Reaction of the unsaturated triosmium cluster [Os<sub>3</sub>H(CO)<sub>8</sub>{Ph<sub>2</sub>P-CH<sub>2</sub>P(Ph)C<sub>2</sub>H<sub>4</sub>}] with HBF<sub>4</sub> and [Au(PPh<sub>3</sub>)]PF<sub>6</sub>; crystal structure of [Os<sub>3</sub>AuH(CO)<sub>8</sub>{Ph<sub>2</sub>PCH<sub>2</sub>P(Ph)C<sub>6</sub>H<sub>4</sub>}(PPh<sub>3</sub>)]PF<sub>6</sub>, 33
Synthesis and reactions of but-2-yne complexes of tungsten(i) containing pyridine-2-thionate (SC<sub>3</sub>H<sub>4</sub>N): crystal structure of [W(CO)(NCMe)(SC<sub>3</sub>H<sub>4</sub>N)(η<sup>2</sup>-MeC<sub>2</sub>Me)<sub>2</sub>][BPh<sub>4</sub>], 37
Molybdenum(vI) complex formation. Part 7. Equilibria and thermodynamic quantities for the reactions with nitrilotriacetate, 45

Syntheses of novel monomeric 1,4,7-trimethyl-1,4,7-triazacyclo-nonane ruthenium complexes. Reactivities and structure of sterically encumbered cationic monoaquaruthenium(II) and

sterically encumbered cationic monoaquaruthenium(II) and monoacoruthenium(IV) complexes, 57
Studies of phosphazenes. Part 34. Group 6 metal carbonyl complexes of bis(pyrazolyl)cyclotriphosphazenes, 63
Contrasting pathways for the reactions of triruthenaborane cluster anions with [{M(n³-C,Me\_3)Cl<sub>2</sub>}\_2] (M = Rh or Ir). Molecular structures of [RhRu<sub>3</sub>(n³-C<sub>3</sub>Me<sub>3</sub>)H<sub>2</sub>(CO)<sub>8</sub>(PPh<sub>3</sub>)BH] and [IrRu<sub>3</sub>(n³-C<sub>3</sub>Me<sub>3</sub>)H(CO)<sub>10</sub>BH<sub>2</sub>], 69
Gold complexes with selenium ligands. Part 7. Synthesis and crystal structures of oligonuclear gold(I)-selenolate complexes, 83

83
A study of the polarities, anisotropic polarisabilities and carbonyl infrared vibrational frequencies of the complexes [M(CO)<sub>5</sub>{P(OCH<sub>2</sub>)<sub>5</sub>CMe}] (M = Cr, Mo or W) and the crystal structure of [Mo(CO)<sub>5</sub>{P(OCH<sub>2</sub>)<sub>5</sub>CMe}]: evidence for π-acceptor behaviour in co-ordinated phosphorus, 91
Complexes of the bidentate ligands PPh<sub>2</sub>CH<sub>2</sub>C(Bu¹)=NNR<sub>2</sub> (R = H or Me) and PPh<sub>2</sub>CH<sub>2</sub>C(Bu¹)=N-N=CHPh with palladium and platinum. X-Ray crystal structure of cis-

panianium and plainium. A-Ray crystal structure of Cts[Pt{PPh<sub>2</sub>CH<sub>2</sub>C(Bu')=NNH}<sub>2</sub>], 103

Synthetic, spectroscopic and structural studies on phosphinestabilised [PPh<sub>3</sub>, Ph<sub>2</sub>PCH<sub>2</sub>PPh<sub>2</sub>, Ph<sub>2</sub>P(CH<sub>3</sub>)<sub>4</sub>PPh<sub>2</sub>, (Ph<sub>2</sub>P)C<sub>3</sub>H<sub>4</sub>N]
main group element-iron-silicon chain complexes, 117

Di- and tri-nuclear platinum complexes with double acetylide
bridges. Molecular structure of [NBu<sub>4</sub>]<sub>2</sub>[Pt<sub>3</sub>(G<sub>F</sub><sub>3</sub>)<sub>4</sub>(μ-C=CPh)<sub>4</sub>]-4thf (thf = tetrahydrofuran), 135

N-Salicylideneamino acidate complexes of oxovanadium(IV). Part
1. Crystal and molecular structures and spectroscopic properties,
149

149
Binuclear pentamethylcyclopentadienyl dirhodium complexes with pyrazolato and diphenylphosphido bridging ligands, 159
Structure and electrochemical properties of the new triply bridged molybdenum(V) complex [NBuºa,1]:[Mo<sub>2</sub>O<sub>2</sub>(μ-O)(SCH<sub>2</sub>CO<sub>2</sub>)<sub>2</sub>- (μ-SCH<sub>2</sub>CO<sub>2</sub>)], 175
Unusual properties of metal complexes involving acyclic polydentate thioether ligands. Copper, nickel and palladium complexes of 3,6,9,12,15-pentathiaheptadecane, 185
Reactions of titanium tetrachloride with carboxylic acids. Crystal and molecular structure of the dinuclear titanium oxo compound

Reactions of titanium tetrachloride with carboxylic acids. Crystal and molecular structure of the dinuclear titanium oxo compound [{TiCl<sub>2</sub>(O<sub>2</sub>CBu'){Bu'CO<sub>2</sub>H1}<sub>2</sub>O<sub>3</sub>], 195
New chemistry of binuclear molybdenocene compounds: unexpected synthesis of the bis/fulvalene) derivative [Mo<sub>2</sub>(μ-η: η-C<sub>10</sub>H<sub>8</sub>)<sub>2</sub>H<sub>2</sub>], 201
Synthesis and structural characterisation of five-co-ordinate copper(t) and silver(t) 2.2': 6',2'-terpyridine complexes, 215
Nine-vertex polyhedral iridamonocarbaborane chemistry. Products of thermolysis of [(CO)(PPh<sub>3</sub>)<sub>2</sub>IrCB<sub>2</sub>H<sub>8</sub>] and emerging alternative cluster-geometry patterns, 229
Metal-ion recognition. Donor-set control of silver(t)/lead(tt) discrimination using mixed-donor macrocyclic ligands, 237
Reactions of the hexanuclear mixed-metal cluster

Reactions of the hexanuclear mixed-metal cluster [Ru<sub>5</sub>RhC(CO)<sub>1d</sub>(η<sup>5</sup>-C<sub>5</sub>Me<sub>5</sub>)] and the synthesis, characterisation

CRYSTAL STRUCTURE (contd)

and structural analysis of the pentanuclear derivative [Ru<sub>4</sub>RhC(CO)<sub>12</sub>(η<sup>5</sup>-C<sub>5</sub>Me<sub>5</sub>)], 243

Synthesis, crystal structure and electrical properties of two new

palladium complexes of selenium and sulfur ligands: [NMe<sub>4</sub>][Pd(C<sub>3</sub>S<sub>3</sub>Se<sub>2</sub>)<sub>2</sub>]<sub>2</sub> and [PMe<sub>4</sub>][Pd(C<sub>3</sub>S<sub>3</sub>)<sub>2</sub>]<sub>2</sub>, 249
Crown thioether chemistry of tin(tv): formation and crystal and molecular structures of 3SnCl<sub>4</sub>-2[9]aneS<sub>3</sub> and 2SnCl<sub>4</sub>-[18]aneS<sub>6</sub>·MeCN ([9]aneS<sub>3</sub> = 1,4,7-trithiacyclononane; [18]aneS<sub>6</sub> = 1,4,7,10,13,16-hexathiacyclooctadecane), 255

[18] JaneS<sub>6</sub> = 1,4,7,10,13,10-nexatniacyclooctadecane), 253 Crystal structure and magnetic behaviour of a new kind of one-dimensional nickel(II) thiocyanate compound [{NiL(SCN)-(μ-SCN)}<sub>π</sub>][L = bis(3-aminopropyl)methylamine], 259 Palladium(II) complexes of N-sulfonylamino acids. Part 1. Solid-state behaviour of binary and ternary 2,2'-bipyridine-containing

Cationic titanium(IV) complexes via halide abstraction from

Cationic titanium(N) complexes via halide abstraction from [Ti(C<sub>2</sub>H<sub>3</sub>)(MeCN)<sub>3</sub>.][SbCl<sub>6</sub>]<sub>3</sub>·2MeCN, 305

Chemical reactivities of [Me<sub>2</sub>Al(µ-NPr<sub>2</sub>)<sub>3</sub>MgMe]<sub>4</sub> and [Me<sub>2</sub>Al(µ-NPr<sub>3</sub>)<sub>4</sub>MgMe]<sub>5</sub>: crystal structures of [Me<sub>2</sub>Al(µ-NPr<sub>2</sub>)<sub>2</sub>Mg(µ-I)]<sub>2</sub>, [Me<sub>2</sub>Al(µ-OBu<sup>1</sup>)<sub>2</sub>Mg(µ-OBu<sup>1</sup>)]<sub>2</sub>, Me<sub>2</sub>Al(µ-NPr<sup>2</sup>)(µ-OEt)Mg(µ-NPr<sub>2</sub>)(µ-OEt)AlMe<sub>2</sub> and Me<sub>2</sub>Al(µ-OBu<sup>3</sup>)<sub>2</sub>Mg(µ-OBu<sup>3</sup>)<sub>2</sub>AlMe<sub>2</sub>, 315

Reactivity of the rhenium(V)-oxo complex fAsPh<sub>4</sub>][ReOCl<sub>4</sub>]

toward bis(diphenylphosphino)amine NH(PPh<sub>2</sub>)<sub>2</sub>. Synthesis and crystal structures, 339

Chlorometal(III) complexes of a new chiral quinquedentate

Chlorometal(III) complexes of a new chiral quinquedentate polyamino acid based on (SS)-trans-cyclohexane-1,2-diamine, 355 Spin equilibrium in five-co-ordinate Lewis-base adducts of cobalt(II) Spin equilibrium in Inve-co-trainate Lewis-base adducts of cobatt(II). Schiff-base complexes with a S<sub>2</sub>N<sub>3</sub> ligand environment. Molecular and crystal structure of [CoL<sup>4</sup>(mim)] at 293 and 103 K [H<sub>2</sub>L<sup>4</sup> = N, N'-bis(5-mercapto-3-methyl-1-phenylpyrazol-4-ylmethylene)-o-phenylenediamine, mim = N-methylimidazole], 361
Stereoselective oxidative-addition reaction of molecular iodine and mercury(II) halides to rhodium dithiolate compounds. Crystal

mercury(II) haildes to rhodium dithiolate compounds. Crystal structure of [Rh<sub>2</sub>{μ-S(CH<sub>2</sub>)<sub>2</sub>S}Cl<sub>2</sub>(CO)<sub>2</sub>(PPh<sub>3</sub>)<sub>2</sub>], 385
Cyclohexadiene and benzene derivatives of [Ru,C(CO)<sub>15</sub>], 393
Tri- and tetra-nuclear palladium(II) and/or platinum(II) compounds with double thiolato bridges. Crystal structure of [P(CH<sub>2</sub>Ph)Ph<sub>3</sub>],[C<sub>6</sub>F<sub>5</sub>)<sub>2</sub>Pd(μ-SC<sub>6</sub>F<sub>5</sub>)<sub>2</sub>Pt(μ-SC<sub>6</sub>F<sub>5</sub>)<sub>2</sub>Pt-(μ-SC<sub>6</sub>F<sub>5</sub>)<sub>2</sub>Pd(C<sub>6</sub>F<sub>5</sub>)<sub>2</sub>], 401
Nucleophilic attack at co-ordinated isocyanides promoted by the

2-pyridyl ligand, 407 1,2-Metallotropic shifts in trimethylplatinum(IV) and tricarbonylrhenium(I) halide complexes of pyridazine

tricarbonylrhenium(1) halide complexes of pyridazine and 4-methylpyridazine, 445

Synthesis, properties and crystal structures of [Ru<sup>111</sup><sub>2</sub>(tacn)<sub>2</sub>-(μ-OH)<sub>2</sub>(μ-CO<sub>3</sub>)]Br<sub>2</sub>-3.75H<sub>2</sub>O and [Ru<sup>3.5</sup><sub>2</sub>(dtne)(μ-O)<sub>2</sub>-(μ-CO<sub>3</sub>)]PF<sub>6</sub>-5H<sub>2</sub>O [tacn = 1,4,7-triazacyclononane, dtne = 1,2-bis(1,4,7-triazacyclononane-1-yl)ethane], 457

New piano-stool ruthenium(π) complexes of benzene and bidentate/tridentate nitrogen-donor ligands: synthesis and observativation. 465

characterization, 465 Reactions of the nitridocarbonyl cluster anion [Rh<sub>6</sub>N(CO)<sub>15</sub>]

Reactions of the nitridocarbonyl cluster anion [Rh<sub>6</sub>N(CO)<sub>15</sub>]<sup>-</sup> with strong bases: synthesis and crystal structure of the hydridic dianion [Rh<sub>6</sub>(μ-H)N(CO)<sub>16</sub>]<sup>-</sup>, 471
Tri- and tetra-nuclear μ-alkyne clusters from [Ru<sub>2</sub>(μ-CO)- (μ-C<sub>2</sub>R<sub>2</sub>)(η-C<sub>5</sub>H<sub>3</sub>)<sub>2</sub>] (R = Ph or CF<sub>3</sub>), 477
Studies of pendant-arm macrocyclic ligands. Part 8. Synthesis of two pentaazamacrocycles based upon pyridine-containing tetraazamacrocycles with a single pendant co-ordinating 2-pyridylmethyl arm, and characterisation of their nickel(II), copper(II) and zinc(II) complexes. Crystal structure of 7-(2'-pyridylmethyl)-3,7,11,7-tetraazabicyclo[11.3.1]heptadeca-1(17),13,15-trienezinc(II) tetrafluoroborate, 485
Monocyclooctatetraene uranium thiolate complexes. Crystal structure of f {U(n-C<sub>3</sub>H<sub>2</sub>/W<sub>1</sub>-SPr)<sub>3</sub>}, 501

Monocyclooctatetraene uranium thiolate complexes. Crystal structure of [{U(η-C<sub>8</sub>H<sub>8</sub>)(μ-SPr)<sub>5</sub>]<sub>2</sub>], 501 Synthesis and reactivity of palladium(II) complexes with the [C(PPh<sub>2</sub>)<sub>3</sub>] ligand. Crystal structures of [Pd(C<sub>6</sub>F<sub>3</sub>)(PPh<sub>3</sub>)CPPh<sub>5</sub>](PPh<sub>3</sub>)] and [Pd((PPh<sub>2</sub>)<sub>2</sub>CP(O)Ph<sub>2</sub>]<sub>2</sub>]<sup>4</sup>. 74CHCl<sub>3</sub>, 505 Phosphine-substituted trigonal-prismatic and octahedral clusters, 513 Synthesis and structural characterisation of the osmium cluster dianions [Os<sub>17</sub>(CO)<sub>36</sub>]<sup>2-</sup> and [Os<sub>26</sub>(CO)<sub>40</sub>]<sup>2-</sup>, 521 Aggregation of fac-[Ir(act)<sub>3</sub>] (act = 2-aminoethanethiolate) around the [Co<sup>11</sup>,O]<sup>6+</sup> core. Structures and some properties of spontaneously resolved S-bridged octanuclear complexes [Ir(act)<sub>3</sub>]<sub>4</sub>M<sub>4</sub>O]Br<sub>6</sub> (M<sub>4</sub> = CO<sup>11</sup><sub>4</sub>, Zn<sup>11</sup><sub>4</sub> or Zn<sup>11</sup><sub>28</sub>Co<sup>11</sup><sub>12</sub>), 533 Exchange reactions of acetate ligands and electrophilic rhodium—carbon bond activation in orthometallated rhodium(II) compounds with trifluoroacetic acid. Crystal structure of

carbon bond activation in orthometallated rhodium(II) compounds with trifluoroacetic acid. Crystal structure of [Rh<sub>2</sub>(O<sub>2</sub>CCF<sub>3</sub>),{(C<sub>6</sub>H<sub>4</sub>)PPh<sub>2</sub>}]-2CF<sub>3</sub>CO<sub>2</sub>H, 539 Synthesis, structure and metal redox of new VO<sup>3+</sup> and VO<sup>2+</sup> complexes incorporating mixed tridentate-bidentate binding, 557 Crystal structures of [Pb(NO<sub>2</sub>)<sub>6</sub>]<sup>4-</sup> and [Ba(NO<sub>3</sub>)<sub>6</sub>]<sup>4-</sup> salts of 24-pyrimidinium crown 6 {5,12,19,26,33,40-hexamino-3,10,17,24,31,38-hexamethy[I<sub>8</sub>](1,5)pyrimidiniophane}, 563 Preparation of urethane and urea derivatives of (NPCl<sub>2</sub>)<sub>5</sub>. Crystal

structure of a spirocyclic phosphazene with a phosphacyanuric

Crystal and molecular structure and spectra of K<sub>4</sub>[Ni(NO<sub>2</sub>)<sub>6</sub>]-H<sub>2</sub>O and K<sub>3</sub>[Ni(NO<sub>2</sub>)<sub>4</sub>(O<sub>2</sub>N)], 595

Synthesis and structure of di- and tetra-copper(1) complexes

Synthesis and structure of di- and tetra-copper(1) complexes bridged by pyridazine, 603
The influence of the ring substituent, R, on the substitution of carbonyl groups by phosphine ligands in [Co<sub>2</sub>{μ-PPh<sub>2</sub>-CHCRC(O)}{μ-PPh<sub>2</sub>(CO)<sub>4</sub>] (R = H, Ph or SiMe<sub>3</sub>), 609
Disulfur-bridged complexes of molybdenum. Crystal structure of the dimolybdenum(1v) complex [{MoCl<sub>3</sub>(C<sub>4</sub>H<sub>8</sub>S)}<sub>2</sub>(μ-S<sub>2</sub>)-(μ-C<sub>4</sub>H<sub>8</sub>S)] and of the Mo<sup>1</sup>Mo<sup>3</sup> complex [(Me<sub>2</sub>S)<sub>2</sub>Cl<sub>2</sub>Mo-(μ-S<sub>2</sub>)(μ-S)MoCl<sub>3</sub>(SMe<sub>2</sub>)], 621
Platinum thioether macrocyclic chemistry: synthesis and electrochemistry of [PtL][PF<sub>6</sub>]<sub>2</sub> (L = [12]-, [14]- or [16]-aneS<sub>4</sub>) and [Pt<sub>2</sub>([28]aneS<sub>3</sub>)][PF<sub>6</sub>]<sub>2</sub>. McCN, 627
Solid-state structure of sulfur bis(trimethylsilylimide), S(NSiMe<sub>3</sub>)<sub>2</sub>, and multinuclear magnetic resonance studies of some sulfur

and multinuclear magnetic resonance studies of some sulfur bis(silylimides) in solution, 633

Complexes containing ferrocenyl groups as redox spectators;

Complexes containing ferrocenyl groups as redox spectators; synthesis, molecular structure and co-ordination behaviour of 4'-ferrocenyl-2,2':6',2'-terpyridine, 645
Highly stereospecific carbene insertions into platinum-halide bonds. Crystal structure of [PtCl(S-CHClSiMe<sub>3</sub>)(S,S-Ph<sub>2</sub>PCHMeCH,CHMePh<sub>2</sub>)], 651
New ansa-metallocenes of the Group 4 transition metals as homogeneous catalysts for the polymerization of propene and styrene, 657

styrene, 657

Structures of the yttrium complexes of 1,4,7,10-tetraazacyclododecane-N,N',N'',N'''-tetraacetic acid (H,dota) and N,N''-bis(benzylcarbamoylmethyl)diethylenetriamine-N,N',N'-triacetic acid and the solution structure of a zirconium

N,N',N''-triacetic acid and the solution structure of a zirconium complex of H<sub>4</sub>dota, 689
Ligand substitution reactions in new square-planar iridium, rhodium and platinum complexes containing a potentially terdentate C,N,N' ligand system; crystal structure of [Ir{C,H<sub>4</sub>CH<sub>2</sub>N(Me)CH<sub>2</sub>CH<sub>2</sub>NMe<sub>2</sub>-2-C,N,N'}{(cod)]} (cod = cycloocta-1,5-diene), 703
Some chemistry with a chiral phosphine generated from fenchone-pinacolone mixed azine: crystal structure of Z,E-Ph<sub>2</sub>PCH<sub>2</sub>C(Bu')=N-N=C<sub>10</sub>H<sub>16</sub>, 713
Influences of the substituents at the iminic carbon atoms (hydrogen versus methyl) upon the properties of ferrocenylimines and their

versus methyl) upon the properties of ferrocenylimines and their cyclopalladated derivatives, 735

Electronic conjugation pathways in ferrocenyl Schiff bases, 747
The synthesis and crystal structure of [K(18-crown-6)]\*[NCS-SO\_] = (18-crown-6 = 1,4,7,10,13,16-hexaoxacyclooctadecane), 753

Electrochemical synthesis and structural characterization of bis(triphenylphosphine)copper(1) fluoroacetates, 773

New diiridium(1) and diiridium(1, 111) complexes containing thiolate ligands. Crystal structures of [(cod)Cl(SC<sub>6</sub>F<sub>3</sub>)Ir(μ-SC<sub>6</sub>F<sub>3</sub>)<sub>2</sub>Ir(cod)] and [{Ir(μ-SC<sub>6</sub>F<sub>3</sub>)(CO)<sub>2</sub>]<sub>2</sub>] (cod = cycloocta-1,5-diene), 781

Synthesis and crystal structure of trans-bis(N,N-dibutyl-N'-

naphthoylthioureato)platinum(II). First example of trans chelation of N,N-dialkyl-N'-acylthiourea ligands, 785 Rhodium complexes containing substituted hydrazines, 787 Selection of metal ions by geometric isomers of a polyamine macrocycle with pendant donors, 793

Reactivity of acetone oxime towards oxomolybdenum(vi) complexes. Part 1. Syntheses and crystal structures of tetranuclear molybdenum(vi) complexes, 819

tetranuciear motyodenum(v1) complexes, 819
Reactivity of acetone oxime towards oxomolybdenum(v1)
complexes. Part 2. Syntheses, crystal structures and reactivity of
molybdenum nitrosyl complexes, 825
Reactions of the hexachlorocyclodiphosphazane [MeNPCl<sub>3</sub>]<sub>2</sub> with
primary aromatic amines: formation of highly basic
bisphosphinimines, 847
Synthesis observativities and district for the complexes, 819

bisphosphinimines, 847
Synthesis, characterization and structure of the highly sterically congested complex (3,14-dimethyl-14-nitromethyl-2,6,13,17-tetraazatricyclo[16,4:0,0<sup>712</sup>]docos-2-ene)nickel diperchlorate and structure of (3,14-dimethyl-2,6,13,17-tetraazatricyclo[16.4:0,0<sup>712</sup>]docosa-2,13-diene)nickel diperchlorate, 853
Synthesis, X-ray characterisation and spectroscopic studies of metal complexes of N,N<sup>7</sup>-1,2-xylene-α,α<sup>\*</sup>-diylbis(pyridin-2-one), 859
η-Cyclopentadienyltungsten compounds with vinyl- and allyl-phosphine ligands, 871
Electrochemical oxidation of diaquaruthenium(II) complexes of quaterpyridines and crystal structure of [RuL¹(PPh<sub>3</sub>)<sub>2</sub>][ClO<sub>4</sub>]<sub>2</sub> (L¹ = 3<sup>\*</sup>,5,5′,5″-tetramethyl-2,2′:6′,2″-6″,2″-quaterpyridine), 895

Anisotropic magnetic exchange observed by electron spin resonance in hexaammineruthenium(III) chloride sulfate trihydrate, 901 Isodiazene complexes: synthesis and molecular structures of 2,2,6,6-tetramethylpiperid-1-ylisodiazene complexes of tungsten(IV) and of rhenium-(III) and -(II), 907
Ruthenium carbonyl cluster complexes with oxygen ligands. Part 2.

CRYSTAL STRUCTURE (contd)

Auration of a hexaruthenium 'raft' cluster; crystal structures of [Ru<sub>6</sub>(μ<sub>3</sub>-H)(μ-H)(μ-O; μ-C: η<sup>6</sup>-OC<sub>6</sub>H<sub>3</sub>OMe-4)(CO)<sub>16</sub>] and [AuRu<sub>6</sub>(μ<sub>3</sub>-H)(μ-O; μ-C: η<sup>6</sup>-OC<sub>6</sub>H<sub>3</sub>OMe-4)(CO)<sub>16</sub>(PPh<sub>3</sub>)], 925 CaM<sub>2</sub>(PO<sub>4</sub>)<sub>2</sub>(HPO<sub>4</sub>) (M = Fe or V): phosphates containing dimers of edge-sharing MO<sub>6</sub> octahedra, 931

Graph of Scandard, 397 Hindered rotation along carbon–nitrogen bonds. The effect of carbonyliron in complexes of 7-azanorbornadiene derivatives, 937

Structure and reactivity of aryl(bromo)nickel complexes relevant to nickel(0) complex-promoted dehalogenative polycondensation of organic dihalides, 943

Syntheses and characterization of polynuclear metal complexes related to a chemical precursor system for the YBa<sub>2</sub>Cu<sub>3</sub>O<sub>7-x</sub> superconductor, 955

Control of the stereochemistry of four-co-ordinate copper(II) complexes by pyridinecarboxamide ligands: crystal structure, spectral and redox properties, 965 Synthesis and structure of a series of unique cobalt phosphides, 971

Synthesis and structure of a series of unique cobalt phosphides, 971 Synthesis and characterisation of zirconium complexes with the diphosphinophosphide ligands ¬P(CH<sub>2</sub>CH<sub>2</sub>PR<sub>2</sub>)<sub>2</sub> (R = Me or Et); crystal structure of bis[bis(2-dimethylphosphinoethyl)-phosphido]pentachlorohydridodizirconium(iv), 977 Co-ordination behaviour of potentially tridentate disphosphinoamido ligands: synthesis and crystal structures of the complexes [CrCl{N(CH<sub>2</sub>CH<sub>2</sub>PMe<sub>2</sub>)<sub>2</sub>]<sub>2</sub>, [Cr<sub>2</sub>Cl<sub>3</sub>{N(CH<sub>2</sub>CH<sub>2</sub>PMe<sub>2</sub>)<sub>2</sub>]-{CH<sub>2</sub>P(Me)CH<sub>2</sub>CH<sub>2</sub>PPr<sub>2</sub>)<sub>2</sub>]<sub>3</sub>, 987 Simple preparations of new monomeric trihalogenophosphine imides, 997 Crystal and molecular structure of [Sn] Ch.]. The single-crystal

Crystal and molecular structure of [SnLCl<sub>1</sub>]. The single-crystal electron paramagnetic resonance spectra of [MoE(L)Cl<sub>2</sub>] and [MoO(L)(NCS)<sub>2</sub>] diluted in [SnLCl<sub>3</sub>] [E = O or S; L = tris(3,5-dimethylpyrazolyl)hydroborate], 1003

Synthesis and characterisation of penta- and hexa-platinum cluster

compounds, 1013

Clathrate compounds of cadmium cyanide and related hosts with cristobalite-like lattice structures, 1029

Non-oxo chemistry of manganese in high oxidation states. Part 1. Mononuclear tert-butylimido compounds of manganese-(VII) and

An amphiphilic trinuclear cobalt cluster-containing molecular unit: synthesis, characterization and Langmuir-Blodgett films, 1051 Efficient stereochemical regulation of octahedral cobalt(III) complexes by a chiral bidentate ligand. Part 1. Effect of N-alkyl

substitutions, 1073 Dinuclear manganese(II) complexes of unsymmetric phenol-based dinucleating ligands with amino and imino chelating arms:

unucleating ligands with amino and imino chelating arms: synthesis, structure and catalase-like activity, 1097
Bis(cyclopentadienyl) clusters of ruthenium: the synthesis, characterisation and molecular structures of [Ru<sub>3</sub>C(CO)<sub>10</sub>(η<sup>5</sup>-C<sub>3</sub>H<sub>3</sub>)<sub>2</sub>], 1105
Reactions of the pentanuclear mixed-metal cluster compound [Ru<sub>4</sub>RhC(CO)<sub>12</sub>(η<sup>5</sup>-C<sub>3</sub>Me<sub>3</sub>)]. Synthesis, characterisation and crystal structure of the pentanuclear derivative [Ru<sub>4</sub>RhC(CO)<sub>11</sub>-H(η<sup>5</sup>-C<sub>3</sub>Me<sub>3</sub>)], 1109
4. Dimethylpyrimidine-2-thionato (dmpymt<sup>-</sup>) complexes of

4,6-Dimethylpyrimidine-2-thionato (dmpymt ) complexes of

a compound with a calixarene-like structure of [Cd(dmpymt)<sub>2</sub>]: a compound with a calixarene-like structure, 1115

Reactions of diphosphazane-bridged derivatives of diruthenium nonacarbonyl with metal-containing electrophiles: formation of solvento species [Ru<sub>2</sub>(CO)<sub>5</sub>(soly){µ-(RO)<sub>2</sub>PN(Et)P(OR)<sub>2</sub>)<sub>2</sub>]<sup>2+</sup>

(R = Me or Pr) and their reactivity towards various nucleophiles, 1131

The crystal structure of NaBa, an interpenetrating network of sodium tetrahedra and barium octahedra, 1159

sodium tetrahedra and barium octahedra, 1159
Arenediazonium ion insertion into an iron-phosphine bond;
synthesis and crystal structure of [Fe(NO)<sub>2</sub>{PPh<sub>2</sub>CH<sub>2</sub>CH<sub>2</sub>P(Ph)<sub>2</sub>NN(C<sub>6</sub>H<sub>4</sub>F-p)}][PF<sub>6</sub>]-OC<sub>4</sub>H<sub>8</sub>, 1161
Syntheses of dinuclear gold(i) ring complexes containing two
different bridging ligands. Crystal structure of [Au<sub>2</sub>{μ-(CH<sub>2</sub>)<sub>2</sub>PPh<sub>2</sub>}(μ-S<sub>2</sub>CNEt<sub>2</sub>)], 1163
Isolation and crystal structure of a dimeric oxomolybenum(v)

complex containing two ethoxy bridges and one ethanol bridge,

2,2'-Bipyrimidine (bipym)-bridged dinuclear complexes. Part 4. 2,2-abpyrimine (oppm)-ordiged unuclear complexes. Part 4. Synthesis, crystal structure and magnetic properties of [Co<sub>2</sub>(H<sub>2</sub>O)<sub>8</sub>(bipym)][NO<sub>2</sub>]<sub>4</sub>. [Co<sub>2</sub>(H<sub>2</sub>O)<sub>8</sub>(bipym)][SO<sub>4</sub>]<sub>2</sub>·2H<sub>2</sub>O and [Co<sub>2</sub>(bipym)<sub>3</sub>(NCS)<sub>4</sub>], 1175
Alkene complexes of ruthenium(0): crystal structures, isomerism and fluxionality, 1193
Synthesis and characterization of methylplatinum(u) O O dially.

and fluxionally, 1193 Synthesis and characterization of methylplatinum(II) O,O'-dialkyl dithiophosphates. Crystal structure of [PtMe{S<sub>2</sub>P(OPr)<sub>2</sub>}-(AsPh<sub>3</sub>)], 1207

Synthesis, properties and crystal structures of benzene-1,2-

dithiolato complexes of antimony-(III) and -(v), 1213

Copper(II) complexes of novel tripodal ligands containing phenolate and benzimidazole/pyridine pendants: synthesis,

structure, spectra and electrochemical behaviour, 1219 Different co-ordination behaviour of 1,2-diaminoethane (en) and tetracyanonickelate(II) upon accommodation of polar gues molecules in their metal complex hosts: crystal structures of [M(en)<sub>2</sub>Ni(CN)<sub>4</sub>]-2PhNH<sub>2</sub> (M = Ni, Cu, Zn or Cd) and [{Cd(en)<sub>3</sub>-en}{Ni(CN)<sub>4</sub>}-2PhOH, 1237
Transition metal-carbohydrate chemistry. Part 2. Homoleptic

diacetoneglucose complexes of aluminium and Group 4 metals,

Technetium diazenido complexes. Part 2. Substitution chemistry of [TcCl(NNC<sub>6</sub>H<sub>4</sub>Cl-4)<sub>2</sub>(PPh<sub>3</sub>)<sub>2</sub>] and the synthesis of technetium diazenido-complexes directly from [NH<sub>4</sub>][TcO<sub>4</sub>], 1251 A mechanism for the rearrangement of unsymmetrical tetradentate (N<sub>2</sub>O<sub>2</sub>) ligands bound to manganese(III): the isolation and crystal structure of a manganese(III) complex

isolation and crystal structure of a manganese(III): the isolation and crystal structure of a manganese(III) complex containing a ten-membered cis-chelated ring, 1265

Cleavage and reassembly of trinuclear palladium clusters in reactions with an isocyanide ligand, 1283

Synthesis of homo- and hetero-dinuclear complexes containing alkynyl bridges. Molecular structure of cis,trans-[(OC)(C<sub>6</sub>F<sub>3</sub>)<sub>2</sub>-Pt(μ-η²-C≡CPh)Pt(C≡CPh)(PPh<sub>3</sub>)<sub>2</sub>], 1291

Synthesis and characterization of mononuclear nickel(II) and cobalt(II) complexes of 2,2,4,4-tetrakis(3,5-dimethylpyrazolyl)-6,6-diphenyl-2λ<sup>3</sup>,4λ<sup>3</sup>,6λ<sup>3</sup>-cyclotriphosphaza-1,3,5-triene L: crystal structure of [NiLC], ], 1301

Acidification of [WS<sub>4</sub>]<sup>2</sup> - Synthesis and structures of di-μ-sulfidobis[(2,2'-bipyridine)bromoxotungsten(V)] and di-μ-sulfidobis[(2,2'-bipyridine)bromoxotungsten(V)], 1311

New co-ordination mode of 4,5-dimercapto-1,3-dithiole-2-thionate(2 – ) in polynuclear gold(i) complexes. Crystal structures of [Au<sub>3</sub>(μ<sub>3</sub>-C<sub>3</sub>S<sub>3</sub>)(PPh<sub>3</sub>)<sub>3</sub>ClO<sub>4</sub> and [Au<sub>4</sub>(μ-C<sub>3</sub>S<sub>3</sub>)<sub>2</sub>(μ- Ph<sub>2</sub>PCH<sub>2</sub>-PPh<sub>2</sub>)<sub>3</sub>], 1325

Synthetic and structural studies on bismuth(III) thiocyanate and

Synthetic and structural studies on bismuth(III) thiocyanate and selenocyanate complexes, 1327

seenocyanate complexes, 1327
Highly active homogeneous nickel catalysts for alkene dimerisation: crystal structure of [Ni(η³-C<sub>3</sub>H<sub>3</sub>)(PPh<sub>3</sub>)Br] and in situ characterisation of AlEt<sub>3</sub>-activated [Ni(η²-C<sub>3</sub>H<sub>3</sub>)(PPh<sub>3</sub>)Br] by nuclear magnetic resonance and extended X-ray absorption fine structure

spectroscopy, 1337
Interaction of environmentally important metal ions with nitrogen-sulfur-donor macrocycles. The crystal structures of seven-coordinate lead(II) and mercury(II) complexes of an 18-membered

ordinate lead(ii) and mercury(ii) complexes of an 18-membered N<sub>4</sub>S<sub>2</sub> macrocycle, 1383

Six- and seven-co-ordinate complexes of molybdenum(ii) and tungsten(ii) with thioether ligands. Crystal structures of [WI<sub>2</sub>(CO)<sub>3</sub>-{4-MeC<sub>6</sub>H<sub>4</sub>S(CH<sub>2</sub>)<sub>2</sub>SC<sub>6</sub>H<sub>4</sub>Me-4] and [WI<sub>2</sub>(CO)<sub>2</sub>-{MeS(CH<sub>2</sub>)<sub>2</sub>S(CH<sub>2</sub>)<sub>2</sub>SMe-S,S',S'')], 1401

Crystal structures and magnetic behaviour of the two forms of tester as buttelementum testasiothlocycanatochromate(ii)

tetra-n-butylammonium tetraisothiocyanatochromate(II),

Charge density in [Ru(ND<sub>3</sub>)<sub>6</sub>][SCN]<sub>3</sub> by X-ray diffraction at 92 K, 1429

1429
Chiral cyclopentadienyl catalysts. Part 3. Synthesis and reactions of (S)-1-(1-dimethylaminoethyl)-2-(2,3,4,5-tetramethylcyclopenta-1,3-dienyl)benzene; crystal structure of [Rh{η<sup>5</sup>-C<sub>5</sub>Me<sub>4</sub>C<sub>6</sub>H<sub>4</sub>-CH(Me)|Me<sub>2</sub>)(Z<sub>1</sub>], 1445
Synthesis and characterization of neutral technetium(III) complexes

synthesis and characterization of neutral technetium(iii) comple with mixed S,P-bidentate phosphine-thiolate ligands. Crystal structure of [Tc(SCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>)<sub>2</sub>(SCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>O)], 1453 Nickel thioether chemistry: syntheses and crystal structures of [Ni<sub>2</sub>L<sub>2</sub>(µ-Cl)<sub>2</sub>][BF<sub>4</sub>]<sub>2</sub> (L = 1,4,7,10-tetrathiacyclododecane, 1,4,8,11-tetrathiacyclotetradecane or 1,5,9,13-tetrathiacyclohexadecane), 1463

hexadecane), 1463
Dicopper cryptates with 1,1 and 1,3 bridging ligands: spectroscopic, magnetic and electrochemical properties, 1471
Dimeric antimony complexes capturing dimethylamine as a neutral donor; syntheses and structural characterisation of [SbCl<sub>2</sub>-(NHMe<sub>2</sub>)(µ-OEt)]<sub>2</sub> and [SbCl(NHMe<sub>2</sub>)(µ-NBu<sup>1</sup>)]<sub>2</sub>. 1479
Synthesis, spectroscopic and structural studies of alkali metalnickel periodates MNiIO<sub>6</sub> (M = Na, K, Rb, Cs or NH<sub>4</sub>), 1483
Facile isolation and crystal structure determination of trans-[PtCl-(OH)(NH<sub>3</sub>)<sub>2</sub>]-H<sub>2</sub>O, 1499
Synthesis, characterization and crystal structures of [Ir<sub>9</sub>H(CO)<sub>19</sub>]<sup>4</sup>-and [Ir<sub>9</sub>(CO)<sub>1</sub>, 27-150]

Synthesis, characterization and crystal structures of  $[Ir_{10}(CO)_{19}]^2$  and  $[Ir_{10}(CO)_{21}]^2$ , 1501 Efficient stereochemical regulation of octahedral cobalt(III) complexes by a chiral bidentate ligand. Part 2. Remarkable effect of the chelate-ring size in the stereoselective formation of sym-cis-(ethylenediamine-N,N'-diacetato)(pentane-2,4-diamine)cobalt(III), 1511

Synthesis, structure and electrochemistry of Ph<sub>2</sub>PCH<sub>2</sub>PPh<sub>2</sub>-bridged heterometallic complexes containing a (η-C<sub>3</sub>H<sub>4</sub>Me)Mn(CO)<sub>2</sub> fragment, 1533

Synthesis and crystal structures of complexes of Mn<sup>II</sup>, Cu<sup>II</sup> and Zn<sup>II</sup> with the new bis(tridentate) chelate 2,3,5,6-tetrakis(aminomethyl)pyrazine, 1549

Syntheses and electrochemistry of [Mo(NO){HB(mppz)<sub>3</sub>}Cl(ER)] (mppz = 3-p-methoxyphenylpyrazol-1-yl; E = O or NH; R = Ph or C<sub>6</sub>H<sub>4</sub>Me-2) and the crystal structures of [Mo(NO)-

CRYSTAL STRUCTURE (contd)

{HB(mppz)<sub>3</sub>}Cl(OPh)] and [Mo(NO){HB(mppz)<sub>3</sub>}-Cl(NHC<sub>6</sub>H<sub>4</sub>Me-2)], 1555 Synthesis, structure and relative hydrolytic stability of *cis*-[PtCl<sub>2</sub>L] ligand [MeNCH<sub>2</sub>CH<sub>2</sub>N(Me)PN(Me)CH<sub>2</sub>]<sub>2</sub>, 1571 RbFe(HPO<sub>4</sub>)<sub>2</sub>: an iron(III) phosphate with an intersecting tunnel structure, 1577 and cis-[W(CO)<sub>4</sub>L] where L is the bidentate triaminophosphin

structure, 1577

Synthesis and characterization of a palladium—osmium mixedmetal cluster; crystal structure of [Os<sub>6</sub>Pd(CO)<sub>18</sub>(bipy)]-CHCl<sub>3</sub>
(bipy = 2,2'-bipyridine), 1605

1,4,7-Triazacyclononane-1,4,7-triyltrimethylenetris(phenylphosphinate) enforces octahedral geometry: crystal and solution
structures of its metal complexes and comparative biodistribution
studies of radiolabelled indium and gallium complexes, 1619

Organometallic macrocyclic chemistry: synthesis of cationic halfsandwich iridium(1) complexes of 1,4,7-trithiacyclononane
(f9laneS.). Crystal structures of

sandwich iridium(t) complexes of 1/4,7-trithiacyclononane ([9]aneS<sub>3</sub>). Crystal structures of [Ir([9]aneS<sub>3</sub>)(C<sub>2</sub>H<sub>4</sub>)<sub>2</sub>]PF<sub>6</sub>, [Ir([9]aneS<sub>3</sub>)(C<sub>3</sub>H<sub>4</sub>)<sub>2</sub>]PF<sub>6</sub>, [Ir([9]aneS<sub>3</sub>)(C<sub>3</sub>H<sub>4</sub>)<sub>2</sub>]PF<sub>6</sub>, 0.5Et<sub>2</sub>O, 1631
Syntheses, crystal structures and properties of [PPh<sub>4</sub>]<sub>2</sub>[SbFe<sub>3</sub>H-(CO)<sub>12</sub>] and [PPh<sub>4</sub>]<sub>2</sub>[AsFe<sub>3</sub>H(CO)<sub>12</sub>], 1641
Syntheses and electrochemistry of imidochromium(v) compounds. Crystal structure of [PPh<sub>4</sub>][Cr(NBu')Cl<sub>4</sub>(OH<sub>2</sub>)], 1659
Synthesis, fluxional behaviour in solution and crystal structure of the organolanthanide complexes [Ln(C<sub>3</sub>H<sub>4</sub>CH<sub>2</sub>CH<sub>2</sub>OMe)<sub>2</sub>(thf)]-[Co(CO)<sub>3</sub>] (Ln = Sm or Yb, thf = tetrahydrofuran), 1665
Hydrothermal synthesis and structural characterization of the molybdenum(vi) arsenate (C<sub>3</sub>H<sub>3</sub>NH)<sub>2</sub>(Mo<sub>2</sub>O<sub>3</sub>)(HAsO<sub>4</sub>)<sub>2</sub>·H<sub>2</sub>O, 1681

Mono- and bi-dentate phosphaalkene ligands: structures of their

copper(i) chloride complexes, 1685 Metal binding of polyalcohols. Part 2. (all-cis-1,3,5-Triaminocyclo-

Metal binding of polyalcohols. Part 2. (all-cis-1,3,5-Triaminocyclo-hexane)cobalt(III), a facially co-ordinating, diamagnetic probe exemplified by its complex formation with cis-inositol, 1689 Synthesis and chemistry of 1,1-bis(3-indeny)lethane; crystal structure of [{Ru(CO)<sub>2</sub>}<sub>2</sub>{η<sup>5</sup>·η<sup>5</sup>-CH<sub>3</sub>CH(C<sub>9</sub>H<sub>0</sub>)<sub>2</sub>}], 1731 Synthesis and structure of a charge-compensated ferracarborane, commo-[3,3'-Fe{4-(Me<sub>2</sub>S)-1,2-C<sub>2</sub>B<sub>9</sub>H<sub>10</sub>}<sub>2</sub>], and its charge-transfer salt with 2,3-dichloro-5,6-dicyano-p-benzoquinone, 1735 Neutral phosphine complexes of antimony(III) and bismuth(III) halides, 1743

Anionic phosphine complexes of antimony(III) and bismuth(III) halogenoanions, 1753

Solid-state structures of triarylantimony dihalides; the isolation of some mixed-halide species and crystal structures of Ph<sub>3</sub>SbI<sub>2</sub> and

[Ph<sub>4</sub>Sb]I<sub>3</sub>, 1759 Synthesis and crystal structure of tris(diethyldithiocarbamato-S,S')(disulfido-S,S')niobium(v), 1765

Reversible skeletal rearrangement in a carbido carbonyl cluster induced by ligand substitution. Synthesis and crystal structure of the anion [Rh<sub>12</sub>C<sub>2</sub>(CO)<sub>23</sub>(AuPPh<sub>3</sub>)]<sup>-</sup>, 1777 Diphenylacetylene complexes of tungsten containing π-acceptor ligands, 1783

sterically hindered diphosphines (Ph<sub>2</sub>P)<sub>2</sub>C=CHR (R = Me or Ph) and their derivatives, 1791 Controlled hydrolysis reactions of solvated [TiCl<sub>n</sub>]<sup>(4-n)+</sup> species. Crystal and molecular structures of [Mg(MeCN)<sub>α</sub>][{TiCl<sub>4</sub>-(MeCN)<sub>2</sub>(μ-O)]- 4MeCN and [{TiCl<sub>2</sub>(MeCN)<sub>2</sub>(μ-O)}<sub>4</sub>]-2MeCN, 1799

1799
Preparation, crystal structure and magnetochemistry of [NEt<sub>4</sub>][V<sub>2</sub>Cl<sub>7</sub>(thf)<sub>2</sub>]-CH<sub>2</sub>Cl<sub>2</sub> (thf = tetrahydrofuran), 1813
Thiolate complexes of osmium(w): preparation of [Os(SR)<sub>4</sub>(PR'<sub>3</sub>)]
(R = C<sub>6</sub>F<sub>5</sub>, C<sub>6</sub>F<sub>4</sub>H-4, C<sub>6</sub>H<sub>4</sub>F-4 or Ph, R' = Ph; R = C<sub>6</sub>F<sub>5</sub> or
C<sub>6</sub>F<sub>4</sub>H-4, R'<sub>3</sub> = Me<sub>2</sub>Ph) and [OsCl(SC<sub>6</sub>F<sub>3</sub>)<sub>2</sub>(SC<sub>6</sub>H<sub>4</sub>X-3)·
(PMe<sub>2</sub>Ph)] (X = F or CF<sub>5</sub>): crystal structures of [Os(SC<sub>6</sub>F<sub>4</sub>H-4)<sub>4</sub>(PPh<sub>3</sub>)] and [OsCl(SC<sub>6</sub>F<sub>3</sub>)<sub>2</sub>(SC<sub>6</sub>H<sub>4</sub>CF<sub>3</sub>-3)(PMe<sub>2</sub>Ph)], 1819
M<sub>2</sub>A<sub>2</sub>O<sub>2</sub>(H<sub>3</sub>O)<sub>2</sub> (M = Co or Ni): hydrous diarsenates with an intersecting tunnel structure, 1825
Facile synthesis of four-membered ring platinalactam complexes

Facile synthesis of four-membered ring platinalactam complexes and the single-crystal structure of [Pt{CH(CN)C(O)N(CO<sub>2</sub>Et)}-(cod)] (cod = cycloocta-1,5-diene), 1831 Crystal structures of a tetranucleating macrocycle and its

Crysta structures of a teriandicating inacrocycle and its dimanganese(III) derivative, and magnetism of the latter, 1837 New aspects of rhodium(III)—dimethyl sulfoxide chemistry: synthesis and molecular structure of [NEt<sub>4</sub>][cis-RhCl<sub>4</sub>{(CH<sub>3</sub>)<sub>2</sub>SO}<sub>2</sub>] and chemical behaviour in aqueous solution of [RhCl<sub>n</sub>{(CH<sub>3</sub>)<sub>2</sub>-SO}<sub>8-n</sub>]<sup>3-n</sup> (n = 3 or 4) complexes, 1849 Kinetics of ligand exchange in rhodium-(1) and -(III) complexes

from magnetisation-transfer measurements; the crystal structure of [Rh(NH<sub>3</sub>)(PPh<sub>3</sub>)<sub>3</sub>]ClO<sub>4</sub>, 1857
Luminescent organometallic gold(i) complexes. Structure and photophysical properties of alkyl-, aryl- and μ-ethynylene gold(i) complexes, 1867

Studies on a dioxotetraamine macrocyclic ligand, its copper(II) and nickel(II) complexes and solution equilibria, 1873 Synthesis, crystal structure and magnetic properties of the

alternating chain [VO(H<sub>2</sub>O)<sub>3</sub>][Cu<sub>2</sub>(bipym)<sub>2</sub>(H<sub>2</sub>O)(SO<sub>4</sub>)<sub>3</sub>]-7H<sub>2</sub>O (bipym = 2,2'-bipyrimidine), 1879
Structure and reactions of the thioether half-sandwich ruthenium(II) complexes [Ru(MeCN)<sub>3</sub>([9]aneS<sub>3</sub>)][CF<sub>3</sub>SO<sub>3</sub>]<sub>2</sub> ([9]aneS<sub>3</sub> = 1,4,7-trithiacyclononane), 1885
Synthesis and characterization of many characte

nonane), 1885

Synthesis and characterization of monochelated carboxylatopalladium(II) complexes with nitrogen-donor chelating ligands. Crystal structures of diacetato(1,10-phenanthroline)- and diacetato(2,9-dimethyl-1,10-phenanthroline)-palladium(II), 1903

Template synthesis, structure and properties of a bis(macrocyclic) dinickel(II) complex based on a 14-membered hexaaza unit, 1913

Crystal structure and magnetic properties of two two-dimensional sheet-like polynuclear copper complexes with bridging transoxamidate and 4,4'-bipyridine or pyrimidine, 1917

Crystal structure and magnetic properties of a two-dimensional sheet-like copper(II) complex with bridging trans-oxamidate and azide, 1923

azide, 1923

azide, 1925
Three- and four-co-ordinate copper(1) complexes: 1:1 and 1:2
1-cyanoguanidine-copper(1) halide adducts, 1935
Organometallic thiol and thiolato complexes of ruthenium(IV),
1949

Preparation and reactivity of iodomethyl complexes of rhodium(III); crystal and molecular structure of carbonylchloroiodo-(iodomethyl)bis(triethylphosphine)rhodium(III), 1963 Hydrogen-bonded adducts of ferrocene-1,1'-diylbis(diphenyl-

Hydrogen-bonded adducts of ferrocene-1,1'-diylbis(diphenyl-methanol): crystal and molecular structures of 1:1 adducts with 4,4'-bipyridyl, piperazine and dimethylformamide, the 2:1:1 hydrated adduct with morpholine, and two adducts with 1,4-dioxane, 1:1 at 150 K and 1:2 at 298 K, 1971 Reaction of methanol with diphenylantimony(v) trihalides: crystal structure of [SbPh<sub>2</sub>Br<sub>2</sub>(OMe)-MeOH]<sub>2</sub>, 1983 Preparation, crystal structures, conductivities and electronic structures of [et]<sub>3</sub>[NiCl<sub>4</sub>]-H<sub>2</sub>O and [et]<sub>3</sub>[AuBr<sub>4</sub>] [et = bis(ethylenedithio)tetrathiafulvalene], 1995 Novel monomeric and dimeric conper(u) payidone complexes

bis(ethylenedithio)tetrathiafulvalene]. 1995
Novel monomeric and dimeric copper(II) pyridone complexes containing the 2,2'-bipyridyl ligand, 2005
Preparation and structure of a non-carbide-stabilized octahedral rhenium cluster: [NEt\_J][Re<sub>8</sub>H<sub>7</sub>(CO)<sub>18</sub>], 2011
Functionalizable 5,5,10,10,15,15,20,20-octaethylporphyrinogen complexes of early transition metals: synthesis and crystal structure of titanium-, vanadium- and chromium-(III) derivatives and a two-electron oxidation of the porphyrinogen skeleton, 2015
Bimetallic aluminium and gallium derivatives of 1,1,1,5,5,5-hexafluoropentane-2,4-dione via selective metallation/hydrometallation, 2019

metallation, 2019

New synthetic routes to face-to-face and open-book triazenide-bridged dirhodium bipyridyl complexes with the [Rh<sub>2</sub>]<sup>4+</sup> core,

2025
Unusual solid-state reaction of [{CrL(acac)}<sub>2</sub>(μ-H<sub>3</sub>O<sub>2</sub>)][PF<sub>6</sub>]<sub>3</sub>. Isolation and crystal structures of [CrL(acac)F]PF<sub>6</sub> and [CrL(acac)(O<sub>2</sub>PF<sub>2</sub>)]PF<sub>6</sub> (L = 1,4,7-trimethyl-1,4,7-triazacyclononane, acac = pentane-2,4-dionate), 2041
Crystal structures and single-crystal electron spin resonance spectra of  $\pi$ - $\pi$  type molecular complexes of bis(1-methyliminomethyl-2-naphtholato)copper(II), 2065
Synthesis and crystal structure of nickel(II) complexes of macrobicyclic ligands: identification and electron-transfer reactions of the corresponding nickel(III) complexes in solution, 2071
Formation and characterization of neutral and cationic amino-(thio)carbene complexes of gold(I) from thiazolyl precursors, 2091

(thio)carbene complexes of gold(1) from thiazolyl precursors, 20 Synthesis, mechanism of formation and characterization of a new class of octanuclear mixed-metal clusters Na<sub>3</sub>M'<sub>3</sub>[M<sub>3</sub>O<sub>4</sub>- (O<sub>2</sub>CEt)<sub>8</sub>]<sub>2</sub> (M' = Cr or V; M = Mo or W), 2099 Studies on organolanthanide complexes. Part 56. Formation of ion-pair complexes [Na-3phen] "[Ln(C,H<sub>3</sub>)<sub>2</sub>CI]"-phen (Ln = La, Pr or Nd; phen = 1,10-phenanthroline) and crystal structure for Ln = Pr, 2109 Evidence for π bonding in the boron-thiolate compounds (2,4,6-Me,C<sub>6</sub>H<sub>2</sub>)<sub>2</sub>B(SPh) and (2,4,6-Pr;C<sub>6</sub>H<sub>2</sub>)B(SPh)<sub>2</sub>, 2113 Synthesis and crystal structures of dinuclear oxotungsten(V) diolato complexes, 2119 Synthetic and structural study of tetra-µ-3-aminopropanolato-tricopper(II) catena-pentaiodo-tricuprate(I) and -argentate(I), 2125 (thio)carbene complexes of gold(1) from thiazolyl precursors, 2091

2125

Synthesis, structure, magnetism and electrochemistry of binuclear nickel(II) and copper(II) complexes of an unsymmetrical pentadentate Schiff-base ligand, 2129
C-, N- and C,N-Organostannyl tetrazoles: synthesis, characteris-

ation and reactivity, 2135 Cluster build-up using the  $[Os(\eta^6-C_6H_6)(MeCN)_3]^{2+}$  cation; synthesis and structural characterisation of some hexa- and

hepta-nuclear arene-substituted clusters, 2159 Sequential synthesis of some tetraosmium—arene clusters, 2167
Synthesis and characterization of phenoxarsin-10-yl diorganodithiophosphinates. A folded phenoxarsine system in the first
dimeric organoarsenic(iii) 1,1-dithiolate associated through
As · · · S secondary bonding, 2191

CRYSTAL STRUCTURE (contd)
Synthesis of cationic half-sandwich rhodium(i) complexes of 1,4,7trithiacyclononane ([9]aneS<sub>3</sub>). The single-crystal structures of
[Rh([9]aneS<sub>3</sub>)(C<sub>4</sub>H<sub>4</sub>)<sub>2</sub>]PF<sub>6</sub>, [Rh([9]aneS<sub>3</sub>)(C<sub>6</sub>H<sub>12</sub>)]BF<sub>4</sub> and
[Rh([9]aneS<sub>3</sub>)(C<sub>4</sub>H<sub>6</sub>)]PF<sub>6</sub>-0.25OEt<sub>2</sub>, 2197
Partial hydrolysis of a Schiff-base tripodal ligand induced by
copper(II) salts: crystal structure of the product from reaction
with copper(II) perchlorate 2213

with copper(II) perchlorate, 2213 Synthetic and structural characterisation of metal complexes of ferrocenylacetylene: novel donor-acceptor heterobimetallic materials, 2215

materials, 2215
1,4,7-Triazacyclononane-1,4,7- triyltrimethylenetris(phenylphosphinate) enforces octahedral geometry: crystal and solution structures of its metal complexes and comparative biodistribution studies of radiolabelled indium and gallium complexes (1994, 1619), 2221

(1924, 1013), 2221 Reduction of nitric oxide by tetramesityliridium(IV) and cobaltocene. Reactions of hyponitrite complexes and of the ether [Co(ŋ<sup>5</sup>-C<sub>5</sub>H<sub>3</sub>)(ŋ<sup>4</sup>-C<sub>5</sub>H<sub>3</sub>)](µ-O-exo) with nitroalkanes, acids and amines, 2223

Synthesis, structure, spectroscopic and magnetic properties of two copper(II) dimers containing pyridine-2-carbaldehyde thiosemicarbazonate (L), [[CuL(X)]<sub>2</sub>] (X = Cl or Br), 2233 Synthesis of new η<sup>4</sup>-hexafluorobenzene complexes of ruthenium and osmium from atoms of the metals: crystal structure of [Ru(η<sup>4</sup>-C<sub>6</sub>H<sub>3</sub>Me<sub>2</sub>-1,3,5(η<sup>4</sup>-C<sub>6</sub>F<sub>6</sub>)], 2251 Bis(pentafluorophenyl)nickel(II) thio-molybdates and -tungstates. Crystal structure of [NBu<sub>4</sub>]<sub>2</sub>[Ni<sub>2</sub>(C<sub>6</sub>F<sub>3</sub>)<sub>4</sub>μ-WS<sub>4</sub>]], 2271 Synthesis and structure of Cs<sub>3</sub>Ti<sub>3</sub>As<sub>5</sub>O<sub>20</sub>, 2289 Carbon-hydrogen and C-X (X = Cl or SiMe<sub>3</sub>) bond activation. 1-Cyclopalladation and oxidation of some derivatives of 2-[(dimethylamino)methyl]naphthalene, 2293 η<sup>5</sup> ← η<sup>3</sup> Hapticity interconversion in cycloheptadienyl molybdenum complexes, 2303 A novel tetranuclear [Cr<sup>III</sup><sub>2</sub>Mn<sup>III</sup><sub>2</sub>(μ<sub>3</sub>-O)<sub>2</sub>]<sup>8+</sup> core with an S<sub>T</sub> = 0 spin ground state, 2313 A model complex for the carboxylate-histidine-zinc system in zinc enzymes. Crystal structure of [Zn(Him)<sub>2</sub>(MeCO<sub>2</sub>)<sub>2</sub>] (Him = imidazole), 2331

(Him = imidazole), 2331

(Him = imidazole), 2331
Benzenehexathiol as a template rim for a golden wheel: synthesis and structure of [{CSAu(PPh<sub>3</sub>)}<sub>κ</sub>], 2333
Synthesis of the first lanthanide complexes of dialkyl α-hydroxyiminophosphonates; ambivalent ligand bonding in the Pr<sup>III</sup> and Nd<sup>III</sup> complexes of diisopropyl α-hydroxyiminopropylphosphonate (L¹), [PrL¹<sub>3</sub>Cl<sub>3</sub>] and [NdL¹<sub>2</sub>(NO<sub>3</sub>)<sub>3</sub>(H<sub>2</sub>O)], 2335
Ligand-field control in the self-assembly of polymeric metal complexes: copper(II) complexes with quadridentate Schiff-base ligands involving an imidazole moiety, 2339
Synthesis and structural study of [{PdC(H<sub>2</sub>C<sub>3</sub>H<sub>6</sub>N)}<sub>2</sub>(μ-O<sub>2</sub>CR)-(μ-X)] complexes (R = Me or CF<sub>3</sub>; X = hydroxide, amide or thiolate), 2353
Syntheses and molecular structures of two boride cluster anions:

thiolate), 2353
Syntheses and molecular structures of two boride cluster anions:
octahedral [Rh<sub>2</sub>Ru<sub>4</sub>(CO)<sub>16</sub>B] and double-prismatic
[Rh<sub>3</sub>Ru<sub>6</sub>(CO)<sub>25</sub>B<sub>2</sub>], 2359
Isomerism in bis(diethylenetriamine)nickel(II) thiocyanate:
synthesis, solid-state interconversion and X-ray crystallographic

synthesis, solid-state interconversion and X-ray crystallographic study of sym-fac and mer isomers, 2367

Synthesis, chiroptical and electrochemical studies of dioxouranium(v1) complexes of aldimine derivatives of L-/D-histidine and crystal structure of (2,2'-bipyridyl)dioxo(N-o-vanillylidene-L-histidinato)uranium(v1)—water-methanol(1/1/1), 2381

Molecular structure and linkage isomerism of cis-[Ru(bipy)<sub>2</sub>-{trans-Cr(cyclam)(CN)<sub>2</sub>:<sub>1</sub><sup>1</sup>\* (bipy = 2,2'-bipyridine, cyclam = 1,4,8,11-letraazacyclotetradecane), 2391

Reactions of copper(II) nitrate with pyridazine (pydz) and crystal structures of catena-[Cu(μ-η²-pydz)(μ-OH)(μ-O2NO)]-H<sub>2</sub>O and [Cu<sub>3</sub>(μ-η²-pydz)<sub>2</sub>(μydz)<sub>2</sub>(μ-NO<sub>3</sub>)<sub>2</sub>(NO<sub>3</sub>)<sub>3</sub>], 2397

Synthesis of trans-[Mo(N<sub>2</sub>)<sub>2</sub>(dippe)<sub>2</sub>] [dippe = 1,2-bis(diisopropyl-phosphino)ethane] and related derivatives, protonation of co-ordinated dinitrogen and crystal structures of trans-[MoF(NNH<sub>2</sub>)-(dippe)<sub>2</sub>][BF<sub>2</sub>] and trans-[MoCl<sub>2</sub>(dippe)<sub>2</sub>][BF<sub>3</sub>], 2431

Synthesis and characterization of five-co-ordinate rhenium(III) complexes with 2-(diphenylphosphino)ethanethiolate and

Synthesis and characterization of five-co-ordinate rhenium(III) complexes with 2-(diphenylphosphino)ethanethiolate and monothiolate ligands. Crystal structure of [Re(Ph,PCH,CH,S),(PhCH,S)], 2437

Synthesis and crystal structure of a new layered zirconium phosphate compound, Zr(PO<sub>4</sub>)F(OSMe<sub>2</sub>), 2453

New polymeric compounds containing vanadium—oxygen chains, 2457

Solvent-dependent forms of lithiated 5,5,10,10,15,15,20,20-octaethylporphyrinogen in solution and in the solid state and reaction with tetrahydrofuran, 2467

Stabilization of copper(i) by phosphinoamines, 2471
Transition-metal Schiff-base complexes as ligands in tin chemistry.
Part 5. Structural studies of intimate ion-paired heterobimetallic complexes of tin(IV) and nickel, copper or zinc with 3-methoxysalicylaldimine ligands, 2473

Bis(μ-pyridazine)-bis[(2-cyanoguanidine)copper(1)] cation: a molecule containing two co-ordinatively unsaturated copper(1) centres, 2483

Reactions of the cyclic platinum(II) thiolate complex

[Pt{SCH2C(O)CH2}(PPh3)2] with electrophiles, and the single-

crystal structure of [{Pt[SCH<sub>2</sub>C(O)CH<sub>2</sub>](PPh<sub>3</sub>)<sub>2</sub>-HgBr<sub>2</sub>}<sub>2</sub>], 2489 Synthesis and vibrational spectra of new bis(alkoxysulfane)-dichloropalladium(II) complexes and X-ray structural analysis of [PdCl<sub>2</sub>(S(OPr)<sub>2</sub>)<sub>2</sub>], 2509 Mesitylgold complexes: synthesis and reactivity; crystal structure of [{(Ph<sub>3</sub>P)Au(μ-mes)Ag(tht)}<sub>2</sub>][SO<sub>3</sub>CF<sub>3</sub>]<sub>2</sub> (mes = mesityl, tht = tetrahydrothiophene), 2515 Sunthesis photophysical properties and crystal structure of tatto n

Synthesis, photophysical properties and crystal structure of tetra-n-butylammonium bis(maleonitriledithiolato)nitridoosmate(vi),

Crystal structures and luminescence spectra of ten-co-ordinate lanthanide(III) complexes (Ln = Ce, Sm, Eu or Tb) with 2,6-bis(benzimidazol-2-yl)pyridine, 2523

2,6-bis(benzimidazol-2-yl)pyridine, 2523
Synthesis and crystal structure of an indium(III) complex with a bicyclic phthalocyanine at 300 K, 2539
Cation—anion interactions involving hydrogen bonds. Syntheses, structures and spectroscopic studies of [H<sub>2</sub>dam][Bi<sup>III</sup>Ph(O<sub>2</sub>CCF<sub>3</sub>)<sub>4</sub>], [Hpy]<sub>3</sub>[Bi<sup>III</sup>Ph-(O<sub>2</sub>CCF<sub>3</sub>)<sub>4</sub>] and [H<sub>2</sub>dam][Bi<sup>III</sup>(O<sub>3</sub>CCF<sub>3</sub>)<sub>4</sub>] (dam = diamine, py = pyridine), 2545
Syntheses of 4-benzyl-3,5-dimethylpyrazolylborato complexes of molybdenum and tungsten nitrosyls: molecular structure of [Mo(CO)<sub>2</sub>(NO){HB(3,5-Me<sub>2</sub>-4-PhCH<sub>2</sub>C<sub>3</sub>N<sub>2</sub>)<sub>3</sub>}], a complex with an 'inverted' bowl-like structure. 2559

an 'inverted' bowl-like structure, 2559

an inverted bowl-like Studente, 2599

Photochemical and photophysical properties of fac[Re(CO)<sub>3</sub>(L)<sub>2</sub>Cl] (L = quinoline or isoquinoline), 2565

Crystal structure, spectroscopic and magnetic properties of two unusual compounds: [Cu(terpy)(N<sub>3</sub>)Cl] and [{Cu<sub>0.75</sub>Ni<sub>0.25</sub>(terpy)-(N<sub>3</sub>)<sub>2</sub>}<sub>2</sub>]-2H<sub>2</sub>O (terpy = 2,2': 6',2'-terpyridine), 2573

Hydrolysis of tin(II) fluoride and crystal structure of Sn<sub>4</sub>OF<sub>6</sub>,

2581

Synthesis, photophysics and electrochemistry of a novel luminescent platinum(II) sulfido complex. Crystal structure of [Pt<sub>2</sub>(μ-S)-(μ-dppm)(dppm)<sub>2</sub>]<sup>2+</sup> (dppm = Ph<sub>2</sub>PCH<sub>2</sub>PPh<sub>2</sub>), 2587

Synthesis of novel donor–acceptor manganese(I) complexes of ferrocenylacetylene: crystal structure of [(C<sub>3</sub>H<sub>3</sub>)Fe(C<sub>3</sub>H<sub>4</sub>)C=CMn(CO)<sub>3</sub>(Ph<sub>2</sub>PCH(Me)CH<sub>2</sub>PPh<sub>2</sub>)] which has potential for second-order non-linear optics, 2589

Novel binuclear vanadium(v)–Schiff base cations containing single fluorine bridges and the structure of difluorodioxovanadate(1–), 2591

Photochemistry of polyoxovanadates. Part 1. Formation of the anion-encapsulated polyoxovanadate [V<sub>15</sub>O<sub>36</sub>(CO<sub>3</sub>)]<sup>7-</sup> and electron-spin polarization of α-hydroxyalkyl radicals in the presence of alcohols, 2599

Syntheses, structures and fluxional behaviour of η<sup>4</sup>-1,4-di-tert-

Syntheses, structures and fluxional behaviour of n4-1,4-di-tertbutylbuta-1,3-diene complexes of iron and ruthenium, 2615
Structural and solid-state <sup>31</sup>P nuclear magnetic resonance studies
on 1:1:1 mixed nitrogen and phosphine base complexes with
copper(1) halides, 2621

on the copper(i) halides, 2621

Preparation and characterisation of organocobalt(III) complexs of tetraaza macrocyclic ligands. Crystal structures of ethyland propyl-cobalt(III) complexes of 3,7,11,17-tetraaazabicyclo-[11.3.1]heptadeca-1(17),13,15-triene, 2631

Synthetic, dynamic nuclear magnetic resonance and crystallographic studies of platinum complexes containing silyl-substituted dialkenyl-thioether and -selenoether ligands, 2637

Platinum and rhodium complexes of dialkenyl telluroether ligands: synthesis, dynamic nuclear magnetic resonance and crystal structure of cis-dibromo(3,3,7,7-tetramethyl-5-tellura-3,7-disilanona-1,8-diene)platinum(III), 2645

A convenient method for the preparation of 3-(2-pyridyl)triazolo-[1,5-a]pyridine (L). Crystal structures of L and [CuL<sub>2</sub>(OH<sub>2</sub>),2][NO<sub>3</sub>]<sub>2</sub>, 2651

Synthesis, structure and properties of [Hpy]<sub>2</sub>[{M(mnt)<sub>2</sub>}<sub>2</sub>] (M = Co or Fe, Hpy = pyridinium, mnt = maleonitriledithiolate), 2655

Organometallics of diphosphazanes. Part 10. Dinuclear Group 6 metal carbonyl complexes bridged by a cyclodiphosphazane in its cis or trans form, 2661

Metallosupramolecular assembly of dinuclear double helicates

Its cts or trans form, 2661 Metallosupramolecular assembly of dinuclear double helicates incorporating a biphenyl-3,3'-diyl spacer; molecular structure of bis{3,3'-bis[4-(methylsulfanyl)-2,2'-bipyridin-6-yl]biphenyl- $\kappa^* N, N': \kappa^2 N'', N''$ ] dicopper(i) hexafluorophosphate, 2669 Carbon-tellurium bond cleavage in tellurolatochromium complexes. Synthesis and single-crystal structures of  $[Cr_4(cp)_4 Te_n O_{4-n}](cp=\eta^3 - C_5 H_5, n=1-3), 2697$ 

CSeSeC(CF<sub>3</sub>)C(CF<sub>3</sub>)SeSeCCF<sub>3</sub>. Electron diffraction study of F<sub>3</sub>CCSeSeCCF<sub>3</sub> and crystal structure of the eight-membered

heterocycle F<sub>3</sub>CCSeSeC(CF<sub>3</sub>)C(CF<sub>3</sub>)SeSeCCF<sub>3</sub>, 2705 Synthesis and electrochemistry of dialkylosmium-(tv) and -(v) porphyrins. Crystal structure of [Os(ttp)(CH<sub>2</sub>SiMe<sub>3</sub>)<sub>2</sub>] [H<sub>2</sub>ttp = 5,10,15,20-tetra(*p*-tolyl)porphyrin], 2713

CRYSTAL STRUCTURE (contd)

Synthesis, crystal structures and thermal decomposition studies of a series of copper-lanthanoid complexes of 6-methyl-2-pyridone, 2719

2719
Neutral PtAg<sub>2</sub> clusters containing unsymmetrical μ<sub>3</sub>-σ and μ-η<sup>2</sup>,σ alkynyl groups. Crystal structure of [PtAg<sub>2</sub>(C<sub>6</sub>F<sub>5</sub>)<sub>2</sub>(μ-η<sup>2</sup>,σ-C=CPh)(PPh<sub>3</sub>)<sub>2</sub>]-0.25CH<sub>2</sub>Cl<sub>2</sub>, 2735
Two different terminal nitrate bonding modes in [Fe<sub>2</sub>O(NO<sub>3</sub>)<sub>4</sub>(C<sub>7</sub>H<sub>2</sub>N<sub>3</sub>)<sub>4</sub>], 2737
Hydrolysis, polymerisation, and structure of dimethyltin(iv) in aqueous solution. Molecular structure of the polymer [CSMa], (OLY) (CO), 2740

[(SnMe<sub>2</sub>)<sub>2</sub>(OH)<sub>3</sub>]ClO<sub>4</sub>, 2749

[(SnMe<sub>2</sub>)<sub>2</sub>(OH)<sub>3</sub>]ClO<sub>4</sub>, 2749

Syntheses of square-planar nickel-(II) and -(I) complexes of an octaaza macrohexacyclic ligand and crystal structure of the nickel(II) complex, 2765

Building a two-dimensional co-ordination polymer having a multilayered arrangement. A molecular assembly comprising hanging phenazine molecules between polymeric stair frameworks of copper(I) halides, 2771

Syntheses, crystal structures and electronic properties of [Cu(bipym)(C<sub>2</sub>O<sub>3</sub>)(H<sub>2</sub>O)<sub>2</sub>]-H<sub>2</sub>O and [Cu<sub>2</sub>(bipym)(C<sub>2</sub>O<sub>3</sub>)<sub>2</sub>(H<sub>2</sub>O)<sub>2</sub>]-4H<sub>2</sub>O (bipym = 2,2'-bipyrimidine), 2777

Factors affecting the assembly of helical and non-helical zinc(II) bipyridy metallomacrocycles. 2783

bipyridyl metallomacrocycles, 2783

bippridyl metallomacrocycles, 2783 Interaction of transition and post-transition metal ions with oxygen-nitrogen donor macrocycles incorporating pendant hydroxyethyl and carbamoylethyl groups, 2791 Synthesis and reactivity of [NEt<sub>4</sub>]<sub>2</sub>[ReBr<sub>3</sub>(CO)<sub>3</sub>]. Formation and structural characterization of the clusters [NEt<sub>4</sub>][Re<sub>3</sub>(µ<sub>3</sub>-OH)(µ-OH)<sub>3</sub>(CO)<sub>9</sub>] and [NEt<sub>4</sub>][Re<sub>2</sub>(µ-OH)<sub>3</sub>(CO)<sub>6</sub>] by alkaline titration, 2816

Crystal structures of [W(CO)<sub>5</sub>(PPh<sub>3</sub>)], [M(CO)<sub>5</sub>(AsPh<sub>3</sub>)] and [M(CO)<sub>5</sub>(SbPh<sub>3</sub>)] (M = Mo or W): a comparative study of structure and bonding in [M(CO)<sub>5</sub>(EPh<sub>3</sub>)] complexes (E = P, As or Sb; M = Cr, Mo or W), 2827 Synthesis and spectroscopic studies of palladium and platinum complexes of methylene-backboned dithio-, diseleno- and ditelluro-ether ligands, RECH<sub>2</sub>ER (R = Me or Ph; E = S, Se or Te), 2835

Se or Te), 2835

Synthesis and characterization of Lewis-base adducts of 1,1,1,5,5,5-hexafluoroacetylacetonatosilver(ι), 2841 (η-Cyclopentadienyl)imido derivatives of molybdenum and

tungsten, 2851

tungsten, 251 lridium-platinum perfluorobenzenethiolato trinuclear complexes: crystal structures of  $[Ir_2Pt(C_5Me_5)(\mu-SR_F)_4Cl_3]$  ( $R_F = C_6F_5$  or  $C_6F_4H-p$ ), syntheses and solution behaviour, 2861 Molecular and electronic structures of bis[1,4-bis(trimethylsily1)-cyclooctatetraene] sandwich complexes of titanium and risconium 2867.

zirconium, 2867

cyclooctatetraene] sandwich complexes of titanium and zirconium, 2867

Synthesis of heterometallic species with (Ph<sub>2</sub>P<sub>2</sub>)-CH or (Ph<sub>2</sub>P<sub>3</sub>C<sup>-</sup>. Crystal structures of [Mo(CO)<sub>4</sub>{(PPh<sub>2</sub>)<sub>2</sub>CHPPh<sub>3</sub>AuCl}], [Mo(CO)<sub>4</sub>{(PPh<sub>2</sub>)<sub>2</sub>CHPPh<sub>3</sub>Au(C<sub>6</sub>F<sub>3</sub>)] and [NBu<sub>4</sub>][Mo(CO)<sub>4</sub>{(PPh<sub>2</sub>)<sub>2</sub>CPPh<sub>2</sub>Au(C<sub>6</sub>F<sub>3</sub>)}], 2891

The first structurally characterised sodium primary amide complex; synthesis and crystal structure of 2-PhOC<sub>6</sub>H<sub>4</sub>NHNa-NMe[(CH<sub>2</sub>)<sub>2</sub>NMe<sub>2</sub>]<sub>2</sub>, 2901

Dithiolenes revisited: an electron spin resonance study of some five-co-ordinate cobalt complexes and the crystal structures of [Co{S<sub>2</sub>C<sub>3</sub>(CF<sub>3</sub>)<sub>2</sub>]<sub>2</sub>(P(OPh<sub>3</sub>)] and [Co{S<sub>3</sub>C<sub>3</sub>(CF<sub>3</sub>)<sub>2</sub>]<sub>2</sub>(PPh<sub>3</sub>)], 2903

Effect of temperature on the solid-state molecular structure of [Fe<sub>3</sub>(CO)<sub>12</sub>], 2911

Synthesis and characterization of new phosphanylium and phosphanetriylammonium salts. Molecular structures of [Me<sub>2</sub>N)PN(AlCl<sub>3</sub>)R] and [P(NPr<sup>1</sup><sub>2</sub>)(NHR)]<sup>+</sup>[CF<sub>3</sub>SO<sub>3</sub>]<sup>-</sup> (R = C<sub>6</sub>H<sub>2</sub>Bu<sup>1</sup><sub>3</sub>-2,46), 2925

Cadmium cyanide—ether clathrates: crystal structures of Cd<sub>8</sub>(CN)<sub>16</sub>(H<sub>2</sub>O)<sub>2</sub>·2Pr<sup>n</sup><sub>2</sub>O, 2933

Linkage isomerism in bis[hydrotris(1,2,4-triazolyl)borato]zinc from a molecular chelate complex to a three-dimensional co-ordination polymer. 2047

a molecular chelate complex to a three-dimensional co-ordination polymer, 2947

Intramolecular *versus* intermolecular bonding in amidoantimony dimers; syntheses and structures of {Sb(NMe<sub>2</sub>)[μ-N(mpy)]}<sub>2</sub> (mpy = 4-methylpyridin-2-yl) and [Sb(NMe<sub>2</sub>){μ-N[C<sub>6</sub>H<sub>2</sub>(OMe)<sub>3</sub>-3,4,5]}]<sub>2</sub>, 2963

3.4,3]}]2, 2963
n-Cyclopentadienylimido molybdenum chemistry: hydrido, alkyl and η-allyl derivatives, 2975
Extended X-ray absorption fine structure studies of transition-metal periodate and tellurate complexes. Crystal structure of Rb<sub>2</sub>Na<sub>4</sub>[OsO<sub>3</sub>(H,TeO<sub>6</sub>)<sub>2</sub>]-16H<sub>2</sub>O, 2983
Structure and magnetic studies of a two-dimensional sheet-like

copper(ii) complex with bridging pyridine-4-carboxylate and trans-oxamidate ligands, 2989

Mono- and bi-nuclear copper(ii) complexes of azaparacyclophanes

with a single aromatic spacer. Crystal structure of [Cu<sub>2</sub>L<sup>2</sup>Cl<sub>4</sub>]-1.5H<sub>2</sub>O (L<sup>2</sup> = 2,5,8,11-tetraaza[12]paracyclophane), 2995
Synthesis and crystal structure determination of a one-dimen-

sional end-to-end cyanate-bridged copper(II) compound, 3005

Bismuth(III) complexes with sulfur and selenium donor ligands: synthesis and crystal structures of BiCl<sub>2</sub>Pr<sup>2</sup><sub>2</sub>P(S)P(S)Pr<sup>9</sup><sub>2</sub> and [(Me<sub>2</sub>N)<sub>2</sub>PeSeP(NMe<sub>2</sub>)<sub>3</sub>]<sup>2+</sup>[(BiCl<sub>2</sub>)<sub>3</sub>]<sup>2-</sup><sub>2</sub>, 3025

Mixed phosphathia macrocyclic chemistry: synthesis and characterisation of [M(Ph<sub>2</sub>[14]aneP<sub>2</sub>S<sub>3</sub>)] \*[M = Pd or Pt) and [RhCl<sub>2</sub>(Ph<sub>2</sub>[14]aneP<sub>2</sub>S<sub>3</sub>)] \*[Ph<sub>2</sub>[14]aneP<sub>3</sub>S<sub>3</sub>] \* 8,12-diphenyl-1,5-dithia-8,12-diphosphacyclotetradecane, 3031

Effects of the nature of the nitrogen donor atom (sp<sup>2</sup> versus sp<sup>3</sup>) upon the properties and chemistry of palladated complexes with or (Pd-C<sub>10</sub><sup>2</sup>, ferrocene) bonds, 3039

Synthesis and crystal structure of a luminescent one-dimensional phenylacetylide-gold(1) polymer with 2,6-bis(diphenylphosphino)-pyridine as ligand, 3067

Synthesis of the mixed-metal clusters [Ru<sub>2</sub>RhC(CO)<sub>14</sub>(cod)Y]

[Y = H, Au(PEt<sub>3</sub>) or Au(PPh<sub>3</sub>); cod = cycloocta-1,5-diene]; reactions of [Ru<sub>2</sub>RhC(CO)<sub>14</sub>(cod){Au(PR<sub>3</sub>)}] (R = Ph or Et) and crystal structure of [Ru<sub>2</sub>RhC(CO)<sub>14</sub>(cod){H<sub>2</sub>-Au(PPh<sub>3</sub>)}], 3069

Preparation of four-membered phosphonickelocycles. Unusual facile stabilization of five-co-ordinate complexes, 3075

facile stabilization of five-co-ordinate complexes, 3075 Chemistry of acetoacetanilide and derivatives with zero- and divalent platinum and palladium complexes; crystal structure of the four-membered ring palladalactam complex

[Pd{CH(COMe)C(O)NPh}(bipy)] (bipy = 2,2'-bipyridyl), 3085 Electron spin resonance studies and crystal structures of copper(II) complexes of some 12-, 13- and 14-membered oxatriaza macrocycles, 3099 Crystal and molecular structure of anhydrous copper(II)

perchlorate, 3119

Structural and vibrational properties of the octanuclear silasesquioxane C<sub>6</sub>H<sub>13</sub>(H<sub>7</sub>Si<sub>8</sub>O<sub>12</sub>), 3123 Steric effects in heteroboranes. Part 9. Cycloocta-1,5-diene

Steric effects in heteroboranes. Part 9. Cycloocta-1,5-diene palladium and platinum complexes of mono- and di-phenyl C<sub>2</sub>B<sub>9</sub> ligands: metal-mediated polyhedral rearrangement, 3129
Palladium(ii) and platinum(ii) dihalogeno-complexes containing the polyfunctional phosphine 7-diphenylphosphino-2,4-dimethyl-1,8-naphthyridine (dpnapy). Crystal structure of the metallocycle trans,trans-{Pd(µ-dpnapy)Cl<sub>2</sub>}-2H<sub>2</sub>O, 3135
Synthesis, molecular structure and reactivity of cis-[Pd(C<sub>6</sub>F<sub>3</sub>)<sub>2</sub>(C<sub>6</sub>H<sub>3</sub>CH<sub>3</sub>NMe<sub>2</sub>-κC<sup>1</sup>, κN)] a compound displaying an unusual η<sup>1</sup> arene-palladium interaction, 3143
Proton transfer in a phenol-based compartmental cryptate; solution and solid-state structural studies, 3149
Synthesis and co-ordination chemistry of dicobalt-complexed acetylenic crown ethers, 3171

acetylenic crown ethers, 3171

Complexes with S-donor ligands. Part 2. Synthesis of anionic bis-(thiolato)gold(i) complexes. Crystal structure of [N(PPh<sub>3</sub>)<sub>2</sub>]-[Au(SR)<sub>2</sub>] (R = benzoxazol-2-yl), 3183 Intramolecular hydrogen-bonding stabilisation of tetrafluoroborate

[Au(SR)<sub>2</sub>] (R = benzoxazol-2-yl), 3183
Intramolecular hydrogen-bonding stabilisation of tetrafluoroborate co-ordination to copper(II): crystal structure of (2,2'-bipyridine)-bis(2-cyanoguanidine)bis(tetrafluoroborato)copper(II), 3189
Preparation of 1,1'-bis[(diphen)ylphosphino)methyl]ferrocene and its transition-metal complexes, 3191
Hindered rotation about carbon-nitrogen bonds in 7-aza-norbornadienes and their carbonyliron complexes, 3199
Synthesis, crystal structure and non-linear optical properties of [NEt<sub>4</sub>]<sub>4</sub>[Cu<sub>6</sub>Mo<sub>5</sub>S<sub>0</sub>O<sub>2</sub>Br<sub>2</sub>I<sub>4</sub>], 3211
Hydrogen activation by arene ruthenium complexes in aqueous solution. Part 2. Build-up of cationic tri- and tetra-nuclear ruthenium clusters with hydrido ligands, 3215
Platinum(II) and palladium(II) complexes with 2-amino-4-methyl-sulfanylbutanol and 2-(ethylsulfanyl)ethylamine, 3231
Synthesis and solid-state structure of [Pd<sub>6</sub>Ru<sub>6</sub>(CO)<sub>24</sub>]<sup>2-</sup>. 3237
Reactions of dihalogenotriorgano-phosphorus, -arsenic and -antimony compounds with [Fe<sub>2</sub>(CO)<sub>3</sub>]. Single-crystal structures of the iron(III) complexes [(Ph<sub>2</sub>PO)<sub>2</sub>H][FeBr<sub>4</sub>] and [Ph<sub>5</sub>Sb][FeI<sub>4</sub>]-Ph<sub>3</sub>Sb]<sub>2</sub> and of [Fe(CO)<sub>3</sub>(Ph<sub>3</sub>P)<sub>2</sub>], 3249
Boron-nitrogen coupling in a ruthenium-rich ruthenaborane cluster: synthesis, and molecular and electronic structures of

cluster: synthesis, and molecular and electronic structures of [Ru,H(CO)<sub>12</sub>BH(µ-NCHMe)], 3273 Influence of secondary bonding on the intradimer distance of trichloro(ethane-1,2-diolato-0,0') tellurate(iv), 3279

trichloro(ethane-1,2-diolato-0,0') tellurate(v), 3279
Formation of cationic monocyclopentadienyl metal(tv) compounds following halide abstraction from [M(3<sup>3</sup>-C<sub>2</sub>H<sub>3</sub>)Cl<sub>3</sub>(MeCN)<sub>2</sub>]
(M = Zr or Hf): crystal and molecular structure of [Hf(y<sup>2</sup>-C<sub>3</sub>H<sub>3</sub>)-(MeCN)<sub>6</sub>][SbCl<sub>6</sub>]<sub>3</sub>·CH<sub>2</sub>Cl<sub>2</sub>, 3285
Synthesis and electrochemistry of nickel and cobalt complexes of mixed thia-aza crown ethers: single-crystal structures of [Ni([18]aneN<sub>2</sub>S<sub>4</sub>)][PF<sub>6</sub>]<sub>2</sub>-0.33H<sub>2</sub>Oand[Co([18]aneN<sub>2</sub>S<sub>4</sub>)][PF<sub>6</sub>]<sub>3</sub>-0.34H<sub>2</sub>O ([18]aneN<sub>2</sub>S<sub>4</sub> = 1,4,10,13-tetrathia-7,16-diazacyclo-octadesape 329] octadecane), 3291

Deprotonation, deuteriation and substitution of the backbone of some azine diphosphine complexes of palladium and platinum: crystal structures of [PtI(PPh2CH=CBu'N-N=CBu'CH2PPh2)]

and [PtCl(PPh<sub>2</sub>CH<sub>2</sub>CBu=N-N=CBu<sup>1</sup>CH<sub>2</sub>PPh<sub>2</sub>)][OC<sub>6</sub>H<sub>2</sub>-(NO<sub>2</sub>)<sub>3</sub>·2,4,6], 3311

CRYSTAL STRUCTURE (contd)

The first binuclear copper(II) complex of a bibracchial lariat ether: synthesis, magnetic susceptibility and crystal structure, 3325

A new route to organometallic selenolate complexes of tungsten(II) and molybdenum(II). Crystal structure of [W(η<sup>5</sup>-C<sub>5</sub>H<sub>5</sub>)(CO)<sub>3</sub>-(S<sub>5</sub>CH Bb)1 2329

and molybdenum(II). Crystal structure of [W(η'-C<sub>3</sub>H<sub>3</sub>)(CC (SeCH<sub>2</sub>Ph)], 329]
Reaction of [Os<sub>4</sub>(μ-Cl)(CO)<sub>13</sub>] with the [Au(PPh<sub>3</sub>)] cation involving insertion of an Os(CO)<sub>4</sub> fragment into the gold-phosphorus bond, 3331
First structural characterisation of an amino phosphonate

monoester metal complex, 3333

monoester metal complex, 53535
Kinetics of ligand exchange in rhodium-(i) and -(iii) complexes from magnetisation-transfer measurements; the crystal structure of [Rh(NH<sub>3</sub>)(PPh<sub>3</sub>)<sub>3</sub>]ClO<sub>4</sub> (1994, 1857), 3335
Reactivity of nido-[2-{Fe(η-C<sub>3</sub>H<sub>3</sub>)}B<sub>3</sub>H<sub>10</sub>] with some transitionmetal hydride complexes, 3337

Synthesis and characterization of bis(η²-alkyne)dihalogeno

syntnesis and characterization of bis(η-alkyne)dihalogeno-mercury(II) compounds: crystal structure of [NBu₄]]-[⟨cis-Pt(C<sub>6</sub>F<sub>5</sub>)<sub>2</sub>(C=CSiMe<sub>3</sub>)<sub>2</sub>|HgBr<sub>2</sub>)-CH<sub>2</sub>Cl<sub>2</sub>, 3343 Dithiolene-like palladium complexes of methyl 3-phenyldithio-carbazate and related derivatives. Crystal structure of [Pd{NTC<sub>6</sub>H<sub>3</sub>(OMe-4)NC<sub>6</sub>H<sub>4</sub>(OMe-4)]NC(S)SMe}(SCN)]-0.5C<sub>6</sub>H<sub>6</sub>, 3349 Influence of electronic conjugation and steric effects on the crystal structures of imino- and hydrazido-derivatives of ferrocenecarb-aldehyde. 3355

aldehyde, 3355

Interaction of transition- and post-transition-metal ions with O<sub>2</sub>N<sub>2</sub>donor macrocycles incorporating pendant pyridylmethyl groups,

Yttrium(III) and lanthanide(III) metal complexes of an 18-membered hexaaza tetraimine macrocycle. Crystal structure of the gadolinium(III) complex, 3369

synthesis and redox studies on ruthenium and osmium complexes with primary and secondary phosphines. Single-crystal structures of trans-[RuCl<sub>2</sub>(PPhH<sub>2</sub>)<sub>4</sub>] and trans-[OsCl<sub>2</sub>(PPh<sub>2</sub>H)<sub>4</sub>]·CH<sub>2</sub>Cl<sub>2</sub>,

Cyclopentadiene-, furan- and thiophene-derived 1,2-dioxolene complexes of platinum(II) and the crystal structure of

[Pt{OCC(CO<sub>2</sub>Me)CH<sub>2</sub>C(CO<sub>2</sub>Me)CO<sub>3</sub>(PPh<sub>3</sub>)<sub>2</sub>], 3383 Stereoselective alkyne insertion into a bridging hydride at a diiron centre: cis-trans isomerisation and metallacycle formation,

3389
2,2'.6',2'-Terpyridine (terpy) acting as a fluxional bidentate ligand. Part 4. cis-[M( $C_6F_5$ )<sub>2</sub>(terpy)] (M = Pd or Pt): nuclear magnetic resonance studies of their solution dynamics and crystal structure of cis-[Pd( $C_6F_5$ )<sub>2</sub>(terpy)], 3441
Promotion of tetrahedral copper(i) dimers by chelation of 1,1'-bis(diphenylphosphino)ferrocene (dppf). Crystal structures of [{Cu( $\mu$ -X)(dppf-P, P')}<sub>2</sub>] (X = O<sub>2</sub>CH, I or NO<sub>3</sub>), 3451
Syntheses and crystal structures of nickel(ii) complexes with thiolate or/and phosphine ligands, 3459
Significant antiferromagnetic coupling in a terephthalate (ta)-

Significant antiferromagnetic coupling in a terephthalate (ta)bridged manganese(ii) compound: preparation, crystal structure and magnetic properties of the chain [Mn<sub>2</sub>(bipy)<sub>4</sub>(ta)][ClO<sub>4</sub>]<sub>2</sub> (bipy = 2,2'-bipyridine), 3465

(bipy = 2,2'-bipyridine), 3465

Structures of potassium encapsulated within the 1,3-alternate conformation of calix[4]arenes, 3479

Tris(diphenylphosphino)methanide gold(III) complexes. Crystal structures of [Au(C<sub>6</sub>F<sub>3</sub>)<sub>2</sub>(Ph<sub>2</sub>P)<sub>2</sub>CPPh<sub>2</sub>] and [(F<sub>3</sub>C<sub>6</sub>)<sub>2</sub>Au{(Ph<sub>2</sub>P)<sub>2</sub>CPPh<sub>2</sub>}AuCI], 3487

Seven-co-ordinate dibromo complexes of molybdenum(II) and tungsten(II) derived from [MBr<sub>3</sub>(CO)<sub>3</sub>(NCMe)<sub>2</sub>].

Crystal structures of the isostructural complexes

Crystal structures of the isostructural complexes
[WX<sub>2</sub>(CO)<sub>3</sub>(NCMe)(SbPh<sub>3</sub>)]·CH<sub>2</sub>Cl<sub>2</sub>(X = Br or I), 3493
Synthesis and co-ordination chemistry of a new tripodal phosphine

alcohol, 3499 Synthesis, molecular structure and solution dynamics of dimeric

benzamidinates containing a double diazaallyl lithium bridge. A rapid interconversion of  $\sigma$  and  $\pi$  bonds, 3507 Crystal structure and oxo-transfer properties of [NH<sub>4</sub>]<sub>2</sub>-

Crystal structure and oxo-transfer properties of [NH<sub>4</sub>]<sub>2</sub>[W<sup>1</sup>O<sub>2</sub>{O<sub>2</sub>CC(S)Ph<sub>2</sub>}<sub>2</sub>], 3511

Titanium oxo carboxylate compounds. Crystal and molecular structures of [{TiCl<sub>2</sub>(O<sub>2</sub>CEt)(EtCO<sub>2</sub>H)}<sub>2</sub>O] and [Ti<sub>2</sub>Cl<sub>3</sub>O<sub>2</sub>(O<sub>2</sub>CEt)<sub>3</sub>] and an unusual quantitative conversion of a Ti<sub>2</sub>O to a Ti<sub>3</sub>O<sub>2</sub> oxo derivative, 3533

Complexes of functionalised phosphine ligands. Part 1. Complexes of Fe<sup>III</sup>, Co<sup>III</sup>, Ni<sup>II</sup> and Re<sup>V</sup> with tridentate Schiff bases having PNO, NNO and NNS donor sets. Crystal structures of 2-(Ph<sub>2</sub>PC<sub>6</sub>H<sub>4</sub>N=CH)C<sub>6</sub>H<sub>4</sub>OH and [Co{2-(Ph<sub>2</sub>PC<sub>6</sub>H<sub>4</sub>CH=N)-C<sub>4</sub>H<sub>4</sub>O]<sub>2</sub>][PF<sub>6</sub>], 3553

Synthesis and crystal structure of homoleptic uranium hexa-

C<sub>6</sub>H<sub>4</sub>O<sub>1</sub>2][PF<sub>6</sub>], 3553 Synthesis and crystal structure of homoleptic uranium hexathiolates: [NE<sub>1</sub>H<sub>2</sub>]<sub>2</sub>[U(SPh)<sub>6</sub>] and [(Ph<sub>3</sub>P)Cu(μ-SPh)<sub>3</sub>U(μ-SPh)<sub>3</sub>-Cu(PPh<sub>3</sub>)], 3563 Reactions of co-ordinated ligands. Part 58. The reaction of dimolybdenum μ- $\sigma$ :  $\eta^2$ -(4e)-vinylidene complexes with proton sources and diazomethane; synthesis and crystal structure of the Mo=Mo bonded complex [Mo<sub>2</sub>{μ- $\sigma$ :  $\eta^2$ -CH<sub>2</sub>C(Ph)CH<sub>2</sub>}(CO)<sub>3</sub>-( $\eta$ -C<sub>5</sub>H<sub>3</sub>)<sub>2</sub>][CF<sub>3</sub>SO<sub>3</sub>], 3569

Co-ordination tendencies of two novel compartmental oxa-aza macrobicycles. Crystal structure of a Cu<sup>II</sup>(H<sub>2</sub>O) inclusion complex, 3581

Preparation of α-diazines and α-2-pyridylazines containing (1R)-(+)-camphor or (1R)-(-)-fenchone residues and their complexes with Group 6 metal carbonyls, 3597

Phosphorus-sulfur bond cleavage at a mixed-metal centre; reaction of [(OC)<sub>3</sub>Co(μ-PhCCH)Mo(CO)<sub>2</sub>(η<sup>5</sup>-C<sub>5</sub>H<sub>5</sub>)] with PPh<sub>2</sub>(SPh), 3607

Complexes of the platinum metals. Part 46. 1,1,1,5,5,5-Hexa-fluoro-3-azapentane-2,4-diiminato derivatives of ruthenium, osmium and iridium. Crystal structure of

[Ru{NHC(CF<sub>3</sub>)NC(CF<sub>3</sub>)NH}H(CO)(PPh<sub>3</sub>)<sub>2</sub>], 3615 Bonding interaction between Group 10 and 11 metals. Synthesis, structure and properties of [M<sub>3</sub>(S<sub>2</sub>CNR<sub>2</sub>)<sub>6</sub>M'<sub>2</sub>]<sup>2+</sup> (M = Pt or Pd; M' = Ag or Cu; R = Et, Pr', Pr'<sub>9</sub> Bu'<sub>9</sub> or C<sub>6</sub>H<sub>11</sub>), 3621 Conversion of acetonitrile into acetamide in the co-ordination

spheres of cis- and trans-M<sup>II</sup>(amine)<sub>2</sub> (M = Pt or Pd). Solution and crystal structural studies, 3667

and crystal structural studies, 3007
A luminescent heterometallic  $Au^1 \cdots Cu^1$  complex. Spectroscopic properties and crystal structures of  $[Au(PPh_3)(C_1H_3N_2)]$  and  $[\{Au(PPh_3)(\mu-C_7H_5N_2)Cu(\mu-C_7H_5N_2)\}_2]$   $[C_7H_3N_2 = 7$ -azaindolate), 3677

Preparation of new vanadium(II) iodides and crystal structure of hexakis(acetonitrile)vanadium(II) (tetraiodide), 3683 Three-dimensional framework structures built of heptacyano-

Trice-dimensional framework structures built on heptacyano-tricadmate(ii) units providing polyhedral cavities for guests: classification of the zeolite-like structures, 3695

Co-ordination of 1,4,7-tris(pyrazol-3-ylmethyl)-1,4,7-triazacyclononane with iron(iii), nickel(ii) and zinc(ii). Crystal and molecular structures of [ML][ClO<sub>4</sub>]<sub>2</sub>-nH<sub>2</sub>O (M = Ni, n = 0.5; M = Zn, n = 1), 3739

Synthesis and crystal structure of the first trinuclear chloridebridged platinum(II) complex with mutually perpendicular co-ordination planes: cyclo-tri-µ-chloro-tris[chloro(1-hydroxy-1-imino-2,2-dimethylpropane)platinum(II)]-dichloromethane (0.5/1), 3753

(0.5)13,379.

An alternating copper(II) chain with bridging azide and oxamidate ligands: Crystal structure and magnetic properties of [Cu<sub>2</sub>(dmaeoxd)(N<sub>3</sub>)<sub>2</sub>(H<sub>2</sub>O)<sub>2</sub>] and [{Cu<sub>2</sub>(dmaeoxd)(N<sub>3</sub>)<sub>2</sub>]<sub>n</sub>] {H<sub>2</sub>dmaeoxd = N,N'-bis[2-ddimethylamino)-ethyl]oxamide},

CYANATE

Synthetic and structural studies on bismuth(III) thiocyanate and selenocyanate complexes, 1327

Synthesis and crystal structure determination of a one-dimensional end-to-end cyanate-bridged copper(II) compound, 3005

Clathrate compounds of cadmium cyanide and related hosts with cristobalite-like lattice structures, 1029
Single-crystal low-temperature magnetisation studies of Cs<sub>2</sub>K[Mn-

(CN)<sub>6</sub>], 1121
Different co-ordination behaviour of 1,2-diaminoethane (en) and tetracyanonickelate(II) upon accommodation of polar guest molecules in their metal complex hosts: crystal structures of [M(en)<sub>2</sub>Ni(CN)<sub>4</sub>]-2PhNH<sub>2</sub> (M = Ni, Cu, Zn or Cd) and [{Cd(en)}<sub>2</sub>(en){Ni(CN)<sub>4</sub>}-]-4PhOH, 1237
Synthesis and characterisation of cyanide-bridged heterobinuclear mixed-valence compounds based on cyclopentadienylorganophosphine-ruthenium(II) and comium(II) cyano and pertammine-

phine-ruthenium(II) and -osmium(II) cyano and pentaammine-ruthenium(III) and -osmium(III) moieties, 1987

Molecular structure and linkage isomerism of cis-[Ru(bipy)<sub>2</sub>-{trans-Cr(cyclam)(CN)<sub>2</sub>}<sub>2</sub>]<sup>4\*</sup> (bipy = 2,2'-bipyridine, cyclam = 1,4,8,11-tetraazacyclotetradecane), 2391

Cadmium cyanide-ether clathrates: crystal structures of Cd<sub>8</sub>(CN)<sub>16</sub>(H<sub>2</sub>O)<sub>6</sub>·6G (G = Et<sub>2</sub>O or Pr<sup>1</sup><sub>2</sub>O) and Cd<sub>3</sub>(CN)<sub>6</sub>(H<sub>2</sub>O)<sub>2</sub>·2Pr<sup>n</sup><sub>2</sub>O, 2933

Rhodium(III) complexes with cyanide and sulfur-donor ligands: rhodium-103 nuclear magnetic resonance chemical shift correlations, 3243

Three-dimensional framework structures built of heptacyanotricadmate(II) units providing polyhedral cavities for guests: classification of the zeolite-like structures, 3695

Three- and four-co-ordinate copper(i) complexes: 1:1 and 1:2 1-cyanoguanidine-copper(i) halide adducts, 1935 CYCLOHEPTADIENYL

Alkyl, aryl, vinyl, alkynyl and carbene derivatives of cyclohepta-trienylmolybdenum complexes, 1671 CYCLOHEXADIENE

Cyclohexadiene and benzene derivatives of [Ru<sub>5</sub>C(CO)<sub>15</sub>], 393 CYCLOMETALLATION

Mechanism of the acid-catalysed cyclometallation reaction of dirhodium(II) compounds with general formula [Rh<sub>2</sub>(O<sub>2</sub>CMe)- $(\mu$ -O<sub>2</sub>CMe)<sub>2</sub>((C<sub>6</sub>H<sub>4</sub>)-PPh<sub>2</sub>){P(C<sub>6</sub>H<sub>4</sub>X)<sub>3</sub>}(OH<sub>2</sub>)], 545

CYCLOMETALLATION (contd)
Influence of the length of the quaternisation group on the cyclometallation of [M(2,4'-R-bipy)Cl<sub>3</sub>] (M = Pt<sup>II</sup> or Pd<sup>II</sup>; 2,4'-R-bipy = I<sup>1</sup>/-2alkyl-2,4'-bipyridinium), 879
CYCLOOCTATETRAENE

Molecular and electronic structures of bis[1,4-bis(trimethylsilyl)-cyclooctatetraene] sandwich complexes of titanium and zirconium, 2867

CYCLOPALLADATION

Influences of the substituents at the iminic carbon atoms (hydrogen versus methyl) upon the properties of ferrocenylimines and their cyclopalladated derivatives, 735

Carbon-hydrogen and C-X (X = Cl or SiMe<sub>3</sub>) bond activation. 1-Cyclopalladation and oxidation of some derivatives of 2-[(dimethylamino)methyl]naphthalene, 2293

CYCLOPENTADIENYL

Binuclear pentamethylcyclopentadienyl dirhodium complexes with pyrazolato and diphenylphosphido bridging ligands, 159 Cationic titanium(IV) complexes via halide abstraction from

[Ti(C,H<sub>3</sub>)Cl<sub>3</sub>]: crystal and molecular structure of [Ti(C,H<sub>3</sub>)(MeCN)<sub>3</sub>][SbCl<sub>6</sub>]<sub>3</sub>·2MeCN, 305 η-Cyclopentadienyllungsten compounds with vinyl- and allylphosphine ligands, 871 Bis(cyclopentadienyl) clusters of ruthenium: the synthesis,

Bis(cyclopentadienyl) clusters of ruthenium: the synthesis, characterisation and molecular structures of [Ru<sub>5</sub>C(CO)<sub>10</sub>(η<sup>5</sup>-C<sub>5</sub>H<sub>5</sub>)<sub>2</sub>] and [Ru<sub>6</sub>C(CO)<sub>12</sub>(η<sup>5</sup>-C<sub>5</sub>H<sub>5</sub>)<sub>2</sub>], 1105

Chiral cyclopentadienyl catalysts. Part 3. Synthesis and reactions of (S)-1-(1-dimethylaminoethyl)-2-(2,3,4,5-tetramethylcyclopenta-1,3-dienyl)benzene; crystal structure of [Rh{η<sup>5</sup>-C<sub>5</sub>Me<sub>4</sub>C<sub>6</sub>H<sub>4</sub>-CH(Me)NMe<sub>2</sub>]Cl<sub>2</sub>], 1445

Studies on preparable athanide complexes. Part 55. Synthesis of

Studies on organolanthanide complexes. Part 55. Synthesis of furan-bridged bis(cyclopentadienyl) lanthanide and yttrium chlorides, and ligand and metal tuning of reactivity of organolanthanide hydrides (*in situ*), 1599

Photoelectrochemical dehalogenation: bis(cyclopentadienyl)-vanadium dichloride and -molybdenum dichloride, 1711 Studies on organolanthanide complexes. Part 56. Formation of ion-pair complexes [Na-3phen] † [Ln(C<sub>3</sub>H<sub>3</sub>)<sub>2</sub>Cl] • phen (Ln = La, Pr or Nd; phen = 1,10-phenanthroline) and crystal structure for Ln = Pr, 2109

(η-Cyclopentadienyl)imido derivatives of molybdenum and tungsten, 2851

Mean magnetic susceptibility and its solvent dependence for several substituted ferrocenes, ruthenocene and di(η<sup>6</sup>-benzene)chromium,

3257
Formation of cationic monocyclopentadienyl metal(tv) compounds following halide abstraction from [M(η²-C₃H₃)Cl₃(MeCN)₂] (M = Zr or Hf): crystal and molecular structure of [Hf(η²-C₃H₃)-(MeCN)₃][SbCl₃]. cH₃-Cl₃-Cl₃-S285
Carbonylation of the alkyl compounds [U(η-C₃H₄R)₃R²] and rearrangement of the acyl derivatives [U(η-C₃H₄R)₃(η²-COR²)] into C₃H₄RN¹. Inducence of R and R′ (Me, Pr' or Bu') and role of the solvent (benzene or tetrahydrofuran), 3397
Charge-tenger interactions between sulfix discide and Group 8.

Charge-transfer interactions between sulfur dioxide and Group 8 half-sandwich complexes, 3515
Reactions of monocyclopentadienyl complexes of molybdenum and tungsten with derivatives of phenols and pentafluorobenzeneselenol, 3527
CYCLOPHANE

CYCLOPHANE

Crystal structures of [Pb(NO<sub>3</sub>)<sub>6</sub>]<sup>4-</sup> and [Ba(NO<sub>3</sub>)<sub>6</sub>]<sup>4-</sup> salts of 24-pyrimidinium crown 6 {5,12,19,26,33,40-hexaamino-3,10,17,24,31,38-hexamethyl[1.<sub>6</sub>](1,5)pyrimidiniophane}, 563

Mono- and bi-nuclear copper(ii) complexes of azaparacyclophanes with a single aromatic spacer. Crystal structure of [Cu<sub>3</sub>L<sup>2</sup>Cl<sub>4</sub>]-1.5H<sub>2</sub>O (L<sup>2</sup> = 2,5,8,11-tetraaza[12]paracyclophane), 2995

CYCLOPHOSPHAZANE

Reactions of the hexachlorocyclodiphosphazane [MeNPCl<sub>3</sub>]<sub>2</sub> with primary aromatic amines: formation of highly basic bisphosphinimines, 847

CYCLOPHOSPHAZENE

Preparation of urethane and urea derivatives of (NPCl<sub>2</sub>)<sub>3</sub>. Crystal structure of a spirocyclic phosphazene with a phosphacyanuric

Synthesis and characterization of mononuclear nickel(II) and cobalt(II) complexes of 2,2,4,4-tetrakis(3,5-dimethylpyrazolyl)-6,6-diphenyl-2λ<sup>2</sup>,4λ<sup>2</sup>,6λ<sup>2</sup>-cyclotriphosphaza-1,3,5-triene L: crystal structure of [NiLCl<sub>2</sub>], 1301

Rate constants for intramolecular electron-transfer reactions of ruthenium-modified histidine mutants of cytochrome b2s

Cytochrome c oxidase models: synthesis and reactivity of iron(III)copper(II) complexes of deuterohaemin–polybenzimidazole dinucleating ligands, 3203 **DECOMPOSITION** 

Decomposition of chemically and electrochemically generated nickel(III) complexes with N<sub>2</sub>O<sub>2</sub> Schiff-base ligands, 571 Stereoselective photosensitized decomposition of

tris(oxalato)cobaltate(III) and tris(acetylacetonato)cobalt(III) by tris(2,2'-bipyridine)ruthenium(II), 583 **DEHALOGENATION** 

Photoelectrochemical dehalogenation: bis(cyclopentadienyl)-vanadium dichloride and -molybdenum dichloride, 1711

Comparison of carbon-13 nuclear magnetic resonance methods for the analysis of multiple partially deuteriated products from catalytic reactions: heptan-1-ol and 2-methylpropanol, 3061

DIAMINE

Efficient stereochemical regulation of octahedral cobalt(III) complexes by a chiral bidentate ligand. Part 2. Remarkable effect of the chelate-ring size in the stereoselective formation of sym-cis-(ethylenediamine-N,N'-diacetato)(pentane-2,4diamine)cobalt(III),

DIASTEREOISOMERISM

Synthesis and chemistry of 1,1-bis(3-indenyl)ethane; crystal structure of [{Ru(CO)<sub>2</sub>}<sub>2</sub>{η<sup>2</sup>:η<sup>5</sup>-CH<sub>3</sub>CH(C<sub>9</sub>H<sub>6</sub>)<sub>2</sub>}], 1731 **DIAZABICYCLOOCTANE** 

Low-temperature syntheses of a 1,4-diazabicyclo[2.2.2]octane-intercalated phosphatoantimonic acid, 2881

Technetium diazenido complexes. Part 2. Substitution chemistry of [TcCl(NNC<sub>6</sub>H<sub>4</sub>Cl-4)<sub>2</sub>(PPh<sub>3</sub>)<sub>2</sub>] and the synthesis of technetium diazenido-complexes directly from [NH<sub>4</sub>][TcO<sub>4</sub>], 1251

DIAZINE

Preparation and characterisation of bis(1,1,1,5,5,5-hexafluoropentane-2,4-dionato)copper(II) complexes with diazaaromatic compounds. Part 1. Crystal structures and characterisation of several adducts with diazines, 13

Reactions of co-ordinated ligands. Part 58. The reaction of dimolybdenum μ-σ: η²-(4e)-vinylidene complexes with proton sources and diazomethane; synthesis and crystal structure of the Mo≡Mo bonded complex [Mo<sub>2</sub>{μ-σ: η²-CH<sub>2</sub>C(Ph)CH<sub>2</sub>}(CO)<sub>3</sub>-(η-C<sub>3</sub>H<sub>2</sub>)<sub>2</sub>][CF<sub>3</sub>SO<sub>3</sub>], 3569

Structure and reactivity of aryl(bromo)nickel complexes relevant to nickel(0) complex-promoted dehalogenative polycondensation of organic dihalides, 943

DIHYDRIDE

New multihydride complexes of rhenium containing diphosphine ligands: low-temperature protonation of [ReH<sub>7</sub>(Ph<sub>2</sub>PCH=CHPPh<sub>2</sub>-PP')], 917

DIHYDROGEN

New chemistry of binuclear molybdenocene compounds: unexpected synthesis of the bis(fulvalene) derivative

[Mo<sub>2</sub>(µ-η: η-C<sub>10</sub>H<sub>3</sub>)<sub>2</sub>H<sub>2</sub>], 201

New multihydride complexes of rhenium containing diphosphine ligands: low-temperature protonation of [ReH<sub>2</sub>(Ph<sub>2</sub>)CH=CHPPh<sub>2</sub>-PP')], 917

DIKETONATE

Unusual solid-state reaction of  $[\{CrL(acac)\}_2(\mu-H_3O_2)][PF_6]_3$ . Isolation and crystal structures of  $[CrL(acac)F]PF_6$  and  $[CrL(acac)(O_2PF_2)]PF_6$  (L=1,4,7-trimethyl-1,4,7-triazacyclononane, acac = pentane-2,4-dionate), 2041

DIKETONE

Bimetallic aluminium and gallium derivatives of 1,1,1,5,5,5-hexa-fluoropentane-2,4-dione via selective metallation/hydrometalla-

DIMETHYL SULFOXIDE

NET HYL SULFOXIDE

New aspects of rhodium(III)—dimethyl sulfoxide chemistry: synthesis and molecular structure of [NEt<sub>4</sub>][cis-RhCl<sub>4</sub>{(CH<sub>3</sub>)<sub>2</sub>SO}<sub>2</sub>] and chemical behaviour in aqueous solution of [RhCl<sub>4</sub>{(CH<sub>3</sub>)<sub>2</sub>-SO}<sub>2</sub>-]<sup>3-n</sup> (n = 3 or 4) complexes, 1849

 $SO_{6-n}^{3-n}$ DINITROGEN

Kinetics of substitution reactions of trans-[Mo(N<sub>2</sub>)<sub>2</sub>(PPh<sub>2</sub>Me)<sub>4</sub>] with tripodal phosphines, 1717

A computational study of metal-dinitrogen co-ordination, 1943 Synthesis of trans-[Mo(N<sub>2</sub>)<sub>2</sub>(dippe)<sub>2</sub> [dippe = 1,2-bis(diisopropylphosphino)ethane] and related derivatives, protonation of co-ordinated dinitrogen and crystal structures of

trans-[MoF(NNH<sub>2</sub>)(dippe<sub>2</sub>)][BF<sub>4</sub>] and trans-[MoCl<sub>2</sub>(dippe<sub>2</sub>)][BF<sub>4</sub>], 2431 Metals in the nitrogenases, 2739

Dinitrogenvanadates(-1): synthesis, reactions and conditions for their stability, 3471

DIOXOLENE

Cyclopentadiene-, furan- and thiophene-derived 1,2-dioxolene complexes of platinum(II) and the crystal structure of [Pt{OCC(CO<sub>2</sub>Me)CH<sub>2</sub>C(CO<sub>2</sub>Me)CO}(PPh<sub>3</sub>)<sub>2</sub>], 3383 DIOXYGEN

Cyclic voltammetric studies on some manganese(II) tertiary arylphosphine complexes, 619
On the mechanism of a model quercetinase reaction using a cobalt

Schiff-base complex, 805 Photo-oxidation of [V(CO)<sub>6</sub>] in low-temperature matrices containing O2: formation of a novel superoxovanadium species, 835

DIOXYGEN ACTIVATION

Chemical mechanism of dioxygen activation by trans-[FeCl<sub>2</sub>(cyclam)] + (cyclam = 1,4,8,11-tetraazacyclotetradecane) in the presence of reducing agents such as aliphatic aldehydes or linolenic acid, 2805

DIPHOSPHAZANE

Reactions of diphosphazane-bridged derivatives of diruthenium nonacarbonyl with metal-containing electrophiles: formation of solvento species [Ru<sub>2</sub>(CO)<sub>5</sub>(solv){µ-(RO)<sub>2</sub>PN(Et)P(OR)<sub>2</sub>}<sub>2</sub>]<sup>2+</sup> (R = Me or Pr) and their reactivity towards various nucleophiles, 1131

Organometallics of diphosphazanes. Part 10. Dinuclear Group 6 metal carbonyl complexes bridged by a cyclodiphosphazane in its cis or trans form, 2661

DIPHOSPHINE

Rhenium multihydride heterobimetallic complexes containing bridging and chelating diphosphine ligands, 379

Synthesis, spectroscopy and electrochemistry of luminescent [Re'N[PhpP(H2)PPh]<sub>2</sub>MeCN]]<sup>2+</sup>, 391

Nucleophilic attack at co-ordinated isocyanides promoted by the

2-pyridyl ligand, 407

Phosphine-substituted trigonal-prismatic and octahedral clusters, 513

Phosphine-substituted trigonal-prismatic and octahedral clusters, 513 Highly stereospecific carbene insertions into platinum-halide bonds. Crystal structure of [PtCl(S-CHClSiMe<sub>3</sub>)(S,S-Ph<sub>2</sub>PCHMeCH<sub>2</sub>CHMePh<sub>3</sub>], 65] Preparation and reactions of [MoH(η<sup>3</sup>-C<sub>4</sub>H<sub>7</sub>)(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>-κ²P)(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>-κ²P)]; the intramolecular interconversion between η<sup>3</sup>-2-methylallyl and η<sup>4</sup>-trimethylenemethane ligands, 767 New multihydride complexes of rhenium containing diphosphine ligands: low-temperature protonation of [ReH<sub>2</sub>(Ph<sub>2</sub>PCH=CHPPh<sub>2</sub>-PP')], 917 Argenediazonium ion insertion into an iron-phosphine bond:

[ReH<sub>7</sub>(Ph<sub>2</sub>PCH=CHPPh<sub>2</sub>-PP')], 917
Arenediazonium ion insertion into an iron-phosphine bond; synthesis and crystal structure of [Fe(NO)<sub>2</sub>{PPh<sub>2</sub>CH<sub>2</sub>CH<sub>2</sub>-P(Ph)<sub>2</sub>NN(C<sub>6</sub>H<sub>4</sub>F-p)}][PF<sub>6</sub>]-OC<sub>4</sub>H<sub>8</sub>, 1161
Syntheses of dinuclear gold(i) ring complexes containing two different bridging ligands. Crystal structure of [Au<sub>2</sub>{µ-(CH<sub>2</sub>)<sub>2</sub>-PPh<sub>2</sub>}(µ-S<sub>2</sub>CNEt<sub>2</sub>)], 1163
Electrochemical, electron spin resonance and nuclear magnetic resonance investigations of tertiary phosphine complexes of

resonance investigations of tertiary phosphine complexes of nickel. Part 2. [Ni<sup>1</sup>L<sub>4</sub>]<sup>+</sup>, [Ni<sup>1</sup>(L-L)<sub>2</sub>]<sup>+</sup> and their precursors (L monodentate phosphine, L-L = bidentate diphosphine), 1231 Cleavage and reassembly of trinuclear palladium clusters in reactions with an isocyanide ligand, 1283

New co-ordination mode of 4,5-dimercapto-1,3-dithiole-2-thiopart(2,1) is polymology and (2,2).

thionate(2 – ) in polynuclear gold(t) complexes. Crystal structures of [Au<sub>3</sub>( $\mu_3$ -C<sub>3</sub>S<sub>5</sub>)(PPh<sub>3</sub>)<sub>3</sub>]ClO<sub>4</sub> and [Au<sub>4</sub>( $\mu$ -C<sub>3</sub>S<sub>5</sub>)<sub>2</sub>( $\mu$ -Ph<sub>2</sub>PCH<sub>2</sub>-PPh<sub>2</sub>)<sub>2</sub>], 1325

Synthesis, structure and electrochemistry of Ph<sub>2</sub>PCH<sub>2</sub>PPh<sub>2</sub>-bridged heterometallic complexes containing a (η-C<sub>2</sub>H<sub>4</sub>Me)Mn(CO)<sub>2</sub>

fragment, 1533

Iragment, 15.53
Sterically hindered diphosphines (Ph<sub>2</sub>P)<sub>2</sub>C=CHR (R = Me or Ph) and their derivatives, 1791
Synthesis, characterization and photophysics of luminescent organogold(1) phosphines, 2057
Synthesis of *trans*-[Mo(N<sub>2</sub>)<sub>2</sub>(dippe)<sub>2</sub>] [dippe = 1,2-bis(diisopropylphosphino)ethane] and related derivatives, protonation of coordinated disintegers and created streams.

bis(diisopropylphosphino)ethane] and related derivatives, protonation of co-ordinated dinitrogen and crystal structures of trans-[MoF(NNH<sub>2</sub>)(dippe<sub>2</sub>)][BF<sub>4</sub>] and trans-[MoCl<sub>2</sub>(dippe<sub>2</sub>)][BF<sub>4</sub>], 2431

Synthesis, photophysics and electrochemistry of a novel luminescent platinum(ii) sulfido complex. Crystal structure of [Pt<sub>2</sub>(μ-S)-(μ-dppm)(dppm)<sub>2</sub>]<sup>2+</sup> (dppm = Ph<sub>2</sub>PCH<sub>2</sub>PPh<sub>2</sub>), 2587

Synthesis of novel donor-acceptor manganese(i) complexes of ferrocenylacetylene: crystal structure of [(C<sub>2</sub>H<sub>2</sub>)Fe(C<sub>2</sub>H<sub>4</sub>)-C=CMn(CO)<sub>3</sub>{Ph<sub>2</sub>PCH(Me)CH<sub>2</sub>PPh<sub>2</sub>}] which has potential for second-order non-linear optics, 2589

Reactivity of nickel(ii) diphosphine complexes towards alkoxides:

Reactivity of nickel(II) diphosphine complexes towards alkoxides: a new route to the synthesis of nickel(0) compounds through nickel(II) alkoxides, 2761

Synthesis and redox properties of cis-[ReCl(NCR)(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>-PPh<sub>2</sub>)<sub>2</sub>] (R = alkyl or aryl) complexes with a cis-phosphine rhenium(t) centre, 3299

Stereoselective alkyne insertion into a bridging hydride at a diiron centre: cis-trans isomerisation and metallacycle formation,

DISACCHARIDE

Iron(III) complexes of lactobionic acid: equilibrium and structural studies in aqueous solution, 1189

DISELENOETHER

Synthesis and spectroscopic studies of palladium and platinum complexes of methylene-backboned dithio-, diseleno- and ditelluro-ether ligands, RECH<sub>2</sub>ER (R = Me or Ph; E = S,

Se or Te), 2835 DISSOCIATION

Kinetics of acid-catalysed dissociation of tetraazamacrocyclic ligand complexes of copper(II), 191

Synthesis and spectroscopic studies of palladium and platinum

complexes of methylene-backboned dithio-, diseleno- and ditelluro-ether ligands,  $RECH_2ER$  (R=Me or Ph; E=S,

Se or Te), 2835 DITHIOCARBAMATE

DITHIOCARBAMATE
 Syntheses of dinuclear gold(i) ring complexes containing two different bridging ligands. Crystal structure of [Au<sub>2</sub>(μ-(CH<sub>2</sub>)<sub>2</sub>-PPh<sub>2</sub>)(μ-S<sub>2</sub>CNE<sub>2</sub>)], 1163
 Synthesis and crystal structure of tris(diethyldithiocarbamato-S,S')(disulfido-S,S')niobium(v), 1765
 Bonding interaction between Group 10 and 11 metals. Synthesis, structure and properties of [M<sub>3</sub>(S<sub>2</sub>CNR<sub>2</sub>)<sub>6</sub>M'<sub>2</sub>]<sup>2+</sup> (M = Pt or F M' = Ag or Cu; R = Et, Pr', Pr<sup>n</sup>, Bu<sup>n</sup> or C<sub>6</sub>H<sub>11</sub>), 3621
 DITHIOCARBAZATE
 Ligand control on the synthesis and radox patency of mononucles

Ligand control on the synthesis and redox potency of mononuclear manganese-(III) and -(IV) complexes with tridentate ONS co-ordination, 2799

Co-ordination, 2/99
Dithiolene-like palladium complexes of methyl 3-phenyldithiocarbazate and related derivatives. Crystal structure of [Pd;N[C<sub>6</sub>H<sub>3</sub>(OMe-4)NC<sub>6</sub>H<sub>4</sub>(OMe-4)]NC(S)SMe}(SCN)]-0.5C<sub>6</sub>H<sub>6</sub>, 3349

DITHIOÈTHER

Synthesis and spectroscopic studies of palladium and platinum complexes of methylene-backboned dithio-, diseleno- and ditelluro-ether ligands, RECH<sub>2</sub>ER (R = Me or Ph; E = S,

Se or Te), 2835 DITHIOFORMATE

Preparation of dithioformato, thioformamido and formamido derivatives of iron(II), 1769

DITHIOLATE

Stereoselective oxidative-addition reaction of molecular iodine and mercury(n) halides to rhodium dithiolate compounds. Crystal structure of [Rh<sub>2</sub>{µ-S(CH<sub>2</sub>)<sub>2</sub>S|Cl<sub>2</sub>(CO)<sub>2</sub>(PPh<sub>2</sub>)<sub>2</sub>] 385 Synthesis, structure and properties of [Hpy]<sub>2</sub>[{M(mnt)<sub>2</sub>}<sub>2</sub>] (M = Co or Fe, Hpy = pyridinium, mnt = maleonitriledithiolate),

2655

DITHIOLENE

Dithiolenes revisited: an electron spin resonance study of some Five-co-ordinate cobalt complexes and the crystal structures of [Co{S<sub>2</sub>C<sub>2</sub>(CF<sub>3</sub>)<sub>2</sub>}<sub>2</sub>{P(OPh)<sub>3</sub>}] and [Co{S<sub>2</sub>C<sub>2</sub>(CF<sub>3</sub>)<sub>2</sub>}<sub>2</sub>{PPh<sub>3</sub>}], 2903

DITHIOPHOSPHATE

Synthesis and characterization of methylplatinum(II) O,O'-dialkyl dithiophosphates. Crystal structure of [PtMe{S<sub>2</sub>P(OPr)<sub>2</sub>}-(AsPh<sub>3</sub>)], 1207 DITHIOPHOSPHINATE

Synthesis and characterization of phenoxarsin-10-yl diorgano-dithiophosphinates. A folded phenoxarsine system in the first dimeric organoarsenic(III) 1,1-dithiolate associated through As · · · S secondary bonding, 2191

Binding geometry of cobalt bleomycin, an empirical force-field analysis, 551

DONOR LIGAND

Structural and bonding patterns in tetrahedral and pseudotetrahedral transition-metal complexes containing π-donor ligands, 1607

Binding geometry of cobalt bleomycin, an empirical force-field analysis, 551 Anthracycline anticancer drugs as effective ligands for terbium(III)

ions, 3689 DYNAMICS

YNAMICS
2,2':6',2"-Terpyridine (terpy) acting as a fluxional bidentate ligand.
Part 3. Ruthenium carbonyl halide complexes,
[RuX<sub>2</sub>(CO)(terpy)] (X = Cl, Br or I) and metal tetracarbonyl
complexes [M(CO)<sub>4</sub>(terpy)] (M = Cr, Mo or W): nuclear
magnetic resonance studies of their solution dynamics and
synthesis of trans-[RuX<sub>2</sub>(CO)(terpy)] (X = Cl, Br or I), 111
1,2-Metallotropic shifts in trimethylplatinum(IV) and
tricarbonylrhenium(I) halide complexes of pyridazine
and 4-methylpyridazine 445

and 4-methylppridazine, 445
Solid-state <sup>13</sup>C nuclear magnetic resonance investigations of molecular dynamics in crystalline benzenetricarbonylchromium, 3193

ELECTROCHEMISTRY

Chemistry of molybdenum. Part 9. Non-oxomolybdenum(IV) and mononuclear oxomolybdenum(v) complexes with dithioacid ligands, 97
Electrochemical and electron-electron exchange interactions in

Electrochemical and electron–electron exchange interactions in binuclear molybdenum complexes containing the bridging ligand 4-(imidazol-1-yl)phenol, 143

Structure and electrochemical properties of the new triply bridged molybdenum(V) complex [NBuº4]2[Mo2O2(μ-O)(SCH2CO2)2-(μ-SCH2CO2)], 175

Unusual properties of metal complexes involving acyclic polydentate thioether ligands. Copper, nickel and palladium complexes of 3,6,9,12,15-pentathiaheptadecane, 185

Synthesis and proton-coupled redox properties of mononuclear or

**ELECTROCHEMISTRY** (contd)

asymmetric dinuclear complexes of ruthenium, rhodium and/or osmium containing 2,2'-bis(2-pyridyl)-6,6'-bibenzimidazole, 263 Synthesis, structure and metal redox of new VO<sup>3+</sup> and VO<sup>2+</sup>

complexes incorporating mixed tridentate-bidentate binding, 557 Cyclic voltammetric studies on some manganese(II) tertiary arylphosphine complexes, 619

arylphosphine complexes, 619
Platinum thioether macrocyclic chemistry: synthesis and electrochemistry of [PtL][PF<sub>6</sub>]<sub>2</sub> (L = [12]-, [14]- or [16]-aneS<sub>4</sub>) and [Pt<sub>2</sub>([28]aneS<sub>4</sub>)][PF<sub>6</sub>]<sub>2</sub>. MeCN, 627
[Pt([12]aneS<sub>4</sub>)][PF<sub>6</sub>]<sub>2</sub>. MeCN, 627
Electrochemical behaviour of cobalt(t) hydrides, 695
Electrochemical control of bridging ligand conformation in a binuclear complex—a possible basis for a molecular switch, 799
Electrochemical videtion of diagram themising (t) complexes of

Electrochemical oxidation of diaquaruthenium(II) complexes of quaterpyridines and crystal structure of [RuL<sup>1</sup>(PPh<sub>3</sub>)<sub>2</sub>][ClO<sub>4</sub>]<sub>2</sub> (L<sup>1</sup> = 3",5,5',5"'-tetramethyl-2,2':6',2":6",2"'-quaterpyridine), 895

Copper(II) complexes of novel tripodal ligands containing phenolate and benzimidazole/pyridine pendants: synthesis, structure, spectra and electrochemical behaviour, 1219

structure, spectra and electronemical behaviour, 1219 Electrochemical, electron spin resonance and nuclear magnetic resonance investigations of tertiary phosphine complexes of nickel. Part 2. [Ni<sup>1</sup>(L<sub>1</sub>)<sup>+</sup>, [Ni<sup>1</sup>(L<sub>1</sub>-L<sub>2</sub>]<sup>+</sup> and their precursors (L = monodentate phosphine, L-L = bidentate diphosphine), 1231 New ruthenium(II) complexes of α,α'-diimines. Synthesis, electrochemical and optical spectral properties of mononuclear complexes containing ary((2-pyridylmethylene)amine and 2,2'-bipyridine ligands, 1305

Cyclic voltammetry and spectroelectrochemistry of rhodium phthalocyanines, 1359

prinatocyanines, 1539
Pendant-functionalised ligands for metallosupramolecular
assemblies; ruthenium(II) and osmium(II) complexes of 4'-(4pyridyl)-2,2': 6',2"-terpyridine, 1409
Synthesis, structure and electrochemistry of Ph<sub>2</sub>PCH<sub>2</sub>PPh<sub>2</sub>-bridged
heterometallic complexes containing a (η-C<sub>3</sub>H<sub>4</sub>Me)Mn(CO)<sub>2</sub>
fragment, 1533

fragment, 1533

(Royal Magneti, 1935)

Syntheses and electrochemistry of [Mo(NO){HB(mppz)<sub>3</sub>;Cl(ER)]

(mppz = 3-p-methoxyphenylpyrazol-1-yl; E = O or NH; R = Ph or C<sub>6</sub>H<sub>4</sub>Me-2) and the crystal structures of [Mo(NO)-{HB(mppz)<sub>3</sub>}Cl(OPh)] and [Mo(NO){HB(mppz)<sub>3</sub>}-Cl(NHC<sub>6</sub>H<sub>4</sub>Me-2)], 1555

Synthesis, electrochemical and magnetic properties of a series of new

Synthesis, electrochemical and magnetic properties of a series of new unsymmetrical macrocyclic binuclear copper(ii) complexes, 1595
Syntheses and electrochemistry of imidochromium(v) compounds.
Crystal structure of [PPh,][Cr(NBu)Cl<sub>4</sub>(OH<sub>2</sub>)], 1659
Photoelectrochemical dehalogenation: bis(cyclopentadienyl)-vanadium dichloride and -molybdenum dichloride, 1711
Synthesis and characterisation of cyanide-bridged heterobinuclear mixed-valence compounds based on cyclopentadienylorganophosphine-ruthenium(i) and comjunt(ii) cyano and pentagammine-

phine-ruthenium(II) and -osmium(II) cyano and pentaammine-ruthenium(III) and -osmium(III) moieties, 1987

Synthesis, structure, magnetism and electrochemistry of binuclear nickel(ii) and copper(ii) complexes of an unsymmetrical pentadentate Schiff-base ligand, 2129

Bioinorganic reaction centres on electrodes. Modified electrodes possessing amino acid, peptide and ferredoxin-type groups on a poly(pyrrole) backbone, 2181

pony(pyrroic) backbone, 2161
Synthesis, chiroptical and electrochemical studies of dioxouranium(v1)
complexes of aldimine derivatives of 1-/D-histidine and crystal
structure of (2,2'-bipyridyl)dioxo(N-o-vaniilylidene-Lhistidinato)uranium(v1)—water-methanol(1/1/1), 2381

Photoelectrochemical and quenching studies of tris(2,2'-bipyridine)ruthenium(II) bound to Nafion- and clay-coated

electrodes, 2445 Synthesis, photophysics and electrochemistry of a novel luminescent platinum(ii) sulfido complex. Crystal structure of [Pt<sub>2</sub>(μ-S)-(μ-dppm)(dppm)<sub>2</sub>]<sup>2+</sup> (dppm = Ph<sub>2</sub>PCH<sub>2</sub>PPh<sub>2</sub>), 2587 Synthesis and electrochemistry of dialkylosmium-(iv) and -(v)

Synthesis and electrochemistry of dialkylosmium-{iv} and -{v} porphyrins. Crystal structure of [Os(ttp)(CH<sub>2</sub>SiMe<sub>3</sub>)<sub>2</sub>] [H<sub>2</sub>ttp = 5,10,15,20-tetra(p-tolyl)porphyrin], 2713 Water-soluble Co<sub>3</sub>C and Co<sub>2</sub>C<sub>2</sub> clusters, redox chemistry and electrochemical reactions in water, 2821 Effects of the nature of the nitrogen donor atom (sp<sup>2</sup> versus sp<sup>3</sup>) upon the properties and chemistry of palladated complexes with of Qd-C<sub>3</sub>p<sup>2</sup>, ferrocene) bonds, 3039 Synthesis and solid-state structure of Epd.Ru.(CO)<sub>2</sub>, 12<sup>-2</sup>

σ(Pd-C<sub>3</sub>)<sup>2</sup>, ferrocene) bonds, 3039

Synthesis and solid-state structure of [Pd<sub>6</sub>Ru<sub>6</sub>(CO)<sub>24</sub>]<sup>2-</sup>.

Electrochemistry and <sup>13</sup>C nuclear magnetic resonance spectra of [Fe<sub>6</sub>Pd<sub>6</sub>H(CO)<sub>24</sub>]<sup>3-</sup> and [Pd<sub>6</sub>Ru<sub>6</sub>(CO)<sub>24</sub>]<sup>2-</sup>, 3237

Synthesis and electrochemistry of nickel and cobalt complexes of mixed thia–aza crown ethers: single-crystal structures of [Ni([18]aneN<sub>2</sub>S<sub>4</sub>)][PF<sub>6</sub>]<sub>2</sub>·0.33H<sub>2</sub>O and [Co([18]aneN<sub>2</sub>S<sub>4</sub>)][PF<sub>6</sub>]<sub>3</sub>·3+1<sub>2</sub>O ([18]aneN<sub>2</sub>S<sub>4</sub> = 1,4,10,13-tetrathia-7,16-diazacyclooctadecane), 3291

Synthesis and redox properties of circ FP oCl(NCD) (FP, DC) (CM)

Synthesis and redox properties of cis-[ReCl(NCR)(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>-PPh<sub>2</sub>)-] (R = alkyl or aryl) complexes with a cis-phosphine rhenium(i) centre, 3299

Dithiolene-like palladium complexes of methyl 3-phenyldithio-

carbazate and related derivatives. Crystal structure of [Pd{N[C $_6$ H $_3$ (OMe-4)NC $_6$ H $_4$ (OMe-4)]NC(S)SMe}(SCN)]-0.5C $_6$ H $_6$ , 3349

Synthesis and redox studies on ruthenium and osmium complexes with primary and secondary phosphines. Single-crystal structures of trans-[RuCl<sub>2</sub>(PPhH<sub>2</sub>)<sub>4</sub>] and trans-[OsCl<sub>2</sub>(PPh<sub>2</sub>H)<sub>4</sub>]·CH<sub>2</sub>Cl<sub>2</sub>,

Spectroelectrochemical and flash photochemical reduction of 1,4,5,8-tetraazaphenanthrene and 1,4,5,8,9,12-hexaazatriphenylene

mono- and bi-metallic ruthenium(II) complexes, 3651
Radical intermediates in the reductive isomerisation of octahedral manganese carbonyl bipyridyl complexes; electrochemistry electron spin resonance spectroscopy and molecular-orbital calculations, 3745

**ELECTRODE** 

Spectral sensitization of large-band-gap semiconductors (thin films and ceramics) by a carboxylated bis(1,10-phenanthroline)copper(1) complex, 1649

Bioinorganic reaction centres on electrodes. Modified electrodes possessing amino acid, peptide and ferredoxin-type groups on a poly(pyrrole) backbone, 2181

Photoelectrochemical and quenching studies of tris(2,2'-bipyridine)ruthenium(II) bound to Nafion- and clay-coated

ELECTRON DIFFRACTION

Molecular structure of tetrakis(tert-butylimido)osmium(vIII), determined in the gas phase by electron diffraction, 1563

CSeSeC(CF<sub>3</sub>)C(CF<sub>3</sub>)SeSeCCF<sub>3</sub>. Electron diffraction study of F<sub>3</sub>CCSeSeCCF<sub>3</sub> and crystal structure of the eight-membered

heterocycle F<sub>3</sub>CCSeSeC(CF<sub>3</sub>)C(CF<sub>3</sub>)SeSeCCF<sub>3</sub>, 2705 Molecular structure of gaseous 1,7-dichloro-1,7-dicarba-closo-dodecaborane(12), 1,7-Cl<sub>2</sub>-1,7-C<sub>2</sub>B<sub>10</sub>H<sub>10</sub>, as studied by electron diffraction and *ab initio* calculations, 2885

Molecular structure of gaseous 1,7-dichloro-1,7-dicarba-closo-dodecaborane(12), 1,7-Cl<sub>2</sub>-1,7-C<sub>2</sub>B<sub>10</sub>H<sub>10</sub>, as studied by electron diffraction and *ab initio* calculations (1994, 2885), 3775

ELECTRONEGATIVITY

Pearson's chemical hardness, heterolytic dissociative version of Pauling's bond-energy equation and a novel approach towards understanding Pearson's hard-soft acid-base principle (1991, 1541), 3201

ELECTRÓNIC

Synthesis and proton-coupled redox properties of mononuclear or asymmetric dinuclear complexes of ruthenium, rhodium and/or osmium containing 2,2'-bis(2-pyridyl)-6,6'-bibenzimidazole, 263 Optical investigation of the intervalence charge-transfer interactions

in the three-dimensional gold mixed-valence compounds

 $Cs_2Au_2X_6$  (X = Cl, Br or I), 327 New ruthenium(II) complexes of  $\alpha,\alpha'$ -diimines. Synthesis, electrochemical and optical spectral properties of mononuclear complexes containing aryl(2-pyridylmethylene)amine and 2,2'-bipyridine ligands, 1305

otakis(alkylthio)-substituted phthalocyanines and their inter-actions with silver(i) and palladium(ii) ions, 1419 Synthesis and characterisation of cyanide-bridged heterobinuclear mixed-valence compounds based on cyclopentadienylorganophosphine-ruthenium(II) and -osmium(II) cyano and pentaammine-ruthenium(III) and -osmium(III) moieties, 1987

Preparation, crystal structures, conductivities and electronic structures of [et],[NiCl]-H<sub>2</sub>O and [et],[AuBr<sub>4</sub>] [et = bis(ethylenedithio)tetrathiafulvalene], 1995
High-temperature spectrophotometric and electron spin resonance

spectroscopic investigations of vanadium complexes in the molten salt–gas system  $V_2O_5$ – $K_2S_2O_7/SO_2$ – $SO_3$ – $N_2$ , 2151 Influence of chelate-ring size and number of sulfur-donor atoms on

the spectra and redox behaviour of copper(II) bis(benzimidazolyl) tetra- and penta-thioether complexes, 2277

Photochemical and photophysical properties of fac[Re(CO)<sub>3</sub>(L)<sub>2</sub>CI] (L = quinoline or isoquinoline), 2565

Spectroscopic studies of a square-pyramidal nitridochromium(v) complex, 2609

Electron spin resonance studies and crystal structures of copper(II) complexes of some 12-, 13- and 14-membered oxatriaza macrocycles, 3099

Synthesis, crystal structure and non-linear optical properties of [NEt<sub>4</sub>]<sub>4</sub>[Cu<sub>6</sub>Mo<sub>2</sub>S<sub>6</sub>O<sub>2</sub>Br<sub>2</sub>I<sub>4</sub>], 3211 Electronic structure of rhodium(II) dimers of formula [Rh<sub>2</sub>X<sub>2</sub>-

Electronic structure of rhodium(ii) dimers of formula [Rh<sub>2</sub>X<sub>2</sub>-(μ-O<sub>2</sub>CH)<sub>2</sub>(HN=CHCH=NH)<sub>2</sub>] (X = halide), 3261

A luminescent heterometallic Au'··· Cu' complex. Spectroscopic properties and crystal structures of [Au(PPh<sub>3</sub>)(C<sub>1</sub>H<sub>3</sub>N<sub>2</sub>)] and [{Au(PPh<sub>3</sub>)(μ-C<sub>1</sub>H<sub>3</sub>N<sub>2</sub>)Cu(μ-C<sub>1</sub>H<sub>3</sub>N<sub>2</sub>)}<sub>2</sub>] (C<sub>1</sub>H<sub>3</sub>N<sub>2</sub> = 7-azaindolate), 3677

Interpretation of the electronic spectra of the confacial bioctahedral nonahalides [Ru<sub>2</sub>Cl<sub>3</sub>]<sup>3-</sup> and [Ru<sub>2</sub>Br<sub>3</sub>]<sup>3-</sup> using the SCF-Xα-SW method: location of the σ → σ\* transition, 3759

ELECTRON TRANSFER

Chemiètra of methodenum. Part 9. Non-excomplybdenum(iv) and

Chemistry of molybdenum. Part 9. Non-oxomolybdenum(IV) and

ELECTRON TRANSFER (contd)
mononuclear oxomolybdenum(v) complexes with dithioacid

Electrochemical and electron-electron exchange interactions in binuclear molybdenum complexes containing the bridging ligand 4-(imidazol-1-yl)phenol, 143

4-(midazoi-1-yl)phenol, 143
Synthesis and proton-coupled redox properties of mononuclear or asymmetric dinuclear complexes of ruthenium, rhodium and/or osmium containing 2,2'-bis(2-pyridyl)-6,6'-bibenzimidazole, 263
Kinetics and mechanism of ruthenium(III) catalysed oxidation of formic acid by cerium(IV) in aqueous sulfuric acid media, 589
Rate constants for intramolecular electron-transfer reactions of

ruthenium-modified histidine mutants of cytochrome b2, 675

Redox reactivity of the binuclear iron active site of porcine purple acid phosphatase (uteroferrin), 683

Electrochemical behaviour of cobalt(1) hydrides, 695

Electrochemical control of conduct(1) nydrides, 955

Electrochemical control of bridging ligand conformation in a binuclear complex—a possible basis for a molecular switch, 799

Photo-oxidation of [V(CO)<sub>0</sub>] in low-temperature matrices containing O<sub>2</sub>: formation of a novel superoxovanadium species, 835

Oxidation of thioglycolic acid and glutathione by (transcyclohexane-1,2-diamine-N,N,N',N'-tetraacetato)manganate(III) in august media 841

in aqueous media, 841

Electrochemical oxidation of diaguaruthenium(II) complexes of quaterpyridines and crystal structure of  $[RuL^1(PPh_3)_2][ClO_4]_2$  ( $L^1 = 3'', 5, 5', 5'''$ -tetramethyl-2,2':6',2":6",2"''-quaterpyridine),

Control of the stereochemistry of four-co-ordinate copper(II) complexes by pyridinecarboxamide ligands: crystal structure, spectral and redox properties, 965

Electrochemical, electron spin resonance and nuclear magnetic resonance investigations of tertiary phosphine complexes of nickel. Part 2.  $[Ni^{1}L_{4}]^{+}$ ,  $[Ni^{1}(L-L)_{2}]^{+}$  and their precursors (L monodentate phosphine, L-L = bidentate diphosphine), 1231

Preparation and properties of the heterometallic cuboidal complex [Mo<sub>3</sub>CrS<sub>4</sub>(H<sub>2</sub>O)<sub>12</sub>]<sup>4+</sup>; comparisons with [Mo<sub>4</sub>S<sub>4</sub>(H<sub>2</sub>O)<sub>12</sub>]<sup>4+</sup>, 1275 New ruthenium(II) complexes of α,α'-diimines. Synthesis, electrochemical and optical spectral properties of mononuclear complexes containing aryl(2-pyridylmethylene)amine and 2,2'-bipyridine ligands, 1305

Kinetics and mechanism of oxidation of nitrogen(III) by [ethylenebis(biguanide)]silver(III) cation and its conjugate bases in aqueous perchlorate media, 1349

Cyclic voltammetry and spectroelectrochemistry of rhodium phthalocyanines, 1359 Pendant-functionalised ligands for metallosupramolecular

assemblies; ruthenium(II) and osmium(II) complexes of 4'-(4-pyridyl)-2,2':6',2"-terpyridine, 1409 Kinetics and mechanism for the redox reaction between hexaaqua-

thallium(III) and sulfur dioxide in acidic aqueous solution, 1435 Synthesis, structure and electrochemistry of Ph<sub>2</sub>PCH<sub>2</sub>PPh<sub>2</sub>-bridged heterometallic complexes containing a (η-C<sub>5</sub>H<sub>4</sub>Me)Mn(CO)<sub>2</sub>

Chiral induction in the reduction of [Co(glyO)(ox)<sub>2</sub>]<sup>2-</sup> by [Co(phen)<sub>3</sub>]<sup>2+</sup>(glyO = glycinate, ox = oxalate, phen = 1,10-phenanthroline), 1655

Preparation and properties of the heterometallic cuboidal complex  $[Mo_3CrS_4(H_2O)_{12}]^{4+}$ : comparisons with  $[Mo_4S_4(H_2O)_{12}]^{4+}$  (1994, 1275), 2024

Synthesis and crystal structure of nickel(II) complexes of macro-bicyclic ligands: identification and electron-transfer reactions of the corresponding nickel(III) complexes in solution, 2071

High-temperature spectrophotometric and electron spin resonance spectroscopic investigations of vanadium complexes in the molten salt-gas system V<sub>2</sub>O<sub>5</sub>-K<sub>2</sub>S<sub>2</sub>O<sub>7</sub>/SO<sub>2</sub>-SO<sub>3</sub>-N<sub>2</sub>, 2151 Reduction of nitric oxide by tetramesityliridium(tv) and cobaltocene. Reactions of hyponitrite complexes and of the ether [Co(η<sup>5</sup>-C<sub>2</sub>H<sub>3</sub>)(η<sup>4</sup>-C<sub>3</sub>H<sub>3</sub>)](μ-O-exo) with nitroalkanes, acids and amines, 2223

animes, 2223
Influence of chelate-ring size and number of sulfur-donor atoms on the spectra and redox behaviour of copper(II) bis(benzimidazolyl) tetra- and penta-thioether complexes, 2277
Carbon-hydrogen and C-X (X = Cl or SiMe<sub>3</sub>) bond activation.

1-Cyclopalladation and oxidation of some derivatives of

2-[(dimethylamino)methyl]naphthalene, 2293 Influence of mixed sulfur-nitrogen oxides on the redox kinetics of manganese ions in aqueous solution, 2373

Ligand control on the synthesis and redox potency of mononuclear manganese-(III) and -(IV) complexes with tridentate ONS co-ordination, 2799

Preparation and aqueous solution properties of the heterometallic cuboidal complex [W<sub>2</sub>CuS<sub>4</sub>(H<sub>2</sub>O)<sub>10</sub>]<sup>2+</sup>, 2809 Water-soluble Co<sub>2</sub>C and Co<sub>2</sub>C<sub>2</sub> clusters; redox chemistry and electrochemical reactions in water, 2821

Intercalation of the oxo-transfer molybdenum(vI) complex [MoO<sub>2</sub>[O<sub>2</sub>CC(S)Ph<sub>2</sub>]<sub>2</sub>]<sup>2-</sup> into a zinc(II)-aluminium(III) layered double hydroxide host. Catalysis of the air oxidation of thiols,

Redox reactivity of the type 1 (blue) copper protein amicyanin from *Thiobacillus versutus* with inorganic complexes, 3017

Kinetics and mechanism of the oxidation of iodide by transdioxoruthenium(vi), 3091

Outer-sphere redox reactions in sterically hindered pentaam(m)inecobalt(iii) complexes. A temperature and pressure dependence kinetic study, 3159

Carbon-functionalized 1,4,7-trithiacyclononanes: synthesis,

molecular mechanics and co-ordination chemistry, 3165

Synthesis and electrochemistry of nickel and cobalt complexes of mixed thia-aza crown ethers: single-crystal structures of [Ni([18]aneN<sub>2</sub>S<sub>4</sub>)][PF<sub>6</sub>]<sub>2</sub>·0.33H<sub>2</sub>O and [Co([18]aneN<sub>2</sub>S<sub>4</sub>)][PF<sub>6</sub>]<sub>3</sub>·3H<sub>2</sub>O ([18]aneN<sub>2</sub>S<sub>4</sub> = 1,4,10,13-tetrathia-7,16-diazacyclooctadecane), 329i

Synthesis and redox properties of cis-[ReCl(NCR)(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>-PPh<sub>2</sub>)<sub>2</sub>] (R = alkyl or aryl) complexes with a cis-phosphine rhenium(t) centre, 3299

Synthesis and redox studies on ruthenium and osmium complexes

with primary and secondary phosphines. Single-crystal structures of trans-[RuCl<sub>2</sub>(PPhH<sub>2</sub>)<sub>4</sub>] and trans-[OsCl<sub>2</sub>(PPh<sub>2</sub>H)<sub>4</sub>]·CH<sub>2</sub>Cl<sub>2</sub>,

Spectroelectrochemical and flash photochemical reduction of 1,4,5,8-tetraazaphenanthrene and 1,4,5,8,9,12-hexaazatriphenylene mono- and bi-metallic ruthenium(II) complexes, 3651

Kinetic studies on the oxidation of sulfur(IV) by nickel(IV) oxime-

imine complexes, 3733
Radical intermediates in the reductive isomerisation of octahedral manganese carbonyl bipyridyl complexes; electrochemistry electron spin resonance spectroscopy and molecular-orbital calculations, 3745

Mechanism of the reaction of different phosphates with the iron(II)iron(III) form of purple acid phosphatase from porcine uteri (Uteroferrin), 429
Redox reactivity of the binuclear iron active site of porcine purple acid phosphatase (uteroferrin), 683

On the mechanism of a model quercetinase reaction using a cobalt Schiff-base complex, 805 Rate law for the linearisation of the incomplete cuboidal Fe<sub>3</sub>S<sub>4</sub><sup>+</sup>

Rate law for the linearisation of the incomplete cubolidal Fe<sub>3</sub>5<sub>4</sub> active site in aconitase at high pH, 1025

Dinuclear manganese(II) complexes of unsymmetric phenol-based dinucleating ligands with amino and imino chelating arms: synthesis, structure and catalase-like activity, 1097

w-Oxo-bridged diiron(iii) complexes and H<sub>2</sub>O<sub>2</sub>: monooxygenase-and catalase-like activities, 2081 A model complex for the carboxylate-histidine-zinc system in zinc enzymes. Crystal structure of [Zn(Him)<sub>2</sub>(MeCO<sub>2</sub>)<sub>2</sub>] (Him = imidazole), 2331

Acetazolamide binding to zinc(II), cobalt(II) and copper(II) model

complexes of carbonic anhydrase, 2347

Cytochrome c oxidase models: synthesis and reactivity of iron(III)—
copper(II) complexes of deuterohaemin—polybenzimidazole dinucleating ligands, 3203

#### EPR

EPR
Copper(II) and oxovanadium(IV) complexes of 2,3-dihydroxyterephthalic and 2,3,4-trihydroxybenzoic acids, 347
Crystal and molecular structure of [SnLCl<sub>3</sub>]. The single-crystal
electron paramagnetic resonance spectra of [MoE(L)Cl<sub>2</sub>] and
[MoO(L)(NCS)<sub>2</sub>] diluted in [SnLCl<sub>3</sub>] [E = O or S; L = tris(3,5dimethylpyrazolyl)hydroborate], 1003
Influence of chelate-ring size and number of sulfur-donor atoms on
the spectra and redox behaviour of copper(II) bis(benzimidazolyl)
tetra- and penta-thioether complexes, 2277
Synthesis, characterization and reactivity of Claus' blue, a
superoxodirhodium(III,III) species long said to contain Rh<sup>VI</sup>, 2531
EQUILIBRIUM
Acid-base equilibria of co-ordinated ligands. Part 1. The effect of

QUILIBRIUM
Acid-base equilibria of co-ordinated ligands. Part 1. The effect of basicity of co-ordinated nitrogen donors upon the acidity of chelating 8-aminoquinoline in some dicationic platinum(II) complexes, 731
Mechanism of nucleophilic attack by diethylamine on cationic palladium(II) allyl complexes containing α-diimine ligands, 1145
High-temperature spectrophotometric and electron spin resonance spectroscopic investigations of vanadium complexes in the molten salt-gas system V<sub>2</sub>O<sub>3</sub>-K<sub>2</sub>S<sub>2</sub>O<sub>7</sub>/SO<sub>2</sub>-SO<sub>3</sub>-N<sub>2</sub>, 2151
A chemical model of the solvent extraction system: water-uranyl nitrate-nitric acid-tri-n-butyl phosphate-diluent, 2209
Equilibrium studies of α-diimine displacement in cationic ally/palladium(II) complexes by monodentate N-donors and the

allylpalladium(II) complexes by monodentate N-donors and the mechanism of allyl amination by triethylamine and pyridine,

Reactivity of neutral nitrogen donors in planar d<sup>8</sup> metal complexes. Part 2. The system [2,6-bis(methylsulfanylmethyl)pyridine]-chloroplatinum(II) with pyridines and amines in methanol. Effect of basicity, π-acceptor capacity and steric hindrance, 3539 Binary and ternary complexes of nickel(II) with 2-aminomethylbenzimidazole and salicylaldehyde: kinetic and actilized the property of the prope

equilibrium studies, 3727

Electron spin resonance study of the cobalt(II) species formed after room-temperature photolysis of aqua(sec-butyl)bis-(dimethylglyoximato)cobalt(III) in the presence of N-donor

Synthesis, structure and metal redox of new VO<sup>3+</sup> and VO<sup>2+</sup> complexes incorporating mixed tridentate-bidentate binding, 557 Anisotropic magnetic exchange observed by electron spin resonance in hexaammineruthenium(in) chloride sulfate trihydrate, 901

Electro-hemical, electron spin resonance and nuclear magnetic resonance investigations of tertiary phosphine complexes of nickel. Part 2. [Ni<sup>1</sup>L<sub>4</sub>]\*, [Ni<sup>1</sup>(L-L)<sub>2</sub>]\* and their precursors (L = monodentate phosphine, L-L = bidentate diphosphine), 1231 Electron-gain and -loss centres in oxyanions containing S-S bonds:

an electron-gain and -loss centres in oxyamons containing S-5 bonds: an electron spin resonance study, 1271
Crystal structures and single-crystal electron spin resonance spectra of \( n - \pi \) type molecular complexes of bis(1-methyliminomethyl-2-naphtholato)copper(ii), 2065
Spectroscopic studies of a square-pyramidal nitridochromium(v) complex, 2609

Dithiolenes revisited: an electron spin resonance study of some five-co-ordinate cobalt complexes and the crystal structures of  $[Co\{S_2C_2(CF_3)_2\}_2\{P(OPh)_3\}]$  and  $[Co\{S_2C_2(CF_3)_2\}_2(PPh_3)]$ ,

Electron spin resonance studies and crystal structures of copper(II) complexes of some 12-, 13- and 14-membered oxatriaza macrocycles, 3099

Radical intermediates in the reductive isomerisation of octahedral manganese carbonyl bipyridyl complexes; electrochemistry, electron spin resonance spectroscopy and molecular-orbital calculations, 3745

ESTER

Hydrogenation catalysis by an iron porphyrin and its application to α, β-unsaturated esters,

First structural characterisation of an amino phosphonate monoester metal complex, 3333

ETHANOL

Isolation and crystal structure of a dimeric oxomolybdenum(v) com-plex containing two ethoxy bridges and one ethanol bridge, 1169

Cadmium cyanide-ether clathrates: crystal structures of Cd<sub>8</sub>(CN)<sub>16</sub>(H<sub>2</sub>O)<sub>6</sub>·6G (G = Et<sub>2</sub>O or Pr<sup>i</sup><sub>2</sub>O) and Cd<sub>3</sub>(CN)<sub>6</sub>(H<sub>2</sub>O)<sub>7</sub>·2Pr<sup>n</sup><sub>2</sub>O, 2933

ETHOXIDE

Isolation and crystal structure of a dimeric oxomolybdenum(v) complex containing two ethoxy bridges and one ethanol bridge, 1169

Highly active homogeneous nickel catalysts for alkene dimerisation: crystal structure of [Ni(η<sup>3</sup>-C<sub>3</sub>H<sub>3</sub>)(PPh<sub>3</sub>)Br] and in situ characterisation of AlEt<sub>3</sub>-activated [Ni(η<sup>3</sup>-C<sub>3</sub>H<sub>3</sub>)(PPh<sub>3</sub>)Br] by nuclear magnetic resonance and extended X-ray absorption fine structure spectroscopy, 1337

Synthesis, spectroscopic and structural studies of alkali metal-nickel periodates MNiIO<sub>6</sub> (M = Na, K, Rb, Cs or NH<sub>4</sub>), 1483 Solvation structures for bromide ion in various solvents by

extended X-ray absorption fine structure, 2321

Extended X-ray absorption fine structure studies of transitionmetal periodate and tellurate complexes. Crystal structure of
Rb<sub>2</sub>Na<sub>4</sub>[OsO<sub>2</sub>(H<sub>2</sub>TeO<sub>6</sub>)<sub>2</sub>]-16H<sub>2</sub>O, 2983

EXCHANGE

Exchange reactions of acetate ligands and electrophilic rhodium-carbon bond activation in orthometallated rhodium(II) compounds with trifluoroacetic acid. Crystal structure of [Rh<sub>2</sub>(O<sub>2</sub>CCF<sub>3</sub>)<sub>3</sub>{(C<sub>6</sub>H<sub>4</sub>)PPh<sub>2</sub>}]- 2CF<sub>2</sub>CO<sub>2</sub>H, 539
Kinetics of carbon monoxide exchange in chloro and bromo carbonyl complexes of palladium(II) and platinum(II), 3723
EXCITED STATE

Electron distribution in the excited state of [(OC)<sub>5</sub>W(4,4'-bipy)-W(CO)<sub>5</sub>] (4,4'-bipy = 4,4'-bipyridyl) determined by time-resolved infrared spectroscopy, 2217

FERREDOXIN

Bioinorganic reaction centres on electrodes, Modified electrodes possessing amino acid, peptide and ferredoxin-type groups on a poly(pyrrole) backbone, 2181

FERROCENE

X-Ray photoelectron spectroscopic characterization of [{Pt(PPh<sub>3</sub>)<sub>2</sub>(μ<sub>3</sub>-S)<sub>2</sub>PtCl<sub>2</sub>], [{Pt<sub>2</sub>(PPh<sub>3</sub>)<sub>4</sub>(μ<sub>3</sub>-S)<sub>2</sub>Cu]<sub>2</sub>(μ-dppf)]-[PF<sub>6</sub>]<sub>2</sub> [dppf = Fe(C,H<sub>4</sub>PPh<sub>2</sub>)<sub>2</sub>] and other heterometallic aggregates derived from [{Pt(PPh<sub>3</sub>)<sub>2</sub>(μ-S)}<sub>2</sub>], 3177
Preparation of 1,1'-bis[(diphenylphosphino)methyl]ferrocene and

its transition-metal complexes, 3191

Influence of electronic conjugation and steric effects on the crystal structures of imino- and hydrazido-derivatives of ferrocenecarbaldehyde, 3355

Promotion of tetrahedral copper(i) dimers by chelation of 1,1'-bis(diphenylphosphino)ferrocene (dppf). Crystal structures of [{Cu(μ-X)(dppf-P,P')}<sub>2</sub>] (X = O<sub>2</sub>CH, I or NO<sub>3</sub>), 3451

FERROCENEDIOL.

Hydrogen-bonded adducts of ferrocene-1,1'-diylbis(diphenylmethanol): crystal and molecular structures of 1:1 adducts with 4.4'-bipyridyl, piperazine and dimethylformamide, the 2:1:1 hydrated adduct with morpholine, and two adducts with 1,4-dioxane, 1:1 at 150 K and 1:2 at 298 K, 1971

FERROCENYL

ERROCENYL

Complexes containing ferrocenyl groups as redox spectators; synthesis, molecular structure and co-ordination behaviour of 4'-ferrocenyl-2,2'-6',2"-terpyridine, 645

Influences of the substituents at the iminic carbon atoms (hydrogen versus methyl) upon the properties of ferrocenylimines and their cyclopalladated derivatives, 735

Electronic conjugation pathways in ferrocenyl Schiff bases, 747

Metallosupramolecular complexes containing ferrocenyl groups as redox spectators; synthesis and co-ordination behaviour of the helicand 4',4"-bis(ferrocenyl)-2,2':6',2":6",2":6",2":e",2"-quinquenyridine, 1585 pyridine, 1585

Synthetic and structural characterisation of metal complexes of ferrocenylacetylene: novel donor-acceptor heterobimetallic materials, 2215

materials, 2215

Synthesis of novel donor-acceptor manganese(i) complexes of ferrocenylacetylene: crystal structure of [(C<sub>5</sub>H<sub>5</sub>)Fe(C<sub>5</sub>H<sub>4</sub>)-C≡CMn(CO)<sub>3</sub>(Ph<sub>2</sub>PCH(Me)CH<sub>2</sub>PPh<sub>2</sub>)] which has potential for second-order non-linear optics, 2589

Effects of the nature of the nitrogen donor atom (sp² versus sp³) upon the properties and chemistry of palladated complexes with of (Pd-C<sub>3</sub>°, ferrocene) bonds, 3039

FLAVONOLATE

On the mechanism of a model quercetinase reaction using a cobalt Schiff-base complex, 805

FLUORIDE

Synthesis and characterisation of osmium carbonyl fluorides, 1067 Hydrolysis of tin(ti) fluoride and crystal structure of Sn<sub>4</sub>OF<sub>6</sub>, 2581 Novel binuclear vanadium(v)–Schiff base cations containing single fluorine bridges and the structure of difluorodioxo-

single fluorine bridges and the structure of difluorodioxovanadate(1 – ), 2591

FLUOROURANATE

Direct synthesis of anhydrous alkali-metal tetrafluorodioxouranates(v1), A<sub>2</sub>[UO<sub>2</sub>F<sub>4</sub>], and the first synthesis of alkali-metal diaquatetrafluorodioxouranate(v1) monohydrates, A<sub>2</sub>[UO<sub>2</sub>F<sub>4</sub>(H<sub>2</sub>O)<sub>2</sub>]·H<sub>2</sub>O (A = Na, K or NH<sub>4</sub>), 2693

FLUXIONALITY

LUXIONALITY

2,2': 6',2'-Terpyridine (terpy) acting as a fluxional bidentate ligand. Part 3. Ruthenium carbonyl halide complexes, [RuX<sub>2</sub>(CO)(terpy)] (X = Cl, Br or I) and metal tetracarbonyl complexes [M(CO)<sub>4</sub>(terpy)] (M = Cr, Mo or W): nuclear magnetic resonance studies of their solution dynamics and synthesis of trans-[RuX<sub>2</sub>(CO)(terpy)] (X = Cl, Br or I), 111 Rhenium multihydride heterobimetallic complexes containing bridging and chelating diphosphine ligands, 379 1,2-Metallotropic shifts in trimethylplatinum(IV) and tricarbonylrhenium(I) halide complexes of pyridazine and 4-methylpyridazine, 445

Fluxional rhenium(I) tricarbonyl halide complexes of pyrazolyl-pyridine ligands. A detailed nuclear magnetic resonance

pyridine ligands. A detailed nuclear magnetic resonance investigation, 1079

Alkene complexes of ruthenium(0): crystal structures, isomerism and fluxionality, 1193

Syntheses, structures and fluxional behaviour of η<sup>4</sup>-1,4-di-tert-butylbuta-1,3-diene complexes of iron and ruthenium, 2615

Synthetic, dynamic nuclear magnetic resonance and crystallographic studies of platinum complexes containing silyl-substituted dialkenyl-thioether and -selenoether ligands, 2637 Platinum and rhodium complexes of dialkenyl telluroether ligands:

synthesis, dynamic nuclear magnetic resonance and crystal structure of cis-dibromo(3,3,7,7-tetramethyl-5-tellura-3,7-disilanona-1,8-diene)platinum(II), 2645

2.2': 6'.2". Terpyridine (terpy) acting as a fluxional bidentate ligand. Part 4. cis-[M(C<sub>6</sub>F<sub>5</sub>)<sub>2</sub>(terpy)] (M = Pd or Pt): nuclear magnetic resonance studies of their solution dynamics and crystal structure of cis-[Pd(C<sub>6</sub>F<sub>5</sub>)<sub>2</sub>(terpy)], 3441
Rhenium(1) tricarbonyl halide complexes of pyrazolylbipyridine ligands. Part 1. Nuclear magnetic resonance studies of solution

fluxionality, 3545

Binding geometry of cobalt bleomycin, an empirical force-field analysis, 551 analysis, 55
FORMAMIDE

Preparation of dithioformato, thioformamido and formamido derivatives of iron(11), 1769

FORMIC ACID

Kinetics and mechanism of ruthenium(III) catalysed oxidation of formic acid by cerium(IV) in aqueous sulfuric acid media, 589 **FULVALENE** 

New chemistry of binuclear molybdenocene compounds: unexpected synthesis of the bis(fulvalene) derivative  $[Mo_2(\mu-\eta:\eta-C_{10}H_8)_2H_2], 201$ 

**FULVALENE** (contd)

Preparation, crystal structures, conductivities and electronic structures of [et],[NiCl<sub>4</sub>]-H<sub>2</sub>O and [et],[AuBr<sub>4</sub>] [et = bis(ethylenedithio)tetrathiafulvalene], 1995

FURAN

Studies on organolanthanide complexes. Part 55. Synthesis of furan-bridged bis(cyclopentadienyl) lanthanide and yttrium chlorides, and ligand and metal tuning of reactivity of organolanthanide hydrides (in situ), 1599

Mechanistic information on ligand-substitution reactions of gadolinium(III) in aqueous solution from high-pressure stopped-flow experiments, 2497

**GALLIUM** 

1,4,7-Triazacyclononane-1,4,7-triyltrimethylenetris(phenylphos-phinate) enforces octahedral geometry: crystal and solution structures of its metal complexes and comparative biodistribution studies of radiolabelled indium and gallium complexes, 1619 Bimetallic aluminium and gallium derivatives of 1,1,1,5,5,5-hexa-

Bimetallic aluminium and gallium derivatives of 1,1,1,5,5,5-hexa-fluoropentane-2,4-dione via selective metallation/hydrometalla-tion, 2019

1,4,7-Triazacyclononane-1,4,7-triyltrimethylenetris(phenylphos-phinate) enforces octahedral geometry: crystal and solution structures of its metal complexes and comparative biodistribution studies of radiolabelled indium and gallium complexes

(1994, 1619), 2221

GLUTATHIONE

Oxidation of thioglycolic acid and glutathione by (irans-cyclohexane-1,2-diamine-N,N,N',N'-tetraacetato)manganate(III) in aqueous media, 841

SOLD

Synthesis and crystal structures of the gold–carbaborane complexes [9-exo-{Au(PPh<sub>3</sub>)}-9-(μ-H)-10-endo-{Au(PPh<sub>3</sub>)}-7,8-Me<sub>2</sub>-nido-7,8-C<sub>2</sub>B<sub>3</sub>H<sub>3</sub>] and [10-exo-{Au<sub>2</sub>(PPh<sub>3</sub>)<sub>2</sub>}-10-endo-{Au(PPh<sub>3</sub>)}-7,8-Me<sub>2</sub>-nido-7,8-C<sub>2</sub>B<sub>3</sub>H<sub>3</sub>], 25

Reaction of the unsaturated triosmium cluster [Os<sub>2</sub>H(CO)<sub>3</sub>(Ph<sub>2</sub>PCH<sub>2</sub>P(Ph)C<sub>6</sub>H<sub>4</sub>]] with HBF<sub>4</sub> and [Au(PPh<sub>3</sub>)]PF<sub>6</sub>, crystal structure of [Os<sub>3</sub>AuH(CO)<sub>8</sub>(Ph<sub>2</sub>PCH<sub>2</sub>P(Ph)C<sub>6</sub>H<sub>4</sub>)(PPh<sub>3</sub>)]PF<sub>6</sub>, 33

Gold complexes with selenium ligands. Part 7. Synthesis and crystal structures of oligonuclear gold(i)-selenolate complexes, 83

Optical investigation of the intervalence charge-transfer interactions in the three-dimensional gold mixed-valence compounds

in the three-dimensional gold mixed-valence compounds Cs<sub>2</sub>Au<sub>2</sub>X<sub>6</sub> (X = Cl, Br or l), 327
Adducts of trigonal-prismatic and octahedral metal clusters

Adducts of trigonal-prismatic and octahedral metal clusters containing interstitial atoms (nitrogen or carbon) with [Au(PPh)]<sup>+</sup>, 333

Ruthenium carbonyl cluster complexes with oxygen ligands. Part 2. Auration of a hexaruthenium 'raft' cluster; crystal structures of [Ru<sub>6</sub>(μ<sub>2</sub>-H)(μ-H)(μ-H)(μ-C):μ-C:η<sup>6</sup>-OC<sub>6</sub>H<sub>3</sub>OMe-4)(CO)<sub>16</sub>(PPh<sub>3</sub>)], 925
Reactions of diphosphazane-bridged derivatives of diruthenium nonacarbonyl with metal-containing electrophiles: formation of solvento species [Ru<sub>2</sub>(CO)<sub>5</sub>(solv){μ-(RO)<sub>2</sub>PN(Et)P(OR)<sub>2</sub>}<sub>2</sub>]<sup>2+</sup> (R = Me or Pr) and their reactivity towards various nucleophiles 1131 nucleophiles, 1131

nucleophiles, 1131

Syntheses of dinuclear gold(t) ring complexes containing two different bridging ligands. Crystal structure of [Au<sub>2</sub>{μ-(CH<sub>2</sub>)<sub>2</sub>-PPh<sub>3</sub>{μ-S<sub>2</sub>CNE(2)], 1163

Synthesis of homo- and hetero-dinuclear complexes containing alkynyl bridges. Molecular structure of cis.trans-[(OC)(C<sub>6</sub>F<sub>5</sub>)<sub>2</sub>-Pt(μ-η²-C=CPh)Pt(C=CPh)(PPh<sub>3</sub>)<sub>2</sub>], 1291

New co-ordination mode of 4,5-dimercapto-1,3-dithiole-2-thionate(2 – ) in polynuclear gold(t) complexes. Crystal structures of [Au<sub>3</sub>(μ<sub>3</sub>-C<sub>3</sub>S<sub>3</sub>)(PPh<sub>3</sub>)<sub>3</sub>]ClO<sub>4</sub> and [Au<sub>4</sub>(μ-C<sub>3</sub>S<sub>3</sub>)<sub>2</sub>(μ-Ph<sub>2</sub>PCH<sub>2</sub>-PPh<sub>2</sub>)<sub>3</sub>], 1325

Reversible skeletal rearrangement in a carbido carbonyl cluster induced by ligand substitution. Synthesis and crystal structure of the anion [Rh<sub>12</sub>C<sub>2</sub>(CO)<sub>23</sub>(AuPPh<sub>3</sub>)] - 1,777

Luminescent organometallic gold(t) complexes. Structure and photophysical properties of alkyl-, aryl- and μ-ethynylene gold(t) complexes, 1867

Preparation, crystal structures, conductivities and electronic

complexes, 1867

Preparation, crystal structures, conductivities and electronic structures of [et],[NiCl,]-H<sub>2</sub>O and [et],[AuBr<sub>4</sub>] [et = bis(ethylenedithio)tetrathiafulvalene], 1995

Synthesis, characterization and photophysics of luminescent organogold(i) phosphines, 2057

Tetrahedral gold-phosphine clusters: a relativistic molecular orbital study, 2061

Formation and characterization of paut along designations.

Formation and characterization of neutral and cationic amino-(thio)carbene complexes of gold(i) from thiazolyl precursors,

Benzenehexathiol as a template rim for a golden wheel: synthesis and structure of [{CSAu(PPh<sub>3</sub>)}<sub>6</sub>], 2333
Mesitylgold complexes: synthesis and reactivity; crystal structure of [{(Ph<sub>3</sub>P)Au(µ-mes)Ag(tht)}<sub>2</sub>][SO<sub>3</sub>CF<sub>3</sub>]<sub>2</sub> (mes = mesityl, tht = tetrahydrothiophene), 2515
Synthesis of heterometallic species with (Ph<sub>2</sub>P)<sub>3</sub>CH or (Ph<sub>2</sub>P)<sub>3</sub>C<sup>-</sup>.

Crystal structures of [Mo(CO)<sub>4</sub>{(PPh<sub>2</sub>)<sub>2</sub>CHPPh<sub>2</sub>AuCl}], [Mo(CO)<sub>4</sub>{(PPh<sub>2</sub>)<sub>2</sub>CHPPh<sub>2</sub>Au(C<sub>6</sub>F<sub>3</sub>)}] and [NBu<sub>4</sub>][Mo(CO)<sub>4</sub>{(PPh<sub>2</sub>)<sub>2</sub>CPPh<sub>2</sub>Au(C<sub>6</sub>F<sub>3</sub>)}], 2891 Synthesis and crystal structure of a luminescent one-dimensional phenylacetylide-gold(1) polymer with 2,6-bis(diphenylphosphino)-pyridine as ligand, 3067

pylinine as igain, 300/s, Synthesis of the mixed-metal clusters [Ru<sub>5</sub>RhC(CO)<sub>14</sub>(cod)Y]
[Y = H, Au(PE<sub>5</sub>) or Au(PPh<sub>3</sub>); cod = cyclocota-1,5-diene]; reactions of [Ru<sub>5</sub>RhC(CO)<sub>14</sub>(cod){Au(PR<sub>3</sub>)}] [R = Ph or Et) and crystal structure of [Ru<sub>5</sub>RhC(CO)<sub>14</sub>(cod){μ<sub>3</sub>-Au(PPh<sub>3</sub>)}],

Complexes with S-donor ligands. Part 2. Synthesis of anionic bis-

Complexes with S-donor ligands. Part 2. Synthesis of anionic (thiolato)gold(t) complexes. Crystal structure of [N(PPh<sub>3</sub>), [Au(SR), ] (R = benzoxazol-2-yl), 3183 Reaction of [Os<sub>4</sub>(µ-Cl)(CO)<sub>13</sub>] with the [Au(PPh<sub>3</sub>)] \* cation involving insertion of an Os(CO)<sub>4</sub> fragment into the gold–phosphorus bond, 3331

phosphorus bond, 3331
Tris(diphenylphosphinomethanide gold(III) complexes. Crystal structures of [Au(C<sub>6</sub>F<sub>5</sub>)<sub>5</sub>{(Ph<sub>2</sub>P)<sub>2</sub>CPPh<sub>2</sub>}] and [(F<sub>5</sub>C<sub>6</sub>)<sub>2</sub>Au{(Ph<sub>2</sub>P)<sub>2</sub>CPPh<sub>3</sub>}AuCI], 3487
A luminescent heterometallic Au<sup>1</sup>···Cu<sup>1</sup> complex. Spectroscopic properties and crystal structures of [Au(PPh<sub>3</sub>)(C<sub>7</sub>H<sub>3</sub>N<sub>2</sub>)] and [{Au(PPh<sub>3</sub>)(μ-C<sub>7</sub>H<sub>3</sub>N<sub>2</sub>)Cu(μ-C<sub>7</sub>H<sub>3</sub>N<sub>2</sub>)}<sub>2</sub>] (C<sub>7</sub>H<sub>3</sub>N<sub>2</sub> = 7-azaindolate), 3677
GUANIDINE
Three road four constitutions of the complex of th

Three- and four-co-ordinate copper(1) complexes: 1:1 and 1:2 l-cyanoguanidine-copper(1) halide adducts, 1935
Bis(µ-pyridazine)-bis[(2-cyanoguanidine)copper(1)] cation: a molecule containing two co-ordinatively unsaturated copper(1) centres, 2483

Intramolecular hydrogen-bonding stabilisation of tetrafluoroborate co-ordination to copper(II): crystal structure of (2,2'-bipyridine)bis-(2-cyanoguanidine)bis(tetrafluoroborato)copper(II), 3189

HAFNIUM

New ansa-metallocenes of the Group 4 transition metals as homogeneous catalysts for the polymerization of propene and styrene, 657

Transition metal-carbohydrate chemistry. Part 2. Homoleptic diacetoneglucose complexes of aluminium and Group 4 metals,

Formation of cationic monocyclopentadienyl metal(tv) compounds following halide abstraction from [M(η<sup>5</sup>-C<sub>3</sub>H<sub>3</sub>)Cl<sub>3</sub>(MeCN)<sub>2</sub>] (M = Zr or Hf): crystal and molecular structure of [Hf(η<sup>5</sup>-C<sub>3</sub>H<sub>3</sub>)-(MeCN)<sub>6</sub>][SbCl<sub>6</sub>]<sub>3</sub>·CH<sub>2</sub>Cl<sub>2</sub>, 3285

Nucleophilic displacement of halides from dihalogenoplatinum(II) complexes containing a chelating thioether. Kinetics and equilibria, 169

Cationic titanium(IV) complexes via halide abstraction from

Cationic titanium(IV) complexes via halide abstraction from [Ti(C,H<sub>3</sub>)Cl<sub>3</sub>]: crystal and molecular structure of [Ti(C,H<sub>2</sub>)(MeCN), []SbCl<sub>4</sub>]<sub>3</sub>·2MeCN, 305

Synthesis and characterisation of zirconium complexes with the diphosphinophosphide ligands "P(CH<sub>2</sub>CH<sub>2</sub>PR<sub>2</sub>)<sub>2</sub> (R = Me or Et); crystal structure of bis[bis(2-dimethylphosphinoethyl)-phosphido]pentachlorohydridodizirconium(IV), 977

Simple preparations of new monomeric trihalogenophosphine imides, 997

Fluxional rhenium(I) tricarbonyl halide complexes of pyrazolyl-pyridine ligands. A detailed nuclear magnetic resonance investigation, 1079

Neutral phosphine complexes of antimony(III) and bismuth(III)

Neutral phosphine complexes of antimony(III) and bismuth(III) halides, 1743

Anionic phosphine complexes of antimony(III) and bismuth(III)

halogenoanions, 1753
Solid-state structures of triarylantimony dihalides; the isolation of some mixed-halide species and crystal structures of Ph<sub>3</sub>Sbl<sub>2</sub> and

[Ph<sub>3</sub>Sb]I<sub>1</sub>, 1759

Reaction of methanol with diphenylantimony(v) trihalides: crystal structure of [SbPh<sub>2</sub>Br<sub>2</sub>(OMe)-MeOH]<sub>2</sub>, 1983

Structural and solid-state <sup>31</sup>P nuclear magnetic resonance studies on 1:1:1 mixed nitrogen and phosphine base complexes with copper(t) halides, 2621

copper(i) halides, 2621
Building a two-dimensional co-ordination polymer having a multilayered arrangement. A molecular assembly comprising hanging phenazine molecules between polymeric stair frameworks of copper(i) halides, 2771
Carbonylation of organic halides catalysed by rhodium triethylphosphine complexes, 2899
Structural characterization of pyridazine (pydz) adducts of MX<sub>2</sub> (M = Mn, Fe, Co, Ni, Cu or Zn; X = Cl or Br). Ab-initio X-rapowder diffraction determination of polymeric [NiX<sub>2</sub>(pydz)] complexes, 3009

complexes, 3009 Synthesis, crystal structure and non-linear optical properties of [NEt<sub>4</sub>]<sub>4</sub>[Cu<sub>6</sub>Mo<sub>2</sub>S<sub>6</sub>O<sub>2</sub>Br<sub>2</sub>I<sub>4</sub>], 3211
Preparation of new vanadium(II) iodides and crystal structure of

hexakis(acetonitrile)vanadium(II) (tetraiodide), 3683 Synthesis and crystal structure of the first trinuclear chloride-bridged platinum(II) complex with mutually perpendicular

HALIDE (contd)

co-ordination planes: cyclo-tri-µ-chloro-tris[chloro(1-hydroxy-1-imino-2,2-dimethylpropane)platinum(II)]-dichloromethane (0.5/1), 3753

(0.3/1), 3733 Interpretation of the electronic spectra of the confacial bioctahedral nonahalides [Ru<sub>2</sub>Cl<sub>9</sub>]<sup>3-</sup> and [Ru<sub>2</sub>Br<sub>9</sub>]<sup>3-</sup> using the SCF-Xα-SW method: location of the σ — σ\* transition, 3759

Chemical hardness of metal ions in the gas phase: a thermochemical approach, 2177

Chemical hardness of metal ions in the gas phase: a thermochemical approach (1994, 2177), 3201 HELICATE

Metallosupramolecular assembly of dinuclear double helicates retailosupramolecular assembly of dinuclear double helicates incorporating a biphenyl-3,3'-diyl spacer; molecular structure of bis{3,3'-bis[4-(methylsulfanyl)-2,2'-bipyridin-6-yl]biphenyl-k²N,N': x²N",N'"]}dicopper(i) hexafluorophosphate, 2669

HETEROCYCLE

Dirhodium(II) complexes with bi- and tri-dentate nitrogen-containing ligands, 1517 HETEROPOLYANION

Solid-state nuclear magnetic resonance studies on the co-ordination geometry of boron in polyoxotungstates, 2585
HEXAFLUOROACETYLACETONATE

Synthesis and characterization of Lewis-base adducts of 1,1,1,5,5,5hexafluoroacetylacetonatosilver(1), 2841

Binary and ternary copper(II) complexes of N<sup>\*</sup>- and N<sup>\*</sup>-methyl-L-histidine in aqueous solution, 2049

Synthesis, chiroptical and electrochemical studies of dioxouranium(vi) complexes of aldimine derivatives of L-/D-histidine and crystal structure of (2,2'-bipyridyl)dioxo(N-o-vanillylidene-L-histidinato)uranium(vi)-water-methanol(1/1/1), 2381

Synthesis of trans-[Mo(N<sub>2</sub>)<sub>2</sub>(dippe)<sub>2</sub>] [dippe = 1,2-bis(diisopropylphosphino)ethane] and related derivatives, protonation of co-ordinated dinitrogen and crystal structures of trans-[MoF(NNH<sub>2</sub>)(dippe)<sub>2</sub>][BF<sub>4</sub>] and trans-[MoCl<sub>2</sub>(dippe)<sub>2</sub>][BF<sub>4</sub>], 2431

HYDRAZINE

Bhodition

Rhodium complexes containing substituted hydrazines, 787 Reaction of methylhydrazine with dimethyl chlorothiophosphate,

HYDRAZONE

Complexes of the bidentate ligands PPh<sub>2</sub>CH<sub>2</sub>C(Bu')=NNR<sub>2</sub>
(R = H or Me) and PPh<sub>2</sub>CH<sub>2</sub>C(Bu')=N-N=CHPh with palladium and platinum. X-Ray crystal structure of cis-

[Pt{PPh<sub>2</sub>CH<sub>2</sub>C(Bu)=NNH}<sub>2</sub>], 103
A convenient method for the preparation of 3-(2-pyridyl)triazolo-[1,5-a]pyridine (L). Crystal structures of L and [CuL<sub>2</sub>(OH<sub>2</sub>)<sub>2</sub>][NO<sub>3</sub>]<sub>2</sub>, 2651
Deprotonation, deuteriation and substitution of the backbone of some azine diphosphine complexes of palladium and platinum: crystal structures of [PtI(PPh2CH=CBu1N-N=CBu1CH2PPh2)] and [PtCl(PPh<sub>2</sub>CH<sub>2</sub>CBu'=N-N=CBu'CH<sub>2</sub>PPh<sub>2</sub>)][OC<sub>6</sub>H<sub>2</sub>-(NO<sub>2</sub>)<sub>3</sub>-2,4,6], 3311 **HYDRIDE** 

Synthesis and photochemical reactivity of phenylthioureato-triosmium cluster complexes: crystal structures of [O<sub>5</sub>,H(CO)<sub>10</sub>-{μ-SC(NPh)(NHPh)}] and [O<sub>5</sub>,H(CO)<sub>9</sub>{μ<sub>2</sub>-SC(NPh)(NHPh)}], 1 Reaction of the unsaturated triosmium cluster

Reaction of the unsaturated triosmium cluster

[Os<sub>3</sub>H(CO)<sub>8</sub>{Ph<sub>2</sub>PCH<sub>2</sub>P(Ph)C<sub>6</sub>H<sub>4</sub>}] with HBF<sub>4</sub> and

[Au(PPh<sub>3</sub>)]PF<sub>6</sub>, crystal structure of

[Os<sub>3</sub>AuH(CO)<sub>8</sub>{Ph<sub>2</sub>PCH<sub>2</sub>P(Ph)C<sub>6</sub>H<sub>4</sub>}(PPh<sub>3</sub>)]PF<sub>6</sub>, 33

Contrasting pathways for the reactions of triruthenaborane cluster
anions with [5M(n<sup>5</sup>-C<sub>5</sub>Me<sub>2</sub>)Cl<sub>2</sub>}] (M = Rh or Ir.) Molecular
structures of [RhRu<sub>3</sub>(η<sup>5</sup>-C<sub>4</sub>Me<sub>3</sub>)H<sub>2</sub>(CO)<sub>8</sub>(PPh<sub>3</sub>)BH] and
[IrRu<sub>3</sub>(η<sup>5</sup>-C<sub>4</sub>Me<sub>3</sub>)H(CO)<sub>10</sub>BH<sub>2</sub>], 69

Binuclear pentamethylcyclopentadienyl dirhodium complexes with
pyrazolato and diphenylphosphido bridging ligands, 159

Rhenium multihydride heterobimetallic complexes containing
bridging and chelating diphosphine ligands, 379

Rhenium multihydride heterobimetallic complexes containing bridging and chelating diphosphine ligands, 379
Reactions of the nitridocarbonyl cluster anion [Rh<sub>6</sub>N(CO)<sub>15</sub>] with strong bases: synthesis and crystal structure of the hydridic dianion [Rh<sub>6</sub>(μ-H)N(CO)<sub>14</sub>]<sup>2</sup>, 471
Electrochemical behaviour of cobalt(t) hydrides, 695
Preparation and reactions of [MoH(η<sup>3</sup>-C<sub>4</sub>H<sub>7</sub>)(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>-κ<sup>2</sup>P)(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>-κ<sup>P</sup>)]: the intramolecular interconversion between η<sup>3</sup>-2-methylallyl and η<sup>4</sup>-trimethylenemethane ligands, 767

707
 707
 707
 707
 707
 708
 708
 708
 708
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709
 709

Ruthenium carbonyl cluster complexes with oxygen ligands. Part 2. Auration of a hexaruthenium 'raft' cluster; crystal structures of  $[Ru_6(\mu_3-H)(\mu-H)(\mu-O:\mu-C:\eta^6-OC_6H;OMe-4)(CO)_{16}]$  and  $[AuRu_6(\mu_3-H)(\mu-O:\mu-C:\eta^6-OC_6H;OMe-4)(CO)_{16}(PPh_3)]$ , 925

The kinetics of the reaction of [Ru(Cl)H(PPh<sub>3</sub>)<sub>3</sub>] with various olefins, 951

olefins, 951
Synthesis and characterisation of zirconium complexes with the diphosphinophosphide ligands ¬P(CH<sub>2</sub>CH<sub>2</sub>PR<sub>2</sub>)<sub>2</sub> (R = Me or Et); crystal structure of bis bis(2-dimethylphosphinoethyl)-phosphido]pentachlorohydridodizirconium(tv), 977
Reactions of the pentanuclear mixed-metal cluster compound [Ru<sub>4</sub>RhC(CO)<sub>12</sub>(η<sup>2</sup>-C<sub>3</sub>Me<sub>5</sub>)]. Synthesis, characterisation and crystal structure of the pentanuclear derivative [Ru<sub>4</sub>RhC(CO)<sub>11</sub>-H(η<sup>5</sup>-C<sub>3</sub>Me<sub>5</sub>)], 1109

From synthesis to chemical reactivity of supported do complexes. Part 1. An in situ infrared spectroscopic study of silica-anchored zirconium hydrides, 1153

Synthesis, characterization and crystal structures of [IroH(CO)10]4-

and [Ir<sub>10</sub>(CO)<sub>21</sub>]<sup>2-</sup>, 1501 Studies on organolanthanide complexes. Part 55. Synthesis of furan-bridged bis(cyclopentadienyl) lanthanide and yttrium

furan-bridged bis(cyclopentadienyl) lanthanide and yttrium chlorides, and ligand and metal tuning of reactivity of organolanthanide hydrides (in situ), 1599

Syntheses, crystal structures and properties of [PPh4]2[SbFe3H-(CO)12] and [PPh4]2[AsFe3H(CO)12], 1641

Preparation and structure of a non-carbide-stabilized octahedral rhenium cluster: [NEt4][Re4H7(CO)12], 2011

From synthesis to chemical reactivity of supported do complexes. Part 2. Reactivity of silica-anchored alkylzirconium complexes. An attempt toward functionalization of alkanes, 2411

—Cyclopentadienylimide molybenum chemistry: hydride, alkyl

η-Cyclopentadienylimido molybdenum chemistry: hydrido, alkyl and η-allyl derivatives, 2975

An ab initio molecular-orbital study of insertion of CO<sub>2</sub> into a

RhI-H bond, 3047

Rh'-H bond, 3047

Hydrogen activation by arene ruthenium complexes in aqueous solution. Part 2. Build-up of cationic tri- and tetra-nuclear ruthenium clusters with hydrido ligands, 3215

Reactivity of nido-[2-{Fe(n-C,H<sub>3</sub>)}8-H<sub>10</sub>] with some transitionmetal hydride complexes, 3337

Stereoselective alkyne insertion into a bridging hydride at a diiron centre: cis-trans isomerisation and metallacycle formation, 3389

HYDROCARBON

HYDROCARBON
μ-Oxo-bridged diiron(III) complexes and H<sub>2</sub>O<sub>2</sub>: monooxygenase-and catalase-like activities, 2081
HYDROCARBONYLATION
Comparison of carbon-13 nuclear magnetic resonance methods

for the analysis of multiple partially deuteriated products from catalytic reactions: heptan-1-ol and 2-methylpropanol,

HYDROGEN

Exchange in mixtures of cadmium with bis(benzimidazoles), 209
HYDROGEN-1

Exchange in mixtures of cadmium with bis(benzimidazoles), 209

HYDROGENATION

Hydrogenation catalysis by an iron porphyrin and its application to α,β-unsaturated esters, 7

Ultrafine palladium particles supported on chelate resin-metal complexes: promotion effect of lanthanide ions on catalytic activity, 2967

Hydrogen activation by arene ruthenium complexes in aqueous solution. Part 2. Build-up of cationic tri- and tetra-nuclear ruthenium clusters with hydrido ligands, 3215 HYDROGEN BONDING Hydrogen-bonded adducts of ferrocene-1,1'-diylbis(diphenyl-

methanol): crystal and molecular structures of 1:1 adducts with 4,4'-bipyridyl, piperazine and dimethylformamide, the 2:1:1 hydrated adduct with morpholine, and two adducts with 1,4-dioxane, 1:1 at 150 K and 1:2 at 298 K, 1971

1,4-dioxane, 1:1 at 150 K and 1:2 at 298 K, 1971
Cation-anion interactions involving hydrogen bonds. Syntheses, structures and spectroscopic studies of [H<sub>2</sub>dam][Bi<sup>III</sup>Ph(O<sub>2</sub>CCF<sub>3</sub>)<sub>4</sub>], [Hpy]<sub>2</sub>[Bi<sup>III</sup>Ph-(O<sub>2</sub>CCF<sub>3</sub>)<sub>4</sub>] and [H<sub>2</sub>dam][Bi<sup>III</sup>(O<sub>2</sub>CCF<sub>3</sub>)<sub>5</sub>] (dam = diamine, py = pyridine), 2545
Intramolecular hydrogen-bonding stabilisation of tetrafluoroborate co-ordination to copper(II): crystal structure of (2,2'-bipyridine) bis(2-cyanoguanidine) bis(tetrafluoroborato) copper(II), 3189
Evidence for hydrogen bonding in solutions of 1-ethyl-3-methylimidazolium halides, and its implications for room-temperature halogenoal uninate(III) ionic liquids, 3405
[VDROGENOLYSIS]

HYDROGENOLYSIS

From synthesis to chemical reactivity of supported d<sup>0</sup> complexes. Part 1. An *in situ* infrared spectroscopic study of silica-anchored zirconium hydrides, 1153
HYDROGEN PEROXIDE

H-Oxo-bridged diiron(III) complexes and H<sub>2</sub>O<sub>2</sub>: monooxygenase-and catalase-like activities, 2081

Synthesis, structure and relative hydrolytic stability of cis-[PtCl2L]

HYDROLYSIS (contd)

and cis-[W(CO)<sub>4</sub>L] where L is the bidentate triaminophosphine

ligand [MeNCH<sub>2</sub>CH<sub>2</sub>N(Me)PN(Me)CH<sub>2</sub>]<sub>2</sub>, 1571
Controlled hydrolysis reactions of solvated [TiCl<sub>2</sub>]<sup>(4-n)+</sup> species.
Crystal and molecular structures of [Mg(MeCN)<sub>6</sub>][{TiCl<sub>4</sub>-(MeCN)<sub>2</sub>(μ-O)}<sub>2</sub>-4MeCN and [{TiCl<sub>2</sub>(MeCN)<sub>2</sub>(μ-O)}<sub>4</sub>]-2MeCN, 1799

Partial hydrolysis of a Schiff-base tripodal ligand induced by copper(II) salts: crystal structure of the product from reaction with copper(II) perchlorate, 2213

Reactivity of the tri-u-hydroxo-bis[triamminecobalt(III)] ion in halide media, 2327

natide media, 2321 Hydrolysis of tin(ii) fluoride and crystal structure of Sn<sub>4</sub>OF<sub>6</sub>, 2581 Hydrolysis, polymerisation, and structure of dimethyltin(iv) in aqueous solution. Molecular structure of the polymer [(SnMe<sub>2</sub>)<sub>2</sub>(OH<sub>3</sub>)<sub>2</sub>(Ol<sub>6</sub>, 2749 On the hydrolysis of niobium(v) and tantalum(v) in 3 mol dm<sup>-3</sup> KCl at 25 SCP 12 Control of the produces in molecular 2015

25 °C Part 1. Construction of a thermodynamic model for Nb<sup>v</sup>, 3055 Conversion of acetonitrile into acetamide in the co-ordination spheres of *cis*- and *trans*-M<sup>II</sup>(amine)<sub>2</sub> (M = Pt or Pd). Solution and crystal structural studies, 3667
HYDROQUINONE

Spectroelectrochemical and flash photochemical reduction of 1,4,5,8-tetraazaphenanthrene and 1,4,5,8,9,12-hexaazatri-phenylene mono- and bi-metallic ruthenium(II) complexes, 3651 HYDROXIDE

Binuclear pentamethylcyclopentadienyl dirhodium complexes with pyrazolato and diphenylphosphido bridging ligands, 159

Synthesis, properties and crystal structures of [Ru<sup>11</sup><sub>2</sub>(tacn)<sub>2</sub>- (μ-CO<sub>3</sub>)]Br<sub>3</sub>-3.75H<sub>2</sub>O and [Ru<sup>13</sup><sub>2</sub>(dthe)(μ-O)<sub>2</sub>- (μ-CO<sub>3</sub>)]PF<sub>6</sub>-5H<sub>2</sub>O [tacn = 1,4,7-triazacyclononane, dtne = 1,2-bis(1,4,7-triazacyclononan-1-yl)ethane], 457

Facile isolation and crystal structure determination of trans-[PtCl-(OH)(NH<sub>3</sub>)<sub>2</sub>]-H<sub>2</sub>O, 1499

Metal binding of polyalcohols. Part 2. (all-cis-1,3,5-Triaminocyclo-

(OH)(NH<sub>3</sub>)<sub>2</sub>/H<sub>2</sub>O<sub>2</sub>, 1499 Metal binding of polyalcohols. Part 2. (*all-cis-*1,3,5-Triaminocyclo-hexane)cobalt(III), a facially co-ordinating, diamagnetic probe exemplified by its complex formation with *cis-*inositol, 1689 Crystal structures of a tetranucleating macrocycle and its dimanganese(III) derivative, and magnetism of the latter, 1837

Reactivity of the tri-μ-hydroxo-bis[triamminecobalt(m)] ion in halide media, 2327

Synthesis and structural study of [{Pd(CH<sub>2</sub>C<sub>9</sub>H<sub>6</sub>N)}<sub>2</sub>(μ-O<sub>2</sub>CR)-(μ-X)] complexes (R = Me or CF<sub>3</sub>; X = hydroxide, amide or thiolate), 2353

thiolate), 2353
Reactions of copper(II) nitrate with pyridazine (pydz) and crystal structures of catena-[Cu(μ-η²-pydz)(μ-OH)(μ-O₂NO)]-H₂O and [Cu₃(μ-η²-pydz)₄(pydz)₂(μ-NO₃)₂(NO₃)₂], 2397
Hydrolysis, polymerisation, and structure of dimethyltin(IV) in aqueous solution. Molecular structure of the polymer [(SnMe₂)₂(OH)₃]ClO₄, 2749
Synthesis and reactivity of [NE₄]₂[ReBr₃(CO)₃]. Formation and structural characterization of the clusters [NEt₄][Re₃(μ₃-OH)(μ-OH)₃(CO)₀] and [NEt₄][Re₂(μ-OH)₃(CO)₀] by alkaline titration, 2815

HYDROXYALKYL

Photochemistry of polyoxovanadates. Part 1. Formation of the anion-encapsulated polyoxovanadate [V<sub>15</sub>O<sub>36</sub>(CO<sub>3</sub>)]<sup>7-</sup> and electron-spin polarization of α-hydroxyalkyl radicals in the presence of alcohols, 2599
HYDROXYLAMINE

Methylsilylhydroxylamines: preparative, spectroscopic and ab initio studies

Photo-oxidation of [V(CO)6] in low-temperature matrices containing O<sub>2</sub>: formation of a novel superoxovanadium species, 835 HYPONITRITE

Reduction of nitric oxide by tetramesityliridium(IV) and cobaltocene. Reactions of hyponitrite complexes and of the ether [Co(η<sup>5</sup>-C<sub>3</sub>H<sub>5</sub>)(η<sup>4</sup>-C<sub>5</sub>H<sub>3</sub>)](μ-O-exo) with nitroalkanes, acids and amines, 2223

IMIDAZOLE

Spin equilibrium in five-co-ordinate Lewis-base adducts of cobalt(II) Spin equilibrium in five-co-ordinate Lewis-base adducts of cobalt(II)
Schiff-base complexes with a S<sub>2</sub>N<sub>3</sub> ligand environment. Molecular
and crystal structure of [CoL4(mim)] at 293 and 103 K [H<sub>3</sub>L<sup>4</sup> =
N,N'-bis(5-mercapto-3-methyl-1-phenylpyrazol-4-ylmethylene)o-phenylenediamine, mim = N-methylmidazole], 361
A model complex for the carboxylate-histidine-zine system in zinc
enzymes. Crystal structure of [Zn(Him)<sub>2</sub>(MeCO<sub>2</sub>)<sub>2</sub>]
(Him = imidazole), 2331
Ligand-field control in the self-assembly of polymeric metal
complexes: copper(II) complexes with quadridentate Schiff-base
ligands involving an imidazole moiety, 2339
Aquation of the anticancer complex trans-fRuCl<sub>2</sub>(Him)<sub>2</sub>]

Aquation of the anticancer complex trans-[RuCl<sub>4</sub>(Him)<sub>2</sub>] (Him = imidazole), 3305

**IMIDAZOLIUM** 

Evidence for hydrogen bonding in solutions of 1-ethyl-3-methyl-imidazolium halides, and its implications for room-temperature halogenoaluminate(III) ionic liquids, 3405

IMIDAZOLYL

Electrochemical and electron-electron exchange interactions in binuclear molybdenum complexes containing the bridging ligand 4-(imidazol-1-yl)phenol, 143

Potentiometric and spectroscopic studies on copper(II) and zinc(II)

complexes of peptides containing bis(imidazolyl) ligands, 2939

Solid-state structure of sulfur bis(trimethylsilylimide), S(NSiMe<sub>3</sub>)<sub>2</sub>, and multinuclear magnetic resonance studies of some sulfur bis(silylimides) in solution, 633

Simple preparations of new monomeric trihalogenophosphine imides, 997

Non-oxo chemistry of manganese in high oxidation states. Part 1.

Mononuclear tert-butylimido compounds of manganese-(VII) and -(vi), 1037

Dimeric antimony complexes capturing dimethylamine as a neutral donor; syntheses and structural characterisation of [SbCl<sub>2</sub>-(NHMe<sub>2</sub>)(µ-OEt)]<sub>2</sub> and [SbCl(NHMe<sub>2</sub>)(µ-NBu')]<sub>2</sub>, 1479

Molecular structure of tetrakis(tert-butylimido)osmium(vIII),

determined in the gas phase by electron diffraction, 1563

Syntheses and electrochemistry of imidochromium(v) compounds.

Crystal structure of [PPh\_][Cr(NBu')Cl<sub>4</sub>(OH<sub>2</sub>)], 1659

(η-Cyclopentadienyl)imido derivatives of molybdenum and tungsten, 2851

η-Cyclopentadienylimido molybdenum chemistry: hydrido, alkyl

and η-allyl derivatives, 2975

Complexes of the platinum metals. Part 46. 1,1,1,5,5,5-Hexafluoro-3-azapentane-2,4-diiminato derivatives of ruthenium, osmium and iridium. Crystal structure of

[Ru{NHC(CF<sub>3</sub>)NC(CF<sub>3</sub>)NH}H(CO)(PPh<sub>3</sub>)<sub>2</sub>], 3615

Diastereoselective nucleophilic additions to imines attached to

tricarbonyl(arene)chromium moieties, 289
Influences of the substituents at the iminic carbon atoms (hydrogen

innuences of the substituents at the iminic carbon atoms (hydrogen versus methyl) upon the properties of ferrocenylimines and their cyclopalladated derivatives, 735

Electronic conjugation pathways in ferrocenyl Schiff bases, 747

Reactions of the hexachlorocyclodiphosphazane [MeNPCl<sub>3</sub>]<sub>2</sub> with primary aromatic amines: formation of highly basic bisphosphinimines, 847

Mechanism of nucleochilic actuals by district but in the control of t

Mechanism of nucleophilic attack by diethylamine on cationic palladium(II) allyl complexes containing x-diimine ligands, 1145 Equilibrium studies of x-diimine displacement in cationic allylpalladium(II) complexes by monodentate N-donors and the mechanism of allyl amination by triethylamine and pyridine, 3113

INDENYL

Synthesis and chemistry of 1,1-bis(3-indenyl)ethane; crystal structure of  $[\{Ru(CO)_2\}_2\{\eta^5:\eta^5:CH_3CH(C_9H_6)_2\}], 1731$ 

INDIUM

1,4,7-Triazacyclononane-1,4,7-triyltrimethylenetris(phenylphosphinate) enforces octahedral geometry: crystal and solution structures of its metal complexes and comparative biodistribution studies of radiolabelled indium and gallium complexes, 1619

1,4,7-Triazacyclononane-1,4,7-triyltrimethylenetris(phenylphos-phinate) enforces octahedral geometry: crystal and solution structures of its metal complexes and comparative biodistribution studies of radiolabelled indium and gallium complexes (1994, 1619), 2221

Synthesis and crystal structure of an indium(III) complex with a bicyclic phthalocyanine at 300 K, 2539

INOSITOL

Metal binding of polyalcohols. Part 2. (all-cis-1,3,5-Triaminocyclo-hexane)cobalt(iii), a facially co-ordinating, diamagnetic probe exemplified by its complex formation with cis-inositol, 1689 INSERTION

NSERTION
Highly stereospecific carbene insertions into platinum—halide bonds. Crystal structure of [PtCl(S-CHClSiMe<sub>3</sub>)(S,S-Ph<sub>2</sub>PCHMeCH<sub>2</sub>CHMePPh<sub>2</sub>)], 651
Arenediazonium ion insertion into an iron—phosphine bond; synthesis and crystal structure of [Fe(NO)<sub>2</sub>{PPh<sub>2</sub>CH<sub>2</sub>CH<sub>2</sub>-P(Ph)<sub>2</sub>NN(C<sub>6</sub>H<sub>4</sub>F-p)}][PF<sub>6</sub>]-OC<sub>4</sub>H<sub>8</sub>, 1161
An ab initio molecular-orbital study of insertion of CO<sub>2</sub> into a Pall II bend 2047.

RhI-H bond, 3047

INTERCALATE

Low-temperature syntheses of a 1,4-diazabicyclo[2.2.2]octane-intercalated phosphatoantimonic acid, 2881

Intercalation of the oxo-transfer molybdenum(vI) complex

[MoO<sub>2</sub>{O<sub>2</sub>CC(S)Ph<sub>2</sub>}<sub>2</sub>]<sup>2-1</sup> into a zinc(II)-aluminium(III) layered
double hydroxide host. Catalysis of the air oxidation of thiols, 2953

Kinetics and mechanism of the oxidation of iodide by transdioxoruthenium(vI), 3091

Preparation of new vanadium(II) iodides and crystal structure of hexakis(acetonitrile)vanadium(II) (tetraiodide), 3683

IODINE Stereoselective oxidative-addition reaction of molecular iodine and mercury(II) halides to rhodium dithiolate compounds. Crystal

structure of [Rh<sub>2</sub>{µ-S(CH<sub>2</sub>)<sub>2</sub>S}Cl<sub>2</sub>(CO)<sub>2</sub>(PPh<sub>3</sub>)<sub>2</sub>], 385 Structure of [Kh<sub>2</sub>(µ-s<sub>1</sub>(x-1<sub>2</sub>)<sub>2</sub>)<sub>3</sub>(x-1<sub>2</sub>(x-1<sub>2</sub>)<sub>3</sub>), 36.5 Extended X-ray absorption fine structure studies of transition-metal periodate and tellurate complexes. Crystal structure of Rb<sub>2</sub>Na<sub>4</sub>[OsO<sub>2</sub>(H<sub>2</sub>TeO<sub>6</sub>)<sub>2</sub>]-16H<sub>2</sub>O, 2983 IODOMETHYL

Preparation and reactivity of iodomethyl complexes of rhodium(III); crystal and molecular structure of carbonylchloroiodo(iodomethyl)bis(triethylphosphine)rhodium(III), 1963

Evidence for hydrogen bonding in solutions of 1-ethyl-3-methyl-imidazolium halides, and its implications for room-temperature halogenoaluminate(III) ionic liquids, 3405

Studies on organolanthanide complexes. Part 56. Formation of ion-pair complexes [Na-3phen]\*[Ln(C<sub>3</sub>H<sub>4</sub>)<sub>3</sub>Cl] - phen (Ln = La, Pr or Nd; phen = 1,10-phenanthroline) and crystal structure for Ln = Pr, 2109

A study of the polarities, anisotropic polarisabilities and carbonyl infrared vibrational frequencies of the complexes [M(CO)<sub>5</sub>{P(OCH<sub>2</sub>),CMe}] (M = Cr, Mo or W) and the crystal structure of [Mo(CO)<sub>5</sub>{P(OCH<sub>2</sub>)<sub>2</sub>CMe}]: evidence for π-acceptor behaviour in co-ordinated phosphorus, 91

Formation of [Mn(η-C<sub>5</sub>H<sub>3</sub>)O<sub>2</sub>] by photooxidation of [Mn(η<sup>5</sup>-C<sub>3</sub>H<sub>3</sub>)(CO)<sub>3</sub>] in low-temperature matrices containing O<sub>2</sub>, 311

Electron distribution in the excited state of [(OC)<sub>3</sub>W(4,4'-bipy)-W(CO)<sub>5</sub>] (4,4'-bipy = 4,4'-bipyridyl) determined by time-resolved infrared spectroscopy, 2217

Methylsilyhdyroxylamines: preparative, spectroscopic and ab initio

Methylsilylhydroxylamines: preparative, spectroscopic and ab initio studies, 2503

Synthesis and vibrational spectra of new bis(alkoxysulfane)dichloropalladium(ii) complexes and X-ray structural analysis of [PdCl<sub>2</sub>(S(OPr')<sub>2</sub>)<sub>2</sub>], 2509
Structural and vibrational properties of the octanuclear silasesquioxane C<sub>4</sub>H<sub>13</sub>(H<sub>2</sub>Si<sub>4</sub>O<sub>12</sub>), 3123
Kinetics of carbon monoxide exchange in chloro and bromo

carbonyl complexes of palladium(II) and platinum(II), 3723

carbonyl complexes of palladium(II) and platinum(II), 3723 **RIDIUM**Contrasting pathways for the reactions of triruthenaborane cluster anions with [{M(η²-C<sub>5</sub>Me<sub>5</sub>)C<sub>1</sub>}<sub>2</sub>] (M = Rh or Ir). Molecular structures of [RhRu<sub>3</sub>(η²-C<sub>5</sub>Me<sub>5</sub>)H<sub>2</sub>(CO)<sub>8</sub>(PPh<sub>3</sub>)BH] and [IrRu<sub>3</sub>(η²-C<sub>5</sub>Me<sub>5</sub>)H(CO)<sub>10</sub>BH<sub>2</sub>], 69

Nine-vertex polyhedral iridamonocarbaborane chemistry. Products of thermolysis of [(CO)(PPh<sub>3</sub>)<sub>2</sub>IrCB<sub>2</sub>H<sub>8</sub>] and emerging alternative cluster-geometry patterns, 229

Aggregation of fac-[Ir(aet)<sub>3</sub>] (aet = 2-aminoethanethiolate) around the [Co<sup>11</sup>,O]<sup>6+</sup> core. Structures and some properties of spontaneously resolved S-bridged octanuclear complexes [Ir(aet)<sub>3</sub>]<sub>4</sub>M<sub>4</sub>O]Br<sub>6</sub> (M<sub>4</sub> = Co<sup>11</sup>, Zn<sup>11</sup><sub>4</sub> or Zn<sup>11</sup><sub>2,5</sub>Co<sup>11</sup><sub>1,2</sub>), 533

Ligand substitution reactions in new square-planar iridium, rhodium and platinum complexes containing a potentially terdentate C,N,N' ligand system; crystal structure of [Ir{C<sub>6</sub>H<sub>4</sub>CH<sub>2</sub>N(Me)CH<sub>2</sub>CH<sub>2</sub>NMe<sub>2</sub>-2-C,N,N'}(cod)] (cod = cycloocta-1,5-diene), 703

New dirirdium(1) and dirirdium(1, III) complexes containing thiolate ligands. Crystal structures of [(cod)Cl(SC<sub>6</sub>F<sub>5</sub>)Ir(μ-SC<sub>6</sub>F<sub>5</sub>)<sub>2</sub>Ir(cod)] and [{Ir(μ-SC<sub>6</sub>F<sub>5</sub>)(CO)<sub>2</sub>]<sub>2</sub> (cod = cycloocta-1,5-diene), 781

Chiral cyclopentadienyl catalysts. Part 3. Synthesis and reactions of (S)-1-(1-dimethylaminoethyl)-2-(2,3,4,5-tetramethylcyclopenta-1,3-dienyl)benzene; crystal structure of [Rh{η<sup>5</sup>-C<sub>5</sub>Me<sub>6</sub>C<sub>6</sub>H<sub>4</sub>-CH(Me)NMe<sub>2</sub>)C<sub>2</sub>], 1445

Synthesis, characterization and crystal structures of [Ir<sub>9</sub>H(CO)<sub>19</sub>]<sup>4</sup>-and II<sub>1</sub> (CO) . 2<sup>2</sup>-1501

CH(Me)NMe<sub>2</sub>|Cl<sub>2</sub>], 1445

Synthesis, characterization and crystal structures of [Ir<sub>2</sub>H(CO)<sub>19</sub>]<sup>4</sup>and [Ir<sub>10</sub>(CO)<sub>21</sub>]<sup>2</sup>, 1501

Organometallic macrocyclic chemistry: synthesis of cationic halfsandwich iridium(i) complexes of 1,4,7-trithiacyclononane ([9]aneS<sub>3</sub>), Crystal structures of [Ir<sub>1</sub>(9] aneS<sub>3</sub>)(C<sub>3</sub>H<sub>2</sub>)]PF<sub>6</sub>, [Ir<sub>1</sub>[9]aneS<sub>3</sub>)(C<sub>4</sub>H<sub>2</sub>)]PF<sub>6</sub> and [Ir<sub>1</sub>(9]aneS<sub>3</sub>)(C<sub>4</sub>H<sub>6</sub>)]PF<sub>6</sub>0.5Et<sub>2</sub>O, 1631

Reduction of nitric oxide by tetramesityliridium(iv) and
cobaltocene. Reactions of hyponitrite complexes and of the ether
[Co(η<sup>5</sup>-C<sub>2</sub>H<sub>3</sub>)(η<sup>4</sup>-C<sub>3</sub>H<sub>3</sub>)](μ-O-exo) with nitroalkanes, acids and
amines, 2223

ridium-platinum perfluorobenzenethiolato trinuclear complexes: crystal structures of [Ir<sub>2</sub>Pt(C<sub>5</sub>Me<sub>5</sub>)(μ-SR<sub>F</sub>)<sub>4</sub>Cl<sub>2</sub>] (R<sub>F</sub> = C<sub>6</sub>F<sub>5</sub> or C<sub>6</sub>F<sub>4</sub>H-p), syntheses and solution behaviour, 2861

Charge-transfer interactions between sulfur dioxide and Group 8 half-sandwich complexes, 3515

Photochemical generation of 16-electron [Rh(η<sup>5</sup>-C<sub>5</sub>H<sub>5</sub>)(PMe<sub>3</sub>)] and [Ir(η<sup>5</sup>-C<sub>5</sub>H<sub>5</sub>)(PMe<sub>3</sub>)] in low-temperature matrices: evidence for methane activation, 3519

Complexes of the platinum metals. Part 46. 1,1,1,5,5,5-Hexa-fluoro-3-azapentane-2,4-diiminato derivatives of ruthenium, osmium and iridium. Crystal structure of

TRu{NHC(CF<sub>3</sub>)NC(CF<sub>3</sub>)NH}H(CO)(PPh<sub>3</sub>)<sub>2</sub>], 3615 IRO

Hydrogenation catalysis by an iron porphyrin and its application to a B-unsaturated esters. 7 Synthetic, spectroscopic and structural studies on phosphinestabilised [PPh<sub>3</sub>, Ph<sub>2</sub>PCH<sub>2</sub>PPh<sub>2</sub>, Ph<sub>2</sub>P(CH<sub>2</sub>)<sub>4</sub>PPh<sub>2</sub>, (Ph<sub>2</sub>P)C<sub>3</sub>H<sub>4</sub>N] main group element-iron-silicon chain complexes, 117 Mechanism of the reaction of different phosphates with the iron(II)iron(III) form of purple acid phosphatase from porcine

uteri (Uteroferrin), 429

Tri- and tetra-nuclear  $\mu$ -alkyne clusters from  $[Ru_2(\mu-CO)-(\mu-C_2R_2)(\eta-C_3H_3)_2]$  (R=Ph or  $CF_3$ ), 477  $\pi$ -Cation radicals of iron(III) derivatives of deformed porphyrins, 491 Complexes containing ferrocenyl groups as redox spectators; synthesis, molecular structure and co-ordination behaviour of 4'-ferrocenyl-2,2':6',2'-terpyridine, 645

Rate constants for intramolecular electron-transfer reactions of ruthenium-modified histidine mutants of cytochrome b<sub>2</sub>, 675 Redox reactivity of the binuclear iron active site of porcine purple

acid phosphatase (uteroferrin), 683
Influences of the substituents at the iminic carbon atoms (hydrogen

Influences of the substituents at the iminic carbon atoms (hydrogen persus methyl) upon the properties of ferrocenylimines and their cyclopalladated derivatives, 735

Electronic conjugation pathways in ferrocenyl Schiff bases, 747

CaM<sub>2</sub>(PO<sub>2</sub>)<sub>2</sub>(HPO<sub>2</sub>) (M = Fe or V): phosphates containing dimers of edge-sharing MO<sub>6</sub> octahedra, 931

Hindered rotation along carbon-nitrogen bonds. The effect of carbonyliron in complexes of 7-azanorbornadiene derivatives, 937

Rate law for the linearisation of the incomplete cuboidal Fe<sub>3</sub>S<sub>4</sub>\* active site in aconitase at high pH, 1025

Arenediazonium ion insertion into an iron-phosphine bond; synthesis and crystal structure of [Fe(NO)<sub>2</sub>{PPh<sub>2</sub>CH<sub>2</sub>CH<sub>2</sub>-P(Ph)<sub>2</sub>N(C<sub>4</sub>H<sub>4</sub>-P<sub>2</sub>)][PF<sub>4</sub>]-DC<sub>4</sub>H<sub>4</sub>, 1161

Iron(III) complexes of lactobionic acid: equilibrium and structural studies in aqueous solution, 1189

Hemes and hemoproteins. Part 10. Co-ordination of imidazole and other azoles by the iron(III) porphyrin microperoxidase-8, 1367

Hemes and hemoproteins. Part 10. Co-ordination of imidazole an other azoles by the iron(III) porphyrin microperoxidase-8, 1367 Pendant-functionalised ligands for metallosupramolecular assemblies; ruthenium(II) and osmium(II) complexes of 4'-(4-pyridyI)-2,2':6',2"-terpyridine, 1409 Spin-state equilibria in non-aqueous solution and quantum-mechanical investigations of iron(II) and nickel(II) complexes with 4-substituted 2,6-bis(benzimidazol-2-yl)pyridines, 1523 PhEc(HDQ); an iron(III) phosphate with an intersecting tunnel

RbFe(HPO<sub>4</sub>): an iron(III) phosphate with an intersecting tunnel structure, 1577

Metallosupramolecular complexes containing ferrocenyl groups as redox spectators; synthesis and co-ordination behaviour of the helicand 4',4"-bis(ferrocenyl)-2,2':6',2":6",2":6",2":em/quinquepyridine, 1585

pyridine, 1885
Syntheses, crystal structures and properties of [PPh<sub>4</sub>]<sub>2</sub>[SbFe<sub>3</sub>H-(CO)<sub>12</sub>] and [PPh<sub>4</sub>]<sub>2</sub>[AsFe<sub>3</sub>H(CO)<sub>12</sub>], 1641
Mössbauer spectroscopic investigations of metal incorporation within Nasicon-related NbTiP<sub>3</sub>O<sub>12</sub>, 1703
Synthesis and structure of a charge-compensated ferracarborane, commo-[3,3'-Fe<sub>1</sub>4-(Me<sub>2</sub>S)-1,2-C<sub>2</sub>B<sub>3</sub>H<sub>10</sub>]<sub>2</sub>], and its charge-transfer salt with 2,3-dichloro-5,6-dicyano-p-benzoquinone, 1735
Preparation of dithioformato, thioformamido and formamido derivatives of iron(ii) 1769

derivatives of iron(II), 1769

Hydrogen-bonded adducts of ferrocene-1,1'-diylbis(diphenyl-methanol): crystal and molecular structures of 1:1 adducts with 4,4'-bipyridyl, piperazine and dimethylformamide, the 2:1:1 hydrated adduct with morpholine, and two adducts with 1,4-dioxane, 1:1 at 150 K and 1:2 at 298 K, 1971

1.4-dioxane, 1:1 at 150 K and 1:2 at 298 K, 1971 µ-Oxo-bridged diiron(iii) complexes and H<sub>2</sub>O<sub>2</sub>: monooxygenase-and catalase-like activities, 2081 Effect of metal dilution on the thermal and light-induced spin transition in [Fe,Zn<sub>1-x</sub>(mtz)<sub>6</sub>][ClO<sub>4</sub>]<sub>2</sub> (mtz = 1-methyl-1*H*-tetrazole), 2285

Photoelectrochemical and quenching studies of tris(2,2'-bipyridine)ruthenium(II) bound to Nafion- and clay-coated electrodes, 2445

Syntheses, structures and fluxional behaviour of n<sup>4</sup>-1,4-di-tert-butylbuta-1,3-diene complexes of iron and ruthenium, 2615
Synthesis, structure and properties of [Hpy],[{M(mnt)<sub>2</sub>}<sub>2</sub>] (M = C or Fe, Hpy = pyridinium, mnt = maleonitriledithiolate), 2655
Two different terminal nitrate bonding modes in [Fe<sub>2</sub>O(NO<sub>3</sub>)<sub>4</sub>(C<sub>7</sub>H<sub>2</sub>N<sub>3</sub>)<sub>4</sub>], 2737
Metals in the nitrogenases, 2739
Chemical mechanism of dioxygen activation by trans[FeC]<sub>2</sub>(cyclam)] † (cyclam = 1,4,8,11-tetraazacyclotetradecane) in the presence of reducing agents such as aliphatic aldehydes or linolenic acid. 2805 linolenic acid, 2805

Preparation and aqueous solution properties of the heterometallic cuboidal complex [W<sub>3</sub>CuS<sub>3</sub>(H<sub>3</sub>O)<sub>10</sub>]<sup>5+</sup>, 2809 Effect of temperature of [Fe<sub>3</sub>(CO)<sub>12</sub>], 2911

Redox reactivity of the type 1 (blue) copper protein amicyanin from Thiobacillus versulus with inorganic complexes, 3017 Effects of the nature of the nitrogen donor atom (sp² versus sp³) IRON (contd)

upon the properties and chemistry of palladated complexes with  $\sigma(Pd-C_{sp})$ , ferrocene) bonds, 3039

Outer-sphere redox reactions in sterically hindered pentaam(m)ine-

Outer-sphere redox reactions in sterically hindered pentaam(m)ine cobalt(III) complexes. A temperature and pressure dependence kinetic study, 3159

X-Ray photoelectron spectroscopic characterization of [Prt(PPh<sub>3</sub>)<sub>2</sub>(μ<sub>3</sub>-S)<sub>2</sub>PiCl<sub>2</sub>], [Pr<sub>2</sub>(PPh<sub>3</sub>)<sub>4</sub>(μ<sub>3</sub>-S)<sub>2</sub>Cu]<sub>2</sub>(μ-dppf)]-[PF<sub>6</sub>]<sub>2</sub> [dppf = Fe(C,H<sub>4</sub>PPh<sub>2</sub>)<sub>2</sub>] and other heterometallic aggregates derived from [Pt(PPh<sub>3</sub>)<sub>2</sub>(μ-S)]<sub>2</sub>], 3177

Preparation of 1,1'-bis[(diphenylphosphino)methyl]ferrocene and its transition-metal complexes, 3191

Hindered rotation about carbon-nitrogen bonds in 7-aza-norbornadienes and their carbonylions complexes, 3199

Hindered rotation about carbon-nitrogen bonds in 7-azanorbornadienes and their carbonyliron complexes, 3199
Cytochrome c oxidase models: synthesis and reactivity of iron(III)—
copper(II) complexes of deuterohaemin-polybenzimidazole
dinucleating ligands, 3203
Reactions of dihalogenotriorgano-phosphorus, -arsenic and
-antimony compounds with [Fe<sub>2</sub>(CO)<sub>2</sub>]. Single-crystal structures
of the iron(III) complexes [(Ph<sub>13</sub>PO),H][FeBt<sub>1</sub>] and
[Ph<sub>4</sub>Sb][FeI<sub>4</sub>]-Ph<sub>3</sub>SbI, and of [Fe(CO)<sub>3</sub>(Ph<sub>3</sub>P)<sub>2</sub>], 3249
Mean magnetic susceptibility and its solvent dependence for several
substituted ferrocenes, ruthenocene and di(η<sup>6</sup>-benzene)chromium,
3257

3257

Seactivity of nido-[2-{Fe(η-C<sub>3</sub>H<sub>3</sub>)}B<sub>3</sub>H<sub>10</sub>] with some transition-metal hydride complexes, 3337
Influence of electronic conjugation and steric effects on the crystal structures of imino- and hydrazido-derivatives of ferrocenecarb-aldehyde, 3355

Stereoselective alkyne insertion into a bridging hydride at a diiron centre: cis-trans isomerisation and metallacycle formation,

Co-ordination of 1,4,7-tris(pyrazol-3-ylmethyl)-1,4,7-triazacyclononane with iron(iii), nickel(ii) and zinc(ii). Crystal and molecular structures of [ML][ClO<sub>4</sub>]<sub>2</sub>-nH<sub>2</sub>O (M = Ni, n = 0.5; M = Zn, n = 1), 3739

ISOCYANIDE

Nucleophilic attack at co-ordinated isocyanides promoted by the 2-pyridyl ligand, 407

Synthesis and characterisation of penta- and hexa-platinum cluster

compounds, 1013
Cleavage and reassembly of trinuclear palladium clusters in reactions with an isocyanide ligand, 1283 ISODIAZENE

Isodiazene complexes: synthesis and molecular structures of 2,2,6,6-tetramethylpiperid-1-ylisodiazene complexes of tungsten(IV) and of rhenium-(III) and -(II), 907

Alkene complexes of ruthenium(0): crystal structures, isomerism and fluxionality, 1193

and fluxionality, 1193

Thiolate complexes of osmium(iv): preparation of [Os(SR)<sub>4</sub>(PR'<sub>3</sub>)]

R = C<sub>6</sub>F<sub>5</sub>, C<sub>6</sub>F<sub>4</sub>H-4, C<sub>6</sub>H<sub>4</sub>F-4 or Ph, R' = Ph; R = C<sub>6</sub>F<sub>5</sub> or C<sub>6</sub>F<sub>4</sub>H-4, R'<sub>3</sub> = Me<sub>2</sub>Ph) and [OsCl(SC<sub>6</sub>F<sub>3</sub>)<sub>2</sub>(SC<sub>6</sub>H<sub>4</sub>X-3)-(PMe<sub>2</sub>Ph)] (X = F or CF<sub>5</sub>): crystal structures of [Os(SC<sub>6</sub>F<sub>4</sub>H-4)<sub>4</sub>-(PPh<sub>3</sub>)] and [OsCl(SC<sub>6</sub>F<sub>3</sub>)<sub>4</sub>(SC<sub>6</sub>H<sub>4</sub>CF<sub>3</sub>-3)(PMe<sub>2</sub>Ph)], 1819

New aspects of rhodium(iii)-dimethyl sulfoxide chemistry: synthesis and molecular structure of [NEt<sub>4</sub>][cis-RhCl<sub>4</sub>{(CH<sub>3</sub>)<sub>2</sub>SO)<sub>5</sub>] and chemical behaviour in aqueous solution of [RhCl<sub>4</sub>{(CH<sub>3</sub>)<sub>2</sub>SO)<sub>6</sub>...]<sup>3-n</sup> (n = 3 or 4) complexes, 1849

Isomerism in bis(diethylenetriamine)nickel(ii) thiocyanate: synthesis, solid-state interconversion and X-ray crystallographic study of sym-fac and mer isomers, 2367

study of sym-fac and mer isomers, 2367

Molecular structure and linkage isomerism of cis-[Ru(bipy)<sub>2</sub>-{trans-Cr(cyclam)(CN)<sub>2</sub>}<sub>2</sub>]<sup>4\*</sup> (bipy = 2,2'-bipyridine, cyclam = 1,4,8,11-tetraazacyclotetradecane), 2391

Synthesis and spectroscopic studies of palladium and platinum complexes of methylene-backboned dithio-, diseleno- and ditelluro-ether ligands, RECH<sub>2</sub>ER (R = Me or Ph; E = S, Se or Te), 2835

Linkage isomerism in bis[hydrotris(1,2,4-triazolyl)borato]zinc from a molecular chelate complex to a three-dimensional co-ordination polymer, 2947

Synthesis, characterization and aquation kinetics of a new trans diastereoisomer of dichloro(meso-5,12-dimethyl-1,4,8,11-tetraazacyclotetradecane)cobalt(III) perchlorate, 2959 Stereoselective alkyne insertion into a bridging hydride at a diiron centre: cis-trans isomerisation and metallacycle formation,

Stereochemistry in tris(bidentate ligand/ruthenium(II) complexes containing unsymmetrical polypyridyl ligands, 3659
Rotational energy barrier in PtII-N7 (purine) bonds by one- and two-dimensional nuclear magnetic resonance spectroscopy, 3717

ISOPOLYANION

Aqueous molybdotungstates, 1061 ISOTOPIC LABELLING

Photo-oxidation of [V(CO)<sub>6</sub>] in low-temperature matrices containing O<sub>2</sub>: formation of a novel superoxovanadium species, 835

Co-ordination of solvent molecules to square-planar mixed-ligand nickel(II) complexes: a thermodynamic and quantum-mechanical study, 1091 KINETICS

Kinetics of ternary complex formation between cobalt(II) species and N,N-dimethyl(p-pyridin-2-ylazo)aniline, 51 Nucleophilic displacement of halides from dihalogenoplatinum(II)

complexes containing a chelating thioether. Kinetics and equilibria, 169

Kinetics of acid-catalysed dissociation of tetraazamacrocyclic

ligand complexes of copper(II), 191
Ligand substitution reactions of aquacobalamin: further evidence for a dissociative interchange mechanism, and factors controlling

reaction rates, 297
Mechanism of the reaction of different phosphates with the iron(II)iron(III) form of purple acid phosphatase from porcine uteri (Uteroferrin), 429

Proton nuclear magnetic resonance assignments and the electron self-exchange rate constant for pseudoazurin from Achromobacter cycloclastes, 437

Exchange reactions of acetate ligands and electrophilic rhodium-carbon bond activation in orthometallated rhodium(II)

carbon bond activation in orthometallated rhodium(II) compounds with trifluoroacetic acid. Crystal structure of [Rh<sub>2</sub>(O<sub>2</sub>CCF<sub>3</sub>)<sub>3</sub>{(C<sub>6</sub>H<sub>4</sub>)PPh<sub>2</sub>]-2CF<sub>3</sub>CO<sub>2</sub>H, 539 Mechanism of the acid-catalysed cyclometallation reaction of dirhodium(II) compounds with general formula [Rh<sub>2</sub>(O<sub>2</sub>CMe)-(μ-O<sub>2</sub>CMe)<sub>2</sub>{(C<sub>4</sub>H<sub>2</sub>)-PPh<sub>3</sub>}{P(C<sub>6</sub>H<sub>4</sub>X)<sub>3</sub>}(OH<sub>2</sub>)], 545 Decomposition of chemically and electrochemically generated nickel(III) complexes with N<sub>2</sub>O<sub>2</sub> Schiff-base ligands, 571 Kinetics and mechanism of rubenium(III) catalysed oxidation of

Kinetics and mechanism of ruthenium(III) catalysed oxidation of formic acid by cerium(IV) in aqueous sulfuric acid media, 589 Redox reactivity of the binuclear iron active site of porcine purple

Redox reactivity of the binuclear fron active site of porcine purple acid phosphatase (uteroferrin), 683

Preparation and reactions of [MoH(η³-C₄H<sub>7</sub>)(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>-κ²P)]: the intramolecular interconversion between γ³-2-methylallyl and η⁴-trimethylenemethane ligands, 767

Oxidation of thioglycolic acid and glutathione by (transcyclohexane-1,2-diamine-N,N,N',N'-tetraacetato)manganate(III) in aqueous media. 841

in aqueous media, 841

The kinetics of the reaction of [Ru(Cl)H(PPh3)3] with various olefins, 951

Rate law for the linearisation of the incomplete cuboidal Fe<sub>3</sub>S<sub>4</sub><sup>+</sup> active site in aconitase at high pH, 1025

Mechanism of nucleophilic attack by diethylamine on cationic

palladium(ii) allyl complexes containing α-diimine ligands, 1145 To what extent can the Pt-C bond of a metallacycle labilize the trans position? A temperature- and pressure-dependent mechanistic study, 1257

Preparation and properties of the heterometallic cuboidal complex [Mo<sub>2</sub>CrS<sub>4</sub>(H<sub>2</sub>O)<sub>1,2</sub>]<sup>4+</sup>: comparisons with [Mo<sub>4</sub>S<sub>4</sub>(H<sub>2</sub>O)<sub>1,2</sub>]<sup>4+</sup>, 1275 Kinetics and mechanism of oxidation of nitrogen(in) by [ethylenebis(biguanide)]silver(in) cation and its conjugate bases in aqueous perchlorate media, 1349

Kinetics and mechanism of complex-formation reactions of ammonia and methylamine with copper(II) complexes in aqueous solution, 1355

solution, 1333
Kinetics and mechanism for the redox reaction between hexaaqua-thallium(III) and sulfur dioxide in acidic aqueous solution, 1435
Photoelectrochemical dehalogenation: bis(cyclopentadienyl)-vanadium dichloride and -molybdenum dichloride, 1711

Kinetics of substitution reactions of trans-[Mo(N2)2(PPh2Me)4]

with tripodal phosphines, 1717 with tripodal phosphines, 1717
Reactivity of neutral nitrogen donors in planar d<sup>8</sup> metal complexes.
Part 1. The system [1,2- bis(phenylsulfanyl)ethane]dichloroplatinum(II) with pyridines in methanol. Effect of basicity and steric hindrance, 1805
Kinetics of ligand exchange in rhodium-(I) and -(III) complexes

from magnetisation-transfer measurements; the crystal structure of [Rh(NH<sub>3</sub>)(PPh<sub>3</sub>)<sub>3</sub>]ClO<sub>4</sub>, 1857
Binding of divalent metal ions to synthetic double-stranded poly-

ribonucleotides, 1929

Preparation and properties of the heterometallic cuboidal complex [Mo<sub>3</sub>CrS<sub>4</sub>(H<sub>2</sub>O)<sub>12</sub>]<sup>4+</sup>: comparisons with [Mo<sub>4</sub>S<sub>4</sub>(H<sub>2</sub>O)<sub>12</sub>]<sup>4+</sup> (1994, 1275), 2024

Synthesis and crystal structure of nickel(II) complexes of macro-bicyclic ligands: identification and electron-transfer reactions of the corresponding nickel(III) complexes in solution, 2071

Catalytic reaction of methanol with a series of ruthenium(II) complexes and the mechanism of the formation of acetic acid from methanol alone, 2265

Reactivity of the tri-µ-hydroxo-bis[triamminecobalt(III)] ion in halide media, 2327

Influence of mixed sulfur-nitrogen oxides on the redox kinetics of manganese ions in aqueous solution, 2373

Mechanistic information on ligand-substitution reactions of

gadolinium(ii) in aqueous solution from high-pressure stopped-flow experiments, 2497

KINETICS (contd)

Preparation and aqueous solution properties of the heterometallic cuboidal complex [W<sub>3</sub>CuS<sub>4</sub>(H<sub>2</sub>O)<sub>10</sub>]<sup>3+</sup>, 2809

Synthesis, characterization and aquation kinetics of a new trans diastereoisomer of dichloro(meso-5,12-dimethyl-1,4,8,11-tetraazacyclotetradecane)cobalt(iii) perchlorate, 2959

Redox reactivity of the type 1 (blue) copper protein amicyanin from *Thiobacillus versutus* with inorganic complexes, 3017 Kinetics and mechanism of the oxidation of iodide by *trans*-

dioxoruthenium(vi), 3091

Equilibrium studies of α-diimine displacement in cationic allylpalladium(II) complexes by monodentate N-donors and the mechanism of allyl amination by triethylamine and pyridine, 3113

Outer-sphere redox reactions in sterically hindered pentaam(m)ine-

cobalt(III) complexes. A temperature and pressure dependence kinetic study, 3159

kinetic study, 3159
Kinetics of ligand exchange in rhodium-(i) and -(iii) complexes
from magnetisation-transfer measurements; the crystal structure
of [Rh(NH<sub>3</sub>)(PPh<sub>3</sub>)<sub>2</sub>]Clo<sub>4</sub> (1994, 1857), 3335
Carbonylation of the alkyl compounds [U(η-C<sub>3</sub>H<sub>4</sub>R)<sub>3</sub>R'] and
rearrangement of the acyl derivatives [U(η-C<sub>3</sub>H<sub>4</sub>R)<sub>3</sub>(η'-COR')]
into C<sub>4</sub>H<sub>4</sub>RR'. Influence of R and R' (Me, Pr' or Bu') and role
of the schurt (hargen or text hydrofrus). 3307

of the solvent (benzene or tetrahydrofuran), 3397
Reactivity of neutral nitrogen donors in planar d<sup>8</sup> metal complexes.
Part 2. The system [2,6-bis(methylsulfanylmethyl)pyridine]chloroplatinum(II) with pyridines and amines in methanol. Effect
of basicity, π-acceptor capacity and steric hindrance, 3539
Kinetics of ternary complex formation between cobalt(II) species

and 5-nitrosalicylic acid: the effect of charge, 3645
Kinetics of carbon monoxide exchange in chloro and bromo
carbonyl complexes of palladium(ii) and platinum(ii), 3723
Binary and ternary complexes of nickel(ii) with 2-aminomethylbenzimidazole and salicylaldehyde: kinetic and equilibrium studies, 3727

Kinetic studies on the oxidation of sulfur(IV) by nickel(IV) oximeimine complexes, 3733

Facile synthesis of four-membered ring platinalactam complexes and the single-crystal structure of [Pt{CH(CN)C(O)N(CO2Et)}-

(cod)] (cod = cycloocta-1,5-diene), 1831 Chemistry of acetoacetanilide and derivatives with zero- and divalent platinum and palladium complexes; crystal structure of the four-membered ring palladalactam complex

[Pd{CH(COMe)C(O)NPh}(bipy)] (bipy = 2,2'-bipyridyl), 3085

Iron(III) complexes of lactobionic acid: equilibrium and structural studies in aqueous solution, 1189 LANGMUIR-BLODGETT FILM

An amphiphilic trinuclear cobalt cluster-containing molecular unit: synthesis, characterization and Langmuir-Blodgett films, 1051 LANTHANIDE

Synthesis, X-ray characterisation and spectroscopic studies of metal complexes of N,N'-1,2-xylene-α,α'-diylbis(pyridin-2-one),

Syntheses and characterization of polynuclear metal complexes related to a chemical precursor system for the YBa<sub>2</sub>Cu<sub>3</sub>O<sub>7-x</sub> superconductor, 955 Complexes of lanthanide ions with a Schiff-base macrocyclic ligand

derived from 2,6-diformylpyridine, 1185

Studies on organolanthanide complexes. Part 55. Synthesis of furan-bridged bis(cyclopentadienyl) lanthanide and yttrium chlorides, and ligand and metal tuning of reactivity of organolanthanide hydrides (in situ), 1599

lanthanide hydrides (*in situ*), 1599

Synthesis, fluxional behaviour in solution and crystal structure of the organolanthanide complexes [Ln(C<sub>5</sub>H<sub>4</sub>CH<sub>2</sub>CH<sub>2</sub>OMe)<sub>2</sub>(thf)]-[Co(CO)<sub>4</sub>] (Ln = Sm or Yb, thf = tetrahydrofuran), 1665

Studies on organolanthanide complexes. Part 56. Formation of ion-pair complexes [Na-3phen] + [Ln(C<sub>5</sub>H<sub>4</sub>)<sub>3</sub>)Cl] - phen (Ln = La, Pr or Nd; phen = 1,10-phenanthroline) and crystal structure for Ln = Pr, 2109

Synthesis of the first lanthanide complexes of dialkyl α-hydroxyiminophosphonates; ambivalent ligand bonding in the Pr<sup>III</sup> and Nd<sup>III</sup> complexes of diisopropyl α-hydroxyiminopropylphosphonate (L¹), [PrL¹-[C1] and [NdL¹-(NO<sub>3</sub>)<sub>3</sub>(H<sub>2</sub>O]), 2335

Mechanistic information on ligand-substitution reactions of gadolinium(III) in aqueous solution from high-pressure stopped-flow experiments, 2497

Crystal structures and luminescence spectra of ten-co-ordinate

Crystal structures and luminescence spectra of ten-co-ordinate lanthanide(III) complexes (Ln = Ce, Sm, Eu or Tb) with 2,6-bis(benzimidazol-2-yl)pyridine, 2523

Synthesis, crystal structures and thermal decomposition studies of a series of copper-lanthanoid complexes of 6-methyl-2-pyridone, 2719

Ultrafine palladium particles supported on chelate resin-metal complexes: promotion effect of lanthanide ions on catalytic activity, 2967

Yttrium(III) and lanthanide(III) metal complexes of an 18-membered hexaaza tetraimine macrocycle. Crystal structure of the gadolinium(III) complex, 3369

Anthracycline anticancer drugs as effective ligands for terbium(III) ions, 3689

LARIAT ETHER

Monovalent metal-ion complexation by a bibracchial lariat ether in several solvents, 423

Metal-ion recognition. Donor-set control of silver(1)/lead(11) discrimination using mixed-donor macrocyclic ligands, 237 Crystal structures of [Pb(NO<sub>3</sub>)<sub>6</sub>]<sup>4</sup> and [Ba(NO<sub>3</sub>)<sub>6</sub>]<sup>4</sup> salts of 24-pyrimidinioum crown 6 {5,12,19,26,33,40-hexaamino-3,10,17,24,31,38-hexamethy|[1-<sub>6</sub>](1,5)pyrimidiniophane|, 563 Selection of metal ions by geometric isomers of a polyamine macrocycle with pendant donors, 793

Interaction of mylimpetal interaction travel ligos with pitroes.

Interaction of environmentally important metal ions with nitrogen-sulfur-donor macrocycles. The crystal structures of seven-co-ordinate lead(II) and mercury(II) complexes of an 18-membered N<sub>4</sub>S<sub>2</sub> macrocycle, 1383

N<sub>A,D</sub>: macrosyck, 1505 Design of figands containing the o-hydroxybenzyl group. Metal-complexing properties of N,N'-bis(2-hydroxybenzyl)diethylene-triamine-N,N',N'-triacetic acid, 2679 Proton transfer in a phenol-based compartmental cryptate; solution and solid-state structural studies, 3149

LIGAND FIELD

Ligand-field control in the self-assembly of polymeric metal complexes: copper(II) complexes with quadridentate Schiff-base ligands involving an imidazole moiety, 2339

LINEARISATION

Rate law for the linearisation of the incomplete cuboidal Fe<sub>3</sub>S<sub>4</sub><sup>+</sup> active site in aconitase at high pH, 1025

LINOLENIC ACID

Chemical mechanism of dioxygen activation by trans-[FeCl<sub>2</sub>(cyclam)] \* (cyclam = 1,4,8,11-tetraazacyclotetradecane) in the presence of reducing agents such as aliphatic aldehydes or linolenic acid, 2805

LITHIUM

The reaction of nitrogen with dilute solutions of barium in liquid lithium: electrical resistivity, X-ray phase analysis, kinetic and thermal analysis studies, 667

Solvent-dependent forms of lithiated 5,5,10,10,15,15,20,20-octaethylporphyrinogen in solution and in the solid state and reaction with tetrahydrofuran, 2467

Synthesis, molecular structure and solution dynamics of dimeric benzamidinates containing a double diazaallyl lithium bridge. A rapid interconversion of σ and π bonds, 3507 LITHIUM-7

Monovalent metal-ion complexation by a bibracchial lariat ether in several solvents, 423

LUMINESCENCE

Synthesis, spectroscopy and electrochemistry of luminescent [Re<sup>ν</sup>N{Ph<sub>2</sub>P(CH<sub>2</sub>)<sub>2</sub>PPh<sub>2</sub>}<sub>2</sub>(MeCN)]<sup>2+</sup>, 391
Luminescent organometallic gold(i) complexes. Structure and photophysical properties of alkyl-, aryl- and μ-ethynylene gold(i) complexes, 1867

complexes, 1867
Crystal structures and luminescence spectra of ten-co-ordinate lanthanide(III) complexes (Ln = Ce, Sm, Eu or Tb) with 2,6-bis(benzimidazol-2-yl)pyridine, 2523
Synthesis, photophysics and electrochemistry of a novel luminescent platinum(II) sulfido complex. Crystal structure of [Pt<sub>2</sub>(II-S)-(μ-dppm)(dppm)<sub>2</sub>]<sup>2+</sup> (dppm = Ph<sub>2</sub>PCH<sub>2</sub>PPh<sub>2</sub>), 2587
Synthesis and crystal structure of a luminescent one-dimensional phenylacetylide-gold(I) polymer with 2,6-bis(diphenylphosphino)-pyridine as ligand, 3067
A luminescent heterometallic Au<sup>1</sup>···Cu<sup>1</sup> complex. Spectroscopic properties and crystal structures of [Au(PPh<sub>2</sub>)(C<sub>2</sub>H<sub>3</sub>N<sub>2</sub>)] and [(Au(PPh<sub>3</sub>)(μ-C<sub>2</sub>H<sub>3</sub>N<sub>2</sub>)Cu(μ-C<sub>2</sub>H<sub>3</sub>N<sub>2</sub>)}<sub>2</sub>] (C<sub>2</sub>H<sub>3</sub>N<sub>2</sub> = 7-azaindolate), 3677
UMINESCENT

LUMINESCENT

Synthesis, characterization and photophysics of luminescent organogold(i) phosphines, 2057

MACROCYCLE

Hydrogenation catalysis by an iron porphyrin and its application to  $\alpha, \beta$ -unsaturated esters, 7

Syntheses of novel monomeric 1,4,7-trimethyl-1,4,7-triazacyclo nonane ruthenium complexes. Reactivities and structure of sterically encumbered cationic monoaquaruthenium(II) and

sterically encumbered cationic monoaquaruthenium(II) and monooxoruthenium(IV) complexes, 57
Kinetics of acid-catalysed dissociation of tetraazamacrocyclic ligand complexes of copper(II), 191
Metal-ion recognition. Donor-set control of silver(I)/lead(II) discrimination using mixed-donor macrocyclic ligands, 237
Crown thioether chemistry of tin(IV): formation and crystal and molecular structures of 35nCl<sub>4</sub>-2[9]aneS<sub>3</sub> and 2SnCl<sub>4</sub>-[18]aneS<sub>6</sub>-MeCN [[9]aneS<sub>3</sub> = 1,4,7-trithiacyclononane; [18]aneS<sub>6</sub> = 1,4,7,10,13,16-hexathiacyclooctadecane), 255
Novel two-fold-macrocycle-substituted phthalocyanines, 323

MACROCYCLE (contd)

Synthesis, properties and crystal structures of [Ru<sup>III</sup><sub>2</sub>(tacn)<sub>2</sub>· (μ-OH)<sub>2</sub>(μ-CO<sub>3</sub>)]Br<sub>2</sub>·3.75H<sub>2</sub>O and [Ru<sup>3.5</sup><sub>2</sub>(dtne)(μ-O)<sub>2</sub>· (μ-OJ<sub>3</sub>)PF<sub>6</sub>·5H<sub>2</sub>O [tacn = 1.4,7-triazacyclononane, dtne = 1,2-bis(1.4,7-triazacyclononane-1-yl)ethane], 457

Studies of pendant-arm macrocyclic ligands. Part 8. Synthesis of two pentaazamacrocycles with a single pendant co-ordinating tetraazamacrocycles with a single pendant co-ordinating 2-pyridylmethyl arm, and characterisation of their nickel(II), copper(II) and zinc(II) complexes. Crystal structure of 7-(2-pyridylmethyl)-3,7,11,17-tetraazabicyclo[11.3.1]heptadeca-1(17),13,15-trienezinc(II) tetrafluoroborate, 485
π-Cation radicals of iron(III) derivatives of deformed porphyrins, 491
Crystal structures of [Pb(NO<sub>3</sub>)<sub>4</sub>)<sup>4</sup> and [Ba(NO<sub>3</sub>)<sub>4</sub>)<sup>4</sup>-salts of 24-pyrimidinium crown 6 {5,12,19,26,33,40-hexamino-3,10,17,24,31,38-hexamethy[I<sub>1.3</sub>(I1,5)pyrimidinophane}, 563

Platinum thioether macrocyclic chemistry: synthesis and electrochemistry of [PtL][PF<sub>6</sub>]<sub>2</sub> (L = [12]-, [14]- or [16]-aneS<sub>4</sub>) and [Pt<sub>2</sub>([28]aneS<sub>3</sub>)][PF<sub>6</sub>]<sub>4</sub>. Crystal structure of [Pt(I2]aneS<sub>4</sub>)][PF<sub>6</sub>]<sub>4</sub>. Crystal structure of [Pt(I2]aneS<sub>4</sub>)][PF<sub>6</sub>]<sub>7</sub>. MeCN, 627

Structures of the yttrium complexes of 1,4,7,10-tetraazacyclododecane-N,N',N'',N'''-tetraacetic acid (H<sub>4</sub>dota) and N,N''-bis(benzylcarbamoylmethyl)diethylenetriamine-N,N'',N''-triacetic acid and the solution structure of a zirconium complex of H<sub>4</sub>dota, 689

Conformational study of the macrocycle 1,4,7-trithiacyclononane in metal complexes. 719

complex of H<sub>4</sub>dota, 689
Conformational study of the macrocycle 1,4,7-trithiacyclononane in metal complexes, 719
Selection of metal ions by geometric isomers of a polyamine macrocycle with pendant donors, 793
Synthesis, characterization and structure of the highly sterically congested complex (3,14-dimethyl-14-nitromethyl-2,6,13,17-tetraazatricyclo[16.4.0.0712]docos-2-ene)nickel diperchlorate and structure of (3,14-dimethyl-2,6,13,17-tetraaza-tricyclo[16.4.0.0712]docosa-2,13-diene)nickel diperchlorate, 853
Synthesis and characterization by fast atom hombardment and

ynthesis and characterization by fast atom bombardment and electrospray mass spectrometry of new copper(1) complexes with substituted 1,4,5,8,9,12-hexaazatriphenylenes and macrocycles,

Complexes of lanthanide ions with a Schiff-base macrocyclic ligand derived from 2,6-diformylpyridine, 1185

derived from 2,6-diformylpyridine, 1185
Cyclic voltammetry and spectroelectrochemistry of rhodium phthalocyanines, 1359
Hemes and hemoproteins. Part 10. Co-ordination of imidazole and other azoles by the iron(ii) porphyrin microperoxidase-8, 1367
The chemistry of vitamin B<sub>12</sub>. Part 29. Co-ordination of imidazoles and 1,2,4-triazole by aquacyanocobinamide, 1373
The chemistry of vitamin B<sub>12</sub>. Part 30. Co-ordination of amines, pyridines and diazines by aquacyanocobinamide; nitrogencontaining bases as probes for basicity and other effects in metal-ligand bonding, 1377 metal-ligand bonding, 1377

Interaction of environmentally important metal ions with nitrogen-sulfur-donor macrocycles. The crystal structures of seven-co-ordinate lead(II) and mercury(II) complexes of an 18-membered

Octakis(alkylthio)-substituted phthalocyanines and their interactions with silver(1) and palladium(11) ions, 1419

Nickel thioether chemistry: syntheses and crystal structures of [Ni<sub>2</sub>L<sub>4</sub>(µ-Cl<sub>2</sub>][BF<sub>4</sub>]<sub>2</sub> (L = 1,4,7,10-tetrathiacyclododecane, 1,4,8,11-tetrathiacyclotetradecane or 1,5,9,13-tetrathiacyclohexadecane), 1463

Dicopper cryptates with 1,1 and 1,3 bridging ligands: spectroscopic, magnetic and electrochemical properties, 1471

Synthesis, electrochemical and magnetic properties of a series of new unsymmetrical macrocyclic binuclear copper(II) complexes, 1595

1,4,7-Triazacyclononane-1,4,7-triyltrimethylenetris(phenylphos phinate) enforces octahedral geometry: crystal and solution structures of its metal complexes and comparative biodistribution studies of radiolabelled indium and gallium complexes, 1619

organometallic macrocyclic chemistry: synthesis of cationic half-sandwich iridium(1) complexes of 1,4,7-trithiacyclononane ([9]aneS<sub>3</sub>), Crystal structures of [Ir([9]aneS<sub>3</sub>)(C<sub>3</sub>H<sub>3</sub>)]PF<sub>6</sub>, [Ir([9]aneS<sub>3</sub>)(C<sub>8</sub>H<sub>12</sub>)]PF<sub>6</sub> and [Ir([9]aneS<sub>3</sub>)(C<sub>4</sub>H<sub>6</sub>)]PF<sub>6</sub>·0.5Et<sub>2</sub>O, 1631

Crystal structures of a tetranucleating macrocycle and its dimanganese(III) derivative, and magnetism of the latter, 1837

dimanganese(iii) derivative, and magnetism of the latter, 1837 Studies on a dioxotetraamine macrocyclic ligand, its copper(ii) and nickel(ii) complexes and solution equilibria, 1873 Structure and reactions of the thioether half-sandwich ruthenium(ii) complexes [Ru(MeCN)<sub>3</sub>([9]aneS<sub>3</sub>)][CF<sub>3</sub>SO<sub>3</sub>]<sub>2</sub> and [Ru(MeCN)<sub>2</sub>-(PPh<sub>3</sub>)([9]aneS<sub>3</sub>)][CF<sub>3</sub>SO<sub>3</sub>]<sub>2</sub> ([9]aneS<sub>3</sub>) = 1,4,7-trithiacyclononane), 1885

nonane), 1885
Template synthesis, structure and properties of a bis(macrocyclic) dinickel(II) complex based on a 14-membered hexaaza unit, 1913
Functionalizable 5,5,10,10,15,15,20,20-octaethylporphyrinogen complexes of early transition metals: synthesis and crystal structure of titanium-, vanadium- and chromium-(III) derivatives

and a two-electron oxidation of the porphyrinogen skeleton, 2015 Novel two-fold-macrocycle-substituted phthalocyanines (1994, 323), 2023

(1994, 323), 2023
Unusual solid-state reaction of [{CrL(acac)}<sub>2</sub>(µ-H<sub>2</sub>O<sub>2</sub>)][PF<sub>6</sub>]<sub>3</sub>. Isolation and crystal structures of [CrL(acac)F]PF<sub>6</sub> and [CrL(acac)(O<sub>2</sub>PF<sub>2</sub>)]PF<sub>6</sub> (L = 1,4,7-trimethyl-1,4,7-triazacyclononane, acac = pentane-2,4-dionate), 2041
Synthesis and crystal structure of nickel(iii) complexes of macrobicyclic ligands: identification and electron-transfer reactions of the corresponding nickel(iii) complexes in solution, 2071
Synthesis of cationic half-sandwich rhodium(i) complexes of 1,4,7-trithiacyclononane (PJaneS<sub>3</sub>). The single-crystal structures of [Rh([9]aneS<sub>3</sub>)(C<sub>3</sub>H<sub>4</sub>)]PF<sub>6</sub>, [Rh([9]aneS<sub>3</sub>)(C<sub>6</sub>H<sub>12</sub>)]BF<sub>4</sub> and [Rh([9]aneS<sub>3</sub>)(C<sub>4</sub>H<sub>6</sub>)]PF<sub>6</sub>-0.25OEt<sub>2</sub>, 2197
1,4,7-Triazacyclononane-1,4,7-trilytrimethylenetris(phenylphosphinate) enforces octahedral geometry: crystal and solution structures of its metal complexes and comparative biodistribution studies of radiolabelled indium and gallium complexes (1994, 1619), 2221 (1994, 1619), 2221

studies of radiolabelled indium and gallium complexes (1994, 1619), 2221
Criteria to judge preorganisation in the study of known and the design of new thiocrown ethers, 2243
Molecular structure and linkage isomerism of cis-[Ru(bipy)<sub>2</sub>-{trans-Cr(cyclam)(CN)<sub>2</sub>}<sub>2</sub>]\* (bipy = 2,2'-bipyridine, cyclam = 1,48,11-tetraazacyclotetradecane), 2391
Synthesis and properties of polynuclear complexes containing {Mo(NO)[HB(dmpz)<sub>3</sub>]Cl} metal centres axially bound to a Ru(tpp) core (dmpz = 3,5-dimethylpyrazol-1-yl; tpp = meso-5,10,15,20-tetraphenylporphyrinate), 2415
Solvent-dependent forms of lithiated 5,5,10,10,15,15,20,20-octaethylporphyrinogen in solution and in the solid state and reaction with tetrahydrofuran, 2467
Synthesis and crystal structure of an indium(III) complex with a bicyclic phthalocyanine at 300 K, 2539
Preparation and characterisation of organocobalt(III) complexs of tetraaza macrocyclic ligands. Crystal structures of ethyl- and propyl-cobalt(III) complexes of 3,7,11,17-tetraaazabicyclo-[11,3.1]heptadeca-1(17),13,15-triene, 2631
Synthesis and electrochemistry of dialkylosmium-(IV) and -(V) porphyrins. Crystal structure of [Os(ttp)(CH<sub>2</sub>SiMe<sub>3</sub>)<sub>2</sub>]
[H<sub>2</sub>ttp = 5,10,15,20-tetra(p-tolyl)porphyrin], 2713
Syntheses of square-planar nicke-(III) and -(I) complexes of an octaaza macrochexacyclic ligand and crystal structure of the nickel(III) complex, 2765

nickel(II) complex, 2765
Factors affecting the assembly of helical and non-helical zinc(II) bipyridyl metallomacrocycles, 2783

Interaction of transition and post-transition metal ions with oxygen-nitrogen donor macrocycles incorporating pendant hydroxyethyl and carbamoylethyl groups, 2791

Chemical mechanism of dioxygen activation by trans[FeCl<sub>2</sub>(cyclam)] \* (cyclam = 1,4,8,11-tetraazacyclotetradecane) in the presence of reducing agents such as aliphatic aldehydes or linolenic acid, 2805

linolenic acid, 2805

Synthesis, characterization and aquation kinetics of a new trans diastereoisomer of dichloro(meso-5,12-dimethyl-1,4,8,11-tetraazacyclotetradecane)cobalt(III) perchlorate, 2959

Mono- and bi-nuclear copper(II) complexes of azaparacyclophanes with a single aromatic spacer. Crystal structure of [Cu<sub>2</sub>L<sup>2</sup>Cl<sub>4</sub>]-1.5H<sub>2</sub>O (L<sup>2</sup> = 2,5,8,11-tetraaza[12]paracyclophane), 2995

Mixed phosphathia macrocyclic chemistry: synthesis and characterisation of [M(Ph<sub>2</sub>[14]aneP<sub>2</sub>S<sub>2</sub>)]<sup>2\*</sup> (M = Pd or Pt) and [RhCl<sub>2</sub>(Ph<sub>2</sub>[14]aneP<sub>2</sub>S<sub>2</sub>)] (Ph<sub>2</sub>[14]aneP<sub>2</sub>S<sub>2</sub> = 8,12-diphenyl-1,5-dithia-8,12-diphosphacyclotetradecane, 3031

Kinetics and mechanism of the oxidation of iodide by trans-dioxoruthenium(V), 3091

dioxoruthenium(v1), 3091

Electron spin resonance studies and crystal structures of copper(II) complexes of some 12-, 13- and 14-membered oxatriaza

complexes of some 12-, 13- and 14-membered oxatriaza macrocycles, 3099
Metal-directed synthesis of aminobenzyl polyaza macrocycles: candidates for attachment to polymers and biomolecules, 3107
Proton transfer in a phenol-based compartmental cryptate; solution and solid-state structural studies, 3149
Carbon-functionalized 1,4,7-trithiacyclononanes: synthesis, molecular mechanics and co-ordination chemistry, 3165
Preparation of 1,1'-bis[(diphenylphosphino)methyl]ferrocene and its transition-metal complexes, 3191
Cytochrome c oxidase models: synthesis and reactivity of iron(III)-complexes of deuterophaemin, polybenzimidazole.

copper(II) complexes of deuterohaemin-polybenzimidazole

copper(II) complexes of deuterohaemin-polybenzimidazole dinucleating ligands, 3203

Synthesis and electrochemistry of nickel and cobalt complexes of mixed thia-aza crown ethers: single-crystal structures of [Ni([18]aneN<sub>2</sub>S<sub>4</sub>)][PF<sub>6</sub>]<sub>2</sub>-0.33H<sub>2</sub>O and [Co([18]aneN<sub>2</sub>S<sub>4</sub>)][PF<sub>6</sub>]<sub>3</sub>-3H<sub>2</sub>O ([18]aneN<sub>2</sub>S<sub>4</sub>) = 1,4,10,13-tetrathia-7,16-diazacyclooctadecane), 3291

The first himselar connection complex of a bibase sixthesis and the second contacts of the se

The first binuclear copper(II) complex of a bibracchial lariat ether: synthesis, magnetic susceptibility and crystal structure, 3325 Interaction of transition- and post-transition-metal ions with O<sub>2</sub>N<sub>2</sub>donor macrocycles incorporating pendant pyridylmethyl groups,

MACROCYCLE (contd)
Yttrium(III) and lanthanide(III) metal complexes of an 18-membered

Yttrium(III) and lanthanide(III) metal complexes of an 18-members hexaaza tetraimine macrocycle. Crystal structure of the gadolinium(III) complex, 3369
Co-ordination tendencies of two novel compartmental oxa-aza macrobicycles. Crystal structure of a Cu<sup>II</sup>(H<sub>2</sub>O) inclusion complex, 3581
Co-ordination of 1,4,7-tris(pyrazol-3-ylmethyl)-1,4,7-triazacyclononane with iron(III), nickel(II) and zinc(II). Crystal and molecular structures of [ML][ClO<sub>4</sub>]<sub>2</sub>·nH<sub>2</sub>O (M = Ni, n = 0.5; M = Zn, n = 1), 3739
IACNESIUM

MAGNESIUM

Chemical reactivities of [Me<sub>2</sub>Al(μ-NPr'<sub>2</sub>)<sub>2</sub>MgMe]<sub>4</sub> and [Me<sub>2</sub>Al-(μ-NEt<sub>2</sub>)MgMe]<sub>5</sub>; crystal structures of [Me<sub>2</sub>Al(μ-NPr'<sub>2</sub>)<sub>2</sub>Mg-(μ-I)]<sub>5</sub>, [Me<sub>2</sub>Al(μ-OBu')<sub>2</sub>Mg(μ-OBu')]<sub>2</sub>, Me<sub>2</sub>Al(μ-NPr'<sub>2</sub>)-(μ-OEt)Mg(μ-NPr'<sub>2</sub>)(μ-OEt)AlMe<sub>2</sub> and Me<sub>2</sub>Al(μ-OBu')<sub>2</sub>Mg-(μ-OBu')<sub>2</sub>AlMe<sub>2</sub>, 315

IAGNETISM

Created extractives

AGNETISM

Crystal structure and magnetic behaviour of a new kind of one-dimensional nickel(II) thiocyanate compound [{NiL(SCN)-(μ-SCN)}\_][L = bis(3-aminopropy))methylamine], 259

Spin equilibrium in five-co-ordinate Lewis-base adducts of cobal(II) Schiff-base complexes with a S<sub>2</sub>N<sub>3</sub> ligand environment. Molecular and crystal structure of [CoL<sup>4</sup>(mim)] at 293 and 103 K

[H<sub>2</sub>L<sup>4</sup> = N,N'-bis(5-mercapto-3-methyl-1-phenylpyrazol-4-yl-methylene)-o-phenylenediamine, mim = N-methylimidazole], 361
π-Cation radicals of iron(III) derivatives of deformed porphyrins, 491
Anisotronic magnetic exchange observed by electron spin resonance.

Anisotropic magnetic exchange observed by electron spin resonance in hexaammineruthenium(III) chloride sulfate trihydrate, 901 Dinuclear manganese(II) complexes of unsymmetric phenol-based

Dinuclear manganese(II) complexes of unsymmetric phenol-based dinucleating ligands with amino and imino chelating arms: synthesis, structure and catalase-like activity, 1097

Single-crystal low-temperature magnetisation studies of Cs<sub>2</sub>K[Mn-(CN)<sub>6</sub>], 1121

2,2'-Bipyrimidine (bipym)-bridged dinuclear complexes. Part 4. Synthesis, crystal structure and magnetic properties of [Co<sub>2</sub>(H<sub>2</sub>O<sub>3</sub>(bipym)][NO<sub>3</sub>], [Co<sub>2</sub>(H<sub>2</sub>O)<sub>8</sub>(bipym)][SQ<sub>4</sub>]<sub>2</sub>-2H<sub>2</sub>O and [Co<sub>2</sub>(bipym)<sub>3</sub>(NCS)<sub>4</sub>], 1175

Crystal structures and magnetic behaviour of the two forms of tetra-n-butvlammonium tetraisothiocyanatochromate(II), 1425

Crystal structures and magnetic behaviour of the two forms of tetra-n-butylammonium tetraisothiocyanatochromate(ii), 1425 Dicopper cryptates with 1,1 and 1,3 bridging ligands: spectroscopic, magnetic and electrochemical properties, 1471 Synthesis, electrochemical and magnetic properties of a series of new unsymmetrical macrocyclic binuclear copper(ii) complexes, 1595 Synthesis and structure of a charge-compensated ferracarborane, commo-[3,3'-Fe/4-(Me<sub>2</sub>S)-1,2-C<sub>2</sub>B<sub>2</sub>H<sub>10</sub>)<sub>2</sub>], and its charge-transfer salt with 2,3-dichloro-5,6-dicyano-p-benzoquinone, 1735 Preparation, crystal structure and magnetochemistry of [NEt<sub>4</sub>]-[V<sub>2</sub>Cl<sub>7</sub>(thf)<sub>2</sub>)-CH<sub>2</sub>Cl<sub>2</sub>(thf = tetrahydrofuran), 1813 Crystal structures of a tetranucleating macrocycle and its dimanganese(ii) derivative, and magnetic properties of the alternating chain [VO(H<sub>2</sub>O)<sub>3</sub>][Cu<sub>2</sub>(bipym)<sub>2</sub>(H<sub>2</sub>O)(SQ<sub>3</sub>)<sub>3</sub>]-7H<sub>2</sub>O (bipym = 2,2'-bipyrimidine), 1879 Crystal structure and magnetic properties of two two-dimensional sheet-like polynuclear copper complexes with bridging trans-

sheet-like polynuclear copper complexes with bridging trans-oxamidate and 4,4'-bipyridine or pyrimidine, 1917 Crystal structure and magnetic properties of a two-dimensional sheet-like copper(II) complex with bridging trans-oxamidate and

azide, 1923
Synthesis, structure, magnetism and electrochemistry of binuclear

Synthesis, structure, magnetism and electrochemistry of binuclear nickel(II) and copper(II) complexes of an unsymmetrical pentadentate Schiff-base ligand, 2129

Synthesis, structure, spectroscopic and magnetic properties of two copper(II) dimers containing pyridine-2-carbaldehyde thiosemicarbazonate (L), [{CuL(X)}<sub>2</sub>] (X = Cl or Br), 2233

Effect of metal dilution on the thermal and light-induced spin transition in [Fe<sub>x</sub>Zn<sub>1-x</sub>(mtz)<sub>6</sub>][ClO<sub>4</sub>]<sub>2</sub> (mtz = 1-methyl-1*H*-tetrazole), 2285

A poyel tetranuclear [Cr<sup>III</sup><sub>2</sub>Mn<sup>III</sup><sub>2</sub>(II<sub>2</sub>-O)]<sup>8+</sup> core with an S<sub>7</sub> = 0

A novel tetranuclear  $[Cr^{III}_2Mn^{III}_2(\mu_3-O)_2]^{8+}$  core with an  $S_T=0$  spin ground state, 2313

spin ground state, 2313

Crystal structure, spectroscopic and magnetic properties of two unusual compounds: [Cu(terpy)(N<sub>3</sub>)Cl] and [{Cu<sub>0.75</sub>Ni<sub>0.25</sub>(terpy)-(N<sub>3</sub>)<sub>2</sub>]-2H<sub>2</sub>O (terpy = 2,2':6',2'-terpyridine), 2573

Syntheses, crystal structures and electronic properties of [Cu(bipym)(C<sub>3</sub>O<sub>3</sub>)(H<sub>2</sub>O)<sub>2</sub>]-H<sub>2</sub>O and [Cu<sub>2</sub>bipym)-(C<sub>3</sub>O<sub>3</sub>)(H<sub>2</sub>O)<sub>2</sub>]-4H<sub>2</sub>O (bipym = 2,2'-bipyrimidine), 2777

Ligand control on the synthesis and redox potency of mononuclear manganese-(III) and -(IV) complexes with tridentate ONS co-ordination, 2799

Structure and magnetic studies of a two-dimensional sheet-like

co-ordination, 2799
Structure and magnetic studies of a two-dimensional sheet-like copper(π) complex with bridging pyridine-4-carboxylate and trans-oxamidate ligands, 2989
Synthesis and crystal structure determination of a one-dimensional end-to-end cyanate-bridged copper(π) compound, 3005
Mean magnetic susceptibility and its solvent dependence for several substituted ferrocenes, ruthenocene and di(η6-benzene)chromium, 2357

The first binuclear copper(II) complex of a bibracchial lariat ether: synthesis, magnetic susceptibility and crystal structure, 3325 Significant antiferromagnetic coupling in a terephthalate (ta)-bridged manganese(II) compound: preparation, crystal structure and magnetic properties of the chain [Mn<sub>2</sub>(bipy)<sub>4</sub>(ta)][ClO<sub>4</sub>]<sub>2</sub> (bipy = 2,2'-bipyridine), 3465
An alternating copper(II) chain with bridging azide and oxamidate ligands: Crystal structure and magnetic properties of [Clu<sub>2</sub>(dmaeoxd)(N<sub>3</sub>)<sub>2</sub>(H<sub>2</sub>O)<sub>2</sub>] and [{Cu<sub>2</sub>(dmaeoxd)(N<sub>3</sub>)<sub>2</sub>}<sub>n</sub>] {H<sub>2</sub>dmaeoxd = N,N'-bis[2-(dimethylamino)-ethyl]oxamide}, 3769
ANGANESE.

MANGANESE

Formation of [Mn(η-C<sub>3</sub>H<sub>3</sub>)O<sub>2</sub>] by photooxidation of [Mn(η<sup>5</sup>-C<sub>3</sub>H<sub>3</sub>)(CO)<sub>3</sub>] in low-temperature matrices containing O<sub>2</sub>, 311 Cyclic voltammetric studies on some manganese(π) tertiary

arylphosphine complexes, 619
Oxidation of thioglycolic acid and glutathione by (transcyclohexane-1,2-diamine-N,N,N',N'-tetraacetato)manganate(III)

in aqueous media, 841

Non-oxo chemistry of manganese in high oxidation states. Part 1.

Mononuclear tert-butylimido compounds of manganese-(VII) and

Dinuclear manganese(II) complexes of unsymmetric phenol-based dinucleating ligands with amino and imino chelating arms:

synthesis, structure and catalase-like activity, 1097
Single-crystal low-temperature magnetisation studies of Cs<sub>2</sub>K[Mn-(CN)<sub>6</sub>], 1121

(N<sub>2</sub>O<sub>2</sub>) ligands bound to manganese(III): the isolation and crystal structure of a manganese(III) complex containing a ten-membered cis-chelated ring, 1265

cts-cherated ring, 1203 Synthesis, structure and electrochemistry of Ph<sub>2</sub>PCH<sub>2</sub>PPh<sub>2</sub>-bridged heterometallic complexes containing a (η-C<sub>3</sub>H<sub>4</sub>Me)Mn(CO)<sub>2</sub> fragment, 1533

fragment, 1533
Crystal structures of a tetranucleating macrocycle and its dimanganese(iii) derivative, and magnetism of the latter, 1837
A novel tetranuclear [Cr<sup>III</sup><sub>2</sub>Mn<sup>III</sup><sub>2</sub>(µ<sub>3</sub>-O)<sub>2</sub>]<sup>8+</sup> core with an S<sub>T</sub> = 0 spin ground state, 2313
Influence of mixed sulfur-nitrogen oxides on the redox kinetics of manganese ions in aqueous solution, 2373
Synthesis of novel donor-acceptor manganese(i) complexes of ferrocenylacetylene: crystal structure of [(C<sub>3</sub>H<sub>3</sub>)Fe(C<sub>3</sub>H<sub>4</sub>)-C=CMn(CO)<sub>3</sub>(Ph<sub>2</sub>PCH(Me)CH<sub>2</sub>PPh<sub>2</sub>;] which has potential for second-order non-linear optics, 2589
Ligand control on the synthesis and redox potency of mononuclear manganese-(III) and -(IV) complexes with tridentate ONS co-ordination, 2799

manganese-(III) and -(IV) complexes with tridentate ONS co-ordination, 2799
Thermodynamics of complexation of manganese(II) and zinc(II) ions with pyridine, 3-methyl- and 4-methyl-pyridine in cyanomethane, 3267
Significant antiferromagnetic coupling in a terephthalate (ta)-bridged manganese(II) compound: preparation, crystal structure and magnetic properties of the chain [Mn<sub>2</sub>(bipy)<sub>4</sub>(ta)][CIO<sub>4</sub>]<sub>2</sub> (bipy = 2,2'-bipyridine), 3465
Synthesis and co-ordination chemistry of a new tripodal phosphine alcohol. 3499

alcohol, 3499

acconor, 3499

Radical intermediates in the reductive isomerisation of octahedral manganese carbonyl bipyridyl complexes; electrochemistry, electron spin resonance spectroscopy and molecular-orbital calculations, 3745

MASS SPECTROMETRY

MASS SPECTROMETRY

Synthesis and characterization by fast atom bombardment and electrospray mass spectrometry of new copper(1) complexes with substituted 1,4,5,8,9,12-hexaazatriphenylenes and macrocycles, 885

MATRIX ISOLATION

Formation of [Mn(η-C<sub>3</sub>H<sub>3</sub>)O<sub>2</sub>] by photooxidation of [Mn(η<sup>5</sup>-C<sub>3</sub>H<sub>3</sub>)(CO)<sub>1</sub>] in low-temperature matrices containing O<sub>2</sub>, 311

Photo-oxidation of [V(CO)<sub>6</sub>] in low-temperature matrices containing O<sub>2</sub>: formation of a novel superoxovanadium species, 835

Charge-transfer interactions between sulfur dioxide and Group 8 half-sandwich complexes, 3515

Photochemical generation of 16-electron [Rh(n<sup>5</sup>-C<sub>4</sub>H<sub>4</sub>)(PMe<sub>1</sub>)] and

Photochemical generation of 16-electron [Rh(η²-C₂H₂)(PMe₁)] and [Ir(η²-C₃H₂)(PMe₂)] in low-temperature matrices: evidence for methane activation, 3519

MECHANISM

Unusually labile organoplatinum complexes: a mechanistic study of insertion-deinsertion into platinum-alkyl complexes of pyridine-2-carboxylic acid, 415
Mechanism of the reaction of different phosphates with the iron(I)iron(III) form of purple acid phosphatase from porcine

iron(II) form of purple acid phosphatase from porcine uteri (Uteroferrin), 429

Mechanism of the acid-catalysed cyclometallation reaction of dirhodium(II) compounds with general formula [Rh<sub>2</sub>(O<sub>2</sub>CMe)-(μ-O<sub>2</sub>CMe)<sub>2</sub>{(C<sub>6</sub>H<sub>4</sub>)-PPh<sub>2</sub>}{P(C<sub>6</sub>H<sub>4</sub>X)<sub>3</sub>(OH<sub>2</sub>)], 545

Decomposition of chemically and electrochemically generated nickel(III) complexes with N<sub>2</sub>O<sub>2</sub> Schiff-base ligands, 571

Kinetics and mechanism of ruthenium(III) catalysed oxidation of formic acid by cerim(IV) in aucueous sulfurin acid media, 589

formic acid by cerium(IV) in aqueous sulfuric acid media, 589

MECHANISM (contd)

Dicarbadodecaborane rearrangements: an appraisal of rotational mechanisms, 759 On the mechanism of a model quercetinase reaction using a cobalt

Schiff-base complex, 805
Influence of alkali- and alkaline-earth-metal cations on the 'salt-

induced peptide formation' reaction, 1125
Mechanism of nucleophilic attack by diethylamine on cationic palladium(n) allyl complexes containing a-diimine ligands, 1145

To what extent can the Pt-C bond of a metallacycle labilize the *trans* position? A temperature- and pressure-dependent mechanistic study, 1257

mechanism for the rearrangement of unsymmetrical tetradentate (N<sub>2</sub>O<sub>2</sub>) ligands bound to manganese(III): the isolation and crystal structure of a manganese(III) complex containing a ten-membered cis-chelated ring, 1265

cis-chelated ring, 1265
Unusual solid-state reaction of [{CrL(acac)}<sub>2</sub>(µ-H<sub>3</sub>O<sub>2</sub>)][PF<sub>6</sub>]<sub>3</sub>. Isolation and crystal structures of [CrL(acac)F]PF<sub>6</sub> and [CrL(acac)(O<sub>2</sub>PF<sub>2</sub>)]PF<sub>6</sub> (L = 1,4,7-trimethyl-1,4,7-triazacyclononane, acac = pentane-2,4-dionate), 2041
Synthesis, mechanism of formation and characterization of a new class of octanuclear mixed-metal clusters Na<sub>2</sub>M<sub>2</sub>[M<sub>3</sub>O<sub>4</sub>-(O<sub>2</sub>CEt)<sub>8</sub>]<sub>2</sub> (M' = Cr or V; M = Mo or W), 2099
Catalytic reaction of methanol with a series of ruthenium(II) complexes and the mechanism of the formation of acetic acid from methanol alone, 2265

from methanol alone, 2265
Mechanistic information on ligand-substitution reactions of

gadolinium(III) in aqueous solution from high-pressure stopped-flow experiments, 2497

MELT

The reaction of nitrogen with dilute solutions of barium in liquid lithium: electrical resistivity, X-ray phase analysis, kinetic and thermal analysis studies, 667

High-temperature spectrophotometric and electron spin resonance spectroscopic investigations of vanadium complexes in the molten salt-gas system V<sub>2</sub>O<sub>5</sub>-K<sub>2</sub>S<sub>2</sub>O<sub>7</sub>/SO<sub>2</sub>-SO<sub>3</sub>-N<sub>2</sub>, 2151

IERCURY
Stereoselective oxidative-addition reaction of molecular iodine and mercury(ii) halides to rhodium dithiolate compounds. Crystal structure of [Rh<sub>2</sub>{μ-S(CH<sub>2</sub>)<sub>2</sub>S}Cl<sub>2</sub>(CO)<sub>2</sub>(PPh<sub>3</sub>)<sub>2</sub>], 385
Selection of metal ions by geometric isomers of a polyamine macrocycle with pendant donors, 793
Clathrate compounds of cadmium cyanide and related hosts with cristobalite-like lattice structures, 1029
Reactions of diphosphazane-bridged derivatives of diruthenium nonacarbonyl with metal-containing electrophiles: formation of solvento species [Ru<sub>2</sub>(CO)<sub>5</sub>(solv){μ-(RO)<sub>2</sub>PN(Et)P(OR)<sub>2</sub>}<sub>2</sub>]<sup>2+</sup> (R = Me or Pr) and their reactivity towards various nucleophiles, 1131

nucleophiles, 1131

Interaction of environmentally important metal ions with nitrogen-sulfur-donor macrocycles. The crystal structures of seven-co-ordinate lead(II) and mercury(II) complexes of an 18-membered N<sub>4</sub>S<sub>2</sub> macrocycle, 1383

Reactions of the cyclic platinum(II) thiolate complex

[Pt{SCH<sub>2</sub>C(O)CH<sub>2</sub>}(PPh<sub>3</sub>)<sub>2</sub>] with electrophiles, and the singlecrystal structure of [{Pt[SCH<sub>2</sub>C(O)CH<sub>2</sub>](PPh<sub>3</sub>)<sub>2</sub>·HgBr<sub>2</sub>}<sub>2</sub>],

Synthesis and characterization of bis(η²-alkyne)dihalogeno-mercury(II) compounds: crystal structure of [NBu<sub>4</sub>]<sub>2</sub>-[{εis-Pt(C<sub>6</sub>F<sub>5</sub>)<sub>2</sub>(C≡CSiMe<sub>5</sub>)<sub>2</sub>}HgBr<sub>2</sub>]-CH<sub>2</sub>Cl<sub>2</sub>, 3343

Mesitylgold complexes: synthesis and reactivity; crystal structure of [{(Ph<sub>3</sub>P)Au(μ-mes)Ag(tht)}<sub>2</sub>][SO<sub>3</sub>CF<sub>3</sub>]<sub>2</sub> (mes = mesityl, tht = tetrahydrothiophene), 2515

METALLABORANE

METALLABORANE

Contrasting pathways for the reactions of triruthenaborane cluster anions with [{M(η^-C<sub>5</sub>Me<sub>5</sub>)C<sub>1</sub>}<sub>2</sub>] (M = Rh or Ir). Molecular structures of [RhRu<sub>3</sub>(η²-C<sub>5</sub>Me<sub>5</sub>)C<sub>1</sub>}<sub>2</sub>] (M = Rh or Ir). Molecular structures of [RhRu<sub>3</sub>(η²-C<sub>5</sub>Me<sub>5</sub>)H<sub>2</sub>(CO)<sub>6</sub>(PPh<sub>3</sub>)BH] and [IrRu<sub>3</sub>(η²-C<sub>5</sub>Me<sub>5</sub>)H<sub>2</sub>(CO)<sub>10</sub>BH<sub>2</sub>], 69

Nine-vertex polyhedral iridamonocarbaborane chemistry. Products of thermolysis of [[CO)(PPh<sub>3</sub>)-IrCB<sub>7</sub>H<sub>8</sub>] and emerging alternative cluster-geometry patterns, 229

Synthesis and structure of a charge-compensated ferracarborane, commo-[3,3'-Fe[4-(Me,S)-1,2-C,B<sub>3</sub>H<sub>10</sub>]<sub>2</sub>], and its charge-transfer salt with 2,3-dichloro-5,6-dicyano-p-benzoquinone, 1735

Steric effects in heteroboranes. Part 9. Cycloocta-1,5-diene palladium and platinum complexes of mono- and di-phenyl C<sub>2</sub>B<sub>9</sub> ligands: metal-mediated polyhedral rearrangement, 3129

Boron-nitrogen coupling in a ruthenium-rich ruthenaborane cluster: synthesis, and molecular and electronic structures of [Ru<sub>4</sub>H(CO)<sub>12</sub>BH(μ-NCHMe)], 3273

Reactivity of nido-[2-{Fe(η-C<sub>2</sub>H<sub>3</sub>)}B<sub>3</sub>H<sub>10</sub>] with some transition-metal hydride complexes, 3337

METALLACYCLE

Intramolecular nucleophilic addition of the oxygen of a nitro ligand optical complexes in certificial complexes of relations(1), 949

Intramolecular nucleophilic addition of the oxygen of a nitro ligand onto the cis olefin in cationic complexes of platinum(II), 949

Facile synthesis of four-membered ring platinalactam complexes and the single-crystal structure of [P{{CH(CN)C(O)N(CO<sub>2</sub>Et)}-(cod)] (cod = cycloocta-1,5-diene), 1831
Preparation of four-membered phosphonickelocycles. Unusual

facile stabilization of five-co-ordinate complexes, 3075 Chemistry of acetoacetanilide and derivatives with zero- and dinemistry of accroacctanine and cervatives with zero- and di-valent platinum and palladium complexes; crystal structure of the four-membered ring palladalactam complex

[Pd{CH(COMe)C(O)NPh}(bipy)] (bipy = 2,2'-bipyridyl), 3085

Molecular heterogeneous metathesis catalysts: an attempted synthesis of surface-anchored alkylidenetungsten complexes, 1723 METHANE

Photochemical generation of 16-electron [Rh(η<sup>5</sup>-C<sub>5</sub>H<sub>5</sub>)(PMe<sub>5</sub>)] and [Ir(η<sup>5</sup>-C<sub>5</sub>H<sub>5</sub>)(PMe<sub>5</sub>)] in low-temperature matrices: evidence for methane activation, 3519

METHANIDE

METHANIDE

Synthesis and reactivity of palladium(II) complexes with the [C(PPh<sub>2</sub>)<sub>3</sub>] ligand. Crystal structures of [Pd(C<sub>6</sub>F<sub>5</sub>)\{PPh<sub>2</sub>\CPPh<sub>2</sub>\Ph<sub>3</sub>\] and [Pd\{(PPh<sub>2</sub>\)\_2CP(O)Ph<sub>2</sub>\}\_2\] 4.74CHCl<sub>3</sub>, 505

Synthesis of heterometallic species with (Ph<sub>2</sub>P)<sub>3</sub>CH or (Ph<sub>2</sub>P)<sub>3</sub>C Crystal structures of [Mo(CO)<sub>4</sub>((PPh<sub>2</sub>)<sub>2</sub>CHPPh<sub>2</sub>Au(C<sub>6</sub>F<sub>3</sub>)\}] and [NBu<sub>4</sub>][Mo(CO)<sub>4</sub>\{(PPh<sub>2</sub>)<sub>2</sub>CPPh<sub>3</sub>Au(C<sub>6</sub>F<sub>3</sub>)\}] and [NBu<sub>4</sub>][Mo(CO)<sub>4</sub>\{(Ph<sub>2</sub>)<sub>2</sub>CPPh<sub>2</sub>Au(C<sub>6</sub>F<sub>3</sub>)\}] and [Ts(diphenylphosphino)methanide gold(III) complexes. Crystal structures of [Au(C<sub>6</sub>F<sub>3</sub>)\{(Ph<sub>2</sub>P)<sub>2</sub>CPPh<sub>2</sub>\]] and [F<sub>5</sub>C<sub>6</sub>)<sub>2</sub>Au\{(Ph<sub>2</sub>P)<sub>2</sub>CPPh<sub>2</sub>\}AuCl], 3487

METHANOL

Reaction of methanol with diphenylantimony(v) trihalides: crystal

Reaction of methanol with diphenylantimony(v) trihalides: crystal structure of [SbPh<sub>2</sub>Br<sub>2</sub>(OMe)-MeOH]<sub>2</sub>, 1983

Catalytic reaction of methanol with a series of ruthenium(II) complexes and the mechanism of the formation of acetic acid from methanol alone, 2265

MIXED VALENCE

Irom methanol alone, 2265

IXED VALENCE

Optical investigation of the intervalence charge-transfer interactions in the three-dimensional gold mixed-valence compounds

C<sub>5</sub>Au<sub>2</sub>X<sub>6</sub> (X = Cl. Br or I), 327

Synthesis, properties and crystal structures of [Ru<sup>III</sup><sub>2</sub>(tacn)<sub>2</sub>-(μ-O<sub>3</sub>)]Br<sub>2</sub>-3.75H<sub>2</sub>O and [Ru<sup>1.5</sup><sub>3</sub>(dtne)(μ-O)<sub>2</sub>-(μ-C<sub>3</sub>)]PF<sub>6</sub>-5H<sub>2</sub>O [tacn = 1,4,7-triazaeyclononane,

dtne = 1,2-bis(1,4,7-triazaeyclononan-1-yl)ethane], 457

Disulfur-bridged complexes of molybdenum. Crystal structure of the dimolybdenum(ry) complex [[MoC<sub>3</sub>]<sub>6</sub>(2<sub>4</sub>H<sub>8</sub>S)]<sub>3</sub>(μ-S<sub>2</sub>)-(μ-C<sub>4</sub>H<sub>8</sub>S)] and of the Mol<sup>1V</sup>Mol<sup>3</sup> complexes containing thiolate ligands. Crystal structures of [(cod)Cl(SC<sub>6</sub>F<sub>3</sub>)Ir(μ-SC<sub>6</sub>F<sub>3</sub>)<sub>2</sub>Ir(cod)] and [[Ir(μ-SC<sub>6</sub>F<sub>3</sub>)(CO)<sub>2</sub>]<sub>2</sub>] (cod = cycloocta-1,5-diene), 781

Organometallic thiol and thiolato complexes of ruthenium(ry), 1949

Synthesis and characterisation of cyanide-bridged heterobinuclear mixed-valence compounds based on cyclopentadienylorganophosphine-ruthenium(II) and -osmium(II) cyano and pentaammine-ruthenium(III) and -osmium(III) moieties, 1987 ruthenium(III) and -osmium(III) moieties, 1987
MOLECULAR COMPLEX

Crystal structures and single-crystal electron spin resonance spectra of \( \pi - \pi\) type molecular complexes of bis(1-methyliminomethyl-2-naphtholato)copper(II), 2065

MOLECULAR DYNAMICS

Binding geometry of cobalt bleomycin, an empirical force-field analysis, 551

analysis, 551

Criteria to judge preorganisation in the study of known and the design of new thiocrown ethers, 2243

MOLECULAR MECHANICS

Synthesis of tetraalkylthio-substituted phthalocyanines and their complexation with Ag¹ and Pd¹¹, 497

Conformational study of the macrocycle 1,4,7-trithiacyclononane in metal complexes, 719

Carbon functional 14.7 trithicocyclonogaes grapts air.

Carbon-functionalized 1,4,7-trithiacyclononanes: synthesis,

molecular mechanics and co-ordination chemistry, 3165
Structures of potassium encapsulated within the 1,3-alternate conformation of calix[4]arenes, 3479
MOLECULAR ORBITAL
A theoretical investigation of the bonding of early transitions.

A theoretical investigation of the bonding of early transition metals to tellurium, 1391

An unexpected explanation for the unsymmetrically bridging alkyne ligand in [W<sub>2</sub>(η-C<sub>3</sub>H<sub>4</sub>Pr)<sub>2</sub>Br<sub>4</sub>(μ-C<sub>2</sub>Ph<sub>2</sub>)], 1843
A computational study of metal-dinitrogen co-ordination, 1943

Tetrahedral gold-phosphine clusters: a relativistic molecular orbital study, 2061

study, 2001

Electronic structure of a stable silylene: photoelectron spectra and theoretical calculations of Si(NRCHCHNR), Si(NRCH<sub>2</sub>CH<sub>2</sub>NR) and SiH<sub>2</sub>(NRCHCHNR), 2405

Methylsilylhydroxylamines: preparative, spectroscopic and ab initio studies, 2503

Photochemical and photophysical properties of fac[Re(CO)<sub>3</sub>(L)<sub>2</sub>Cl] (L = quinoline or isoquinoline), 2565

MOLECULAR ORBITAL (contd)

Structures, energies and vibrational spectra of four isomers of hydrogendioxothiosulfate(iv) anion (HS<sub>2</sub>O<sub>2</sub><sup>-</sup>) and of the related anion CISO<sub>2</sub><sup>-</sup>: an *ab-initio* molecular-orbital study, 2919

An *ab initio* molecular-orbital study of insertion of CO<sub>2</sub> into a

Rhi-H bond, 3047

Pearson's hard-soft acid-base principle and the heterolytic dissociative version of Pauling's bond-energy equation (1992, 1855), 3201

Boron-nitrogen coupling in a ruthenium-rich ruthenaborane

Boron-Introgen coupling in a runenum-rich rutenaborane cluster; synthesis, and molecular and electronic structures of [Ru<sub>4</sub>H(CO)<sub>12</sub>BH(μ-NCHMe)], 3273
Influence of secondary bonding on the intradimer distance of trichloro(ethane-1,2-diolato-O,O')tellurate(iv), 3279
Radical intermediates in the reductive isomerisation of octahedral manganese carbonyl bipyridyl complexes; electrochemistry, electron spin resonance spectroscopy and molecular-orbital

electron spin resonance spectroscopy and molecular-orbital calculations, 3745

Interpretation of the electronic spectra of the confacial bioctahedral nonahalides  $[Ru_2Cl_9]^{3-}$  and  $[Ru_2Br_9]^{3-}$  using the SCF-X $\alpha$ -SW method: location of the  $\sigma \longrightarrow \sigma^*$  transition, 3759

MOLECULAR SWITCH

Clectrochemical control of bridging ligand conformation in a binuclear complex—a possible basis for a molecular switch, 799 binuclear complex-MOLYBDENOCENE

New chemistry of binuclear molybdenocene compounds: unexpected synthesis of the bis(fulvalene) derivative [Mo<sub>2</sub>(μ-η:η-C<sub>10</sub>H<sub>8</sub>)<sub>2</sub>H<sub>2</sub>], 201 MOLYBDENUM

Molybdenum(vi) complex formation. Part 7. Equilibria and thermodynamic quantities for the reactions with nitrilotriacetate, 45 Studies of phosphazenes. Part 34. Group 6 metal carbonyl

Studies of phosphazenes. Part 34. Group 6 metal carbonyl complexes of bis(pyrazolyl)cyclotriphosphazenes, 63 A study of the polarities, anisotropic polarisabilities and carbonyl infrared vibrational frequencies of the complexes [M(CO)<sub>3</sub>(P(OCH<sub>2</sub>)<sub>3</sub>CMe}] (M = Cr, Mo or W) and the crystal structure of [Mo(CO)<sub>5</sub>(P(OCH<sub>2</sub>)<sub>3</sub>CMe}]: evidence for π-acceptor behaviour in co-ordinated phosphorus, 91 Chemistry of molybdenum. Part 9. Non-oxomolybdenum(v) and mononuclear exprohybdenum(v) complexes with dishipsed

mononuclear oxomolybdenum(v) complexes with dithioacid

mononuclear oxomolybdenum(v) complexes with dithioacid ligands, 97
2,2':6',2''.Terpyridine (terpy) acting as a fluxional bidentate ligand. Part 3. Ruthenium carbonyl halide complexes, [RuX<sub>2</sub>(CO)(terpy)] (X = Cl, Br or I) and metal tetracarbonyl complexes [M(CO)<sub>4</sub>(terpy)] (M = Cr, Mo or W): nuclear magnetic resonance studies of their solution dynamics and synthesis of trans-[RuX<sub>2</sub>(CO)(terpy)] (X = Cl, Br or I), 111 Electrochemical and electron-electron exchange interactions in binuclear molybdenum complexes containing the bridging ligand

binuclear molybdenum complexes containing the bridging ligand 4-(imidazol-1-yl)phenol, 143

Structure and electrochemical properties of the new triply bridged molybdenum(V) complex [NBu<sup>n</sup><sub>4</sub>]<sub>2</sub>[Mo<sub>2</sub>O<sub>2</sub>(μ-O)(SCH<sub>2</sub>CO<sub>2</sub>)<sub>2</sub>-(μ-SCH<sub>2</sub>CO<sub>2</sub>)], 175

New chemistry of binuclear molybdenocene compounds:

New chemistry of binuclear molybdenocene compounds: unexpected synthesis of the bis(fulvalene) derivative [Mo<sub>2</sub>(μ-η: η-C<sub>10</sub>H<sub>3</sub>)<sub>2</sub>H<sub>2</sub>], 201
Disulfur-bridged complexes of molybdenum. Crystal structure of the dimolybdenum(rv) complex [{MoCl<sub>3</sub>(C<sub>4</sub>H<sub>8</sub>S)}<sub>2</sub>(μ-S<sub>2</sub>)-(μ-C<sub>4</sub>H<sub>8</sub>S)] and of the Mo<sup>10</sup>Mo<sup>10</sup> complex [(Me<sub>2</sub>S)<sub>2</sub>Cl<sub>2</sub>Mo-(μ-S)MoCl<sub>3</sub>(SMe<sub>2</sub>)], 621
Some chemistry with a chiral phosphine generated from fenchone-pinacolone mixed azine: crystal structure of Z,E-Ph<sub>2</sub>PCH<sub>2</sub>C(Bu<sup>1</sup>)=N-N=C<sub>10</sub>H<sub>16</sub>, 713
Preparation and reactions of [MoH(η<sup>3</sup>-C<sub>4</sub>H<sub>3</sub>)(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>-κ<sup>2</sup>P)(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>-κ<sup>P</sup>)]: the intramolecular interconversion between η<sup>3</sup>-2-methylallyl and η<sup>4</sup>-trimethylenemethane ligands, 767

Reactivity of acetone oxime towards oxomolybdenum(vi) complexes. Part 1. Syntheses and crystal structures of tetranuclear molybdenum(vi) complexes, 819

tetranuclear molybdenum(vi) complexes, 819
Reactivity of acetone oxime towards oxomolybdenum(vi)
complexes. Part 2. Syntheses, crystal structures and reactivity of
molybdenum nitrosyl complexes, 825
Crystal and molecular structure of [SnLCl<sub>3</sub>]. The single-crystal
electron paramagnetic resonance spectra of [MoE(L)Cl<sub>2</sub>] and
[MoO(L)(NCS)<sub>2</sub>] diluted in [SnLCl<sub>3</sub>] [E = O or S; L = tris(3,5dimethylpyrazolyl)hydroborate], 1003
Aqueous molybdotungstates, 1061
Isolation and crystal structure of a dimeric oxomolybdenum(v)
complex containing two ethoxy bridges and one ethanol bridge,
1169

Preparation and properties of the heterometallic cuboidal complex [Mo<sub>3</sub>CrS<sub>4</sub>(H<sub>2</sub>O)<sub>12</sub>]<sup>4+</sup>, 1275 Six- and seven-co-ordinate complexes of molybdenum(II) and tungsten(II) with thioether ligands. Crystal structures of [WI<sub>2</sub>(CO)<sub>3</sub>-{4-MeC<sub>2</sub>H<sub>3</sub>S(CH<sub>2</sub>)<sub>2</sub>SC<sub>4</sub>H<sub>4</sub>Me-4}] and [WI<sub>2</sub>(CO)<sub>2</sub>-{MeS(CH<sub>2</sub>)<sub>2</sub>S(CH<sub>2</sub>)<sub>2</sub>SMe-S,S',S''], 1401 [Mo<sub>2</sub>(MeCN)<sub>8</sub>][BF<sub>4</sub>]<sub>4</sub> supported on silica: an efficient hetero-

geneous catalyst for the ring-opening metathesis polymerization of norbornene, 1489

of noroornee, [489]
Syntheses and electrochemistry of [Mo(NO){HB(mppz)<sub>3</sub>}Cl(ER)]
(mppz = 3-p-methoxyphenylpyrazol-1-yl; E = O or NH; R = Ph or C<sub>4</sub>H<sub>4</sub>Me-2) and the crystal structures of [Mo(NO)-{HB(mppz)<sub>3</sub>}Cl(OPh)] and [Mo(NO){HB(mppz)<sub>3</sub>}-Cl(NHC<sub>6</sub>H<sub>4</sub>Me-2)], 1555
Alkyl, aryl, vinyl, alkynyl and carbene derivatives of cyclohepta-

Alkyl, alyl, will, alk day and carbone derivatives of cyclonepta-trienylmolybdenum complexes, 1671

Hydrothermal synthesis and structural characterization of the molybdenum(vı) arsenate (C<sub>3</sub>H<sub>3</sub>NH<sub>2</sub>(Mo<sub>2</sub>O<sub>3</sub>)(HAsO<sub>4</sub>)<sub>2</sub>·H<sub>2</sub>O<sub>4</sub>, 1681

Photoelectrochemical dehalogenation: bis(cyclopentadienyl)-vanadium dichloride and -molybdenum dichloride, 1711 Kinetics of substitution reactions of trans-[Mo(N<sub>2</sub>)<sub>2</sub>(PPh<sub>2</sub>Me)<sub>4</sub>]

Kinetics of substitution reactions of trans-[Mo(N<sub>2</sub>)<sub>2</sub>(PPh<sub>2</sub>Me)<sub>4</sub>] with tripodal phosphines, 1717

Synthesis and chemistry of 1,1-bis(3-indenyl)ethane; crystal structure of [{Ru(CO)<sub>2</sub>}<sub>2</sub>;η<sup>5</sup>·CH<sub>2</sub>CH<sub>4</sub>(C<sub>3</sub>H<sub>6</sub>)<sub>3</sub>], 1731

Sterically hindered diphosphines (Ph<sub>2</sub>P)<sub>2</sub>C-CHR (R = Me or Ph) and their derivatives, 1791

A computational study of metal-dinitrogen co-ordination, 1943

Preparation and properties of the heterometallic cuboidal complex [Mo<sub>2</sub>CrS<sub>4</sub>(H<sub>2</sub>O)<sub>12</sub>]<sup>4+</sup>: comparisons with [Mo<sub>4</sub>S<sub>4</sub>(H<sub>2</sub>O)<sub>12</sub>]<sup>4+</sup> (1994, 1275), 2024

Synthesis mechanism of formation and characterization of a new

(1974, 1273), 2024
Synthesis, mechanism of formation and characterization of a new class of octanuclear mixed-metal clusters Na<sub>2</sub>M'<sub>2</sub>[M<sub>3</sub>O<sub>4</sub>-(O<sub>3</sub>CEt)<sub>8</sub>]<sub>2</sub>(M' = Cr or V; M = Mo or W), 2099
Bis(pentafluorophenyl)nickel(tt) thio-molybdates and -tungstates. Crystal structure of [NBu<sub>4</sub>]<sub>2</sub>[Ni<sub>2</sub>(C<sub>6</sub>F<sub>3</sub>(μ-WS<sub>4</sub>)], 2271
η<sup>5</sup> ← η<sup>3</sup> Hapticity interconversion in cycloheptadienyl

molybdenum complexes, 2303

motyocenum complexes, 2503
Synthesis and properties of polynuclear complexes containing
{Mo(NO)[HB(dmpz)<sub>3</sub>]Cl} metal centres axially bound to a
Ru(tpp) core (dmpz = 3,5-dimethylpyrazol-1-yl; tpp = mes
5,10,15,20-tetraphenylporphyrinate), 2415
Reversible co-ordination of alkali metals to sulfur-based

Reversible co-ordination of alkali metals to sulfur-based organometallic ligands [M(SC<sub>6</sub>F<sub>5</sub>)<sub>4</sub>(cp)]<sup>-</sup> (M = Mo or W, cp = η<sup>5</sup>-C<sub>4</sub>H<sub>5</sub>), 2423

Synthesis of trans-[Mo(N<sub>2</sub>)<sub>2</sub>(dippe)<sub>2</sub>] [dippe = 1,2-bis(diisopropylphosphino)ethane] and related derivatives, protonation of co-ordinated dinitrogen and crystal structures of trans-[MoF(NNH<sub>2</sub>)(dippe)<sub>2</sub>][BF<sub>4</sub>] and trans-[MoCl<sub>2</sub>(dippe)<sub>2</sub>][BF<sub>4</sub>], 2431

Syntheses of 4-benzyl-3,5-dimethylpyrazolylborato complexes of molybdenum and tungsten nitrosyls: molecular structure of [Mo(CO)<sub>2</sub>(NO){HB(3,5-Me<sub>2</sub>-4-PhCH<sub>2</sub>C<sub>3</sub>N<sub>2</sub>)<sub>3</sub>], a complex with an 'inverted' bowl-like structure. 2559

an 'inverted' bowl-like structure, 2559
Organometallics of diphosphazanes. Part 10. Dinuclear Group 6
metal carbonyl complexes bridged by a cyclodiphosphazane in its cis or trans form, 2661

Metals in the nitrogenases, 2739
Synthesis and evaluation of the bonding properties of a potentially tridentate ligand: 1-(diphenylphosphino)-2-ethoxy-1-(2-pyridyl)-ethane, 2755

ethane, 2755
Preparation and aqueous solution properties of the heterometallic cuboidal complex [W<sub>3</sub>CuS<sub>4</sub>(H<sub>2</sub>O)<sub>10</sub>]<sup>5+</sup>, 2809
Crystal structures of [W(CO)<sub>5</sub>(PPh<sub>3</sub>)], [M(CO)<sub>5</sub>(AsPh<sub>3</sub>)] and [M(CO)<sub>5</sub>(SbPh<sub>3</sub>)] (M = Mo or W): a comparative study of structure and bonding in [M(CO)<sub>5</sub>(EPh<sub>3</sub>)] complexes (E = P, As or Sb; M = Cr, Mo or W), 2827
(η-Cyclopentadienyl)imido derivatives of molybdenum and transfer 2951

tungsten, 2851

tungsten, 2851
Synthesis of heterometallic species with (Ph<sub>2</sub>P)<sub>3</sub>CH or (Ph<sub>2</sub>P)<sub>3</sub>C<sup>-</sup>.
Crystal structures of [Mo(CO)<sub>4</sub>((PPh<sub>2</sub>)<sub>2</sub>CHPPh<sub>2</sub>AuCl}],
[Mo(CO)<sub>4</sub>((PPh<sub>2</sub>)<sub>2</sub>CHPPh<sub>2</sub>Au(C<sub>6</sub>F<sub>3</sub>))] and
[NBu<sub>4</sub>][Mo(CO)<sub>4</sub>((PPh<sub>2</sub>)<sub>2</sub>CPPh<sub>2</sub>Au(C<sub>6</sub>F<sub>3</sub>)], 2891
Intercalation of the oxo-transfer molybdenum(vi) complex
[MoO<sub>2</sub>(O<sub>2</sub>CC(S)Ph<sub>2</sub>)<sub>2</sub>]<sup>2-</sup> into a zinc(II)-aluminium(III) layered double hydroxide host. Catalysis of the air oxidation of thiols, 2953 η-Cyclopentadienylimido molybdenum chemistry: hydrido, alkyl and η-allyl derivatives, 2975
Synthesis, crystal structure and non-linear optical properties of

Synthesis, crystal structure and non-linear optical properties of [NEt<sub>4</sub>]<sub>4</sub>[Cu<sub>6</sub>Mo<sub>5</sub>S<sub>0</sub>O<sub>5</sub>Br<sub>2</sub>I<sub>4</sub>], 3211
A new route to organometallic selenolate complexes of tungsten(II) and molybdenum(II). Crystal structure of [W(η<sup>5</sup>-C<sub>2</sub>H<sub>3</sub>)(CO)<sub>3</sub>-(SeCH<sub>2</sub>Ph)], 3329
Reactivity of *nido*-[2-{Fe(η-C<sub>3</sub>H<sub>3</sub>)}B<sub>3</sub>H<sub>10</sub>] with some transition-metal hydride complexes, 3337

Non-linear optical materials containing molybdenum or tungsten mononitrosyl redox centres: diaromatic azo derivatives, 3427

mononitrosyl redox centres: diaromatic azo derivatives, 3427
Seven-co-ordinate dibromo complexes of molybdenum(II)
and tungsten(II) derived from [MBr<sub>2</sub>(CO)<sub>3</sub>(NCMe)<sub>2</sub>].
Crystal structures of the isostructural complexes
[WX<sub>2</sub>(CO)<sub>3</sub>(NCMe)(SbPh<sub>3</sub>)]-CH<sub>2</sub>Cl<sub>2</sub> (X = Br or I), 3493
Reactions of monocyclopentadienyl complexes of molybdenum
and tungsten with derivatives of phenols and pentafluorobenzeneselenol, 3527
Reactions of several control in the light of the section of

Reactions of co-ordinated ligands. Part 58. The reaction of dimolybdenum μ-σ: η²-(4e)-vinylidene complexes with proton

MOLVBDENUM (contd)

sources and diazomethane; synthesis and crystal structure of the Mo=Mo bonded complex [Mo<sub>2</sub>{μ-σ: η<sup>2</sup>-CH<sub>2</sub>C(Ph)CH<sub>2</sub>}(CO)<sub>3</sub>-(η-C,H<sub>3</sub>)<sub>2</sub>][CF<sub>3</sub>SO<sub>3</sub>], 3569
Preparation of α-diazines and α-2-pyridylazines containing (1R)-(+)-

rreparation of α-diazines and α-2-pyridylazines containing (1R)-camphor or (1R)-(-)-fenchone residues and their complexes with Group 6 metal carbonyls, 3597

Phosphorus-sulfur bond cleavage at a mixed-metal centre; reaction of [(OC)<sub>3</sub>Co(μ-PhCCH)Mo(CO)<sub>2</sub>(η<sup>5</sup>-C<sub>3</sub>H<sub>3</sub>)] with PPh<sub>2</sub>(Sph), 3607

MÖSSBAUER

Electronic projection of the control of the

Electronic conjugation pathways in ferrocenyl Schiff bases, 747 CaM<sub>2</sub>(PO<sub>4</sub>)<sub>2</sub>(HPO<sub>4</sub>) (M = Fe or V): phosphates containing dimers of edge-sharing MO<sub>6</sub> octahedra, 931

Mössbauer spectroscopic investigations of metal incorporation within Nasicon-related NbTiP<sub>2</sub>O<sub>12</sub>, 1703

Transition-metal Schiff-base complexes as ligands in tin chemistry. Part 5. Structural studies of intimate ion-paired heterobimetallic complexes of tin(IV) and nickel, copper or zinc with 3-methoxysalicylaldimine ligands, 2473

3-methoxysalicylaldimine ligands, 2473 Effects of the nature of the nitrogen donor atom (sp² versus sp³) upon the properties and chemistry of palladated complexes with σ(Pd-C<sub>10</sub>², ferrocene) bonds, 3039 Influence of electronic conjugation and steric effects on the crystal structures of imino- and hydrazido-derivatives of ferrocenecarbaldehyde, 3355

Rate constants for intramolecular electron-transfer reactions of ruthenium-modified histidine mutants of cytochrome b<sub>2</sub>,

NAPHTHALENE
Assembly of [2 + 2] bimetallic macrocyclic complexes from bis(bipyridyl) ligands and metal ions, 77
Carbon-hydrogen and C-X (X = Cl or SiMe<sub>3</sub>) bond activation.
1-Cyclopalladation and oxidation of some derivatives of 2 (dimethylamino)methyl lianhthalene. 2293

2-[(dimethylamino)methyl]naphthalene, 2293
Mechanistic information on ligand-substitution reactions of gadolinium(iii) in aqueous solution from high-pressure stopped-flow experiments, 2497
NAPHTHOLATE

Crystal structures and single-crystal electron spin resonance spectra of π-π type molecular complexes of bis(1-methyliminomethyl-2-naphtholato)copper(II), 2065
NAPHTHYRIDINE

Palladium(II) and platinum(II) dihalogeno-complexes containing the polyfunctional phosphine 7-diphenylphosphino-2,4-dimethyl-1,8-naphthyridine (dpnapy). Crystal structure of the metallocycle trans.trans-[{Pd(μ-dpnapy)Cl<sub>2</sub>}<sub>2</sub>]-2H<sub>2</sub>O, 3135

NEODYMIUM
Sunthalia (1)

Synthesis of the first lanthanide complexes of dialkyl α-hydroxyiminophosphonates; ambivalent ligand bonding in the Pr<sup>ll1</sup> and Nd<sup>III</sup> complexes of diisopropyl α-hydroxyiminopropylphosphonate (L<sup>1</sup>), [PrL<sup>1</sup><sub>3</sub>Cl<sub>3</sub>] and [NdL<sup>1</sup><sub>2</sub>(NO<sub>3</sub>)<sub>3</sub>(H<sub>2</sub>O)], 2335

Di- and tri-nuclear nickel(II) complexes with bridging thiolato groups. Crystal structure of [NBu<sub>4</sub>]<sub>2</sub>[Ni<sub>3</sub>(C<sub>6</sub>F<sub>5</sub>)<sub>4</sub>(μ-SEt)<sub>4</sub>], 19

Unusual properties of metal complexes involving acyclic polydentate thioether ligands. Copper, nickel and palladium complexes of 3,6,9,12,15-pentathiaheptadecane, 185

Crystal structure and magnetic behaviour of a new kind of one-dimensional nickel(n) thiocyanate compound [{NiL(SCN)-(µ-SCN)},][L = bis(3-aminopropyl)methylamine], 259 Novel two-fold-macrocycle-substituted phthalocyanines, 323

Studies of pendant-arm macrocyclic ligands. Part 8. Synthesis of two pentaazamacrocycles based upon pyridine-containing tetraazamacrocycles with a single pendant co-ordinating

tetraazamacrocycles with a single pendant co-ordinating 2-pyridylmethyl arm, and characterisation of their nickel(ii), copper(ii) and zinc(ii) complexes. Crystal structure of 7-(2'-pyridylmethyl)-3,7,11,17-tetraazabicyclo[11.3.1]heptadeca-1(17),13,15-trienezinc(ii) tetrafluoroborate, 485
Decomposition of chemically and electrochemically generated nickel(iii) complexes with N<sub>2</sub>O<sub>2</sub> Schiff-base ligands, 571
Crystal and molecular structure and spectra of K<sub>4</sub>[Ni(NO<sub>2</sub>)<sub>4</sub>]-H<sub>2</sub>O and K<sub>3</sub>[Ni(NO<sub>2</sub>)<sub>4</sub>(O<sub>2</sub>N)], 595
Synthesis, characterization and structure of the highly sterically congested complex (3,14-dimethyl-14-nitromethyl-2,6,13,17-tetraazatricyclo[16.4.0.0<sup>7,12</sup>]docos-2-ene)nickel diperchlorate and structure of (3,14-dimethyl-2,6,13,17-tetraazatricyclo[16.4.0.0<sup>7,12</sup>]docosa-2,13-diene)nickel diperchlorate, 853

Structure and reactivity of aryl(bromo)nickel complexes relevant to nickel(0) complex-promoted dehalogenative polycondensation of organic dihalides, 943

Co-ordination of solvent molecules to square-planar mixed-ligand nickel(II) complexes: a thermodynamic and quantum-mechanical study, 1091

4,6-Dimethylpyrimidine-2-thionato (dmpymt<sup>-</sup>) complexes of nickel(11) and cadmium(11). Crystal structure of [Cd(dmpymt)<sub>2</sub>]: a compound with a calixarene-like structure, 1115

a compound with a cantacture-like structure, 1113 Electrochemical, electron spin resonance and nuclear magnetic resonance investigations of tertiary phosphine complexes of nickel. Part 2. [Ni<sup>1</sup>L<sub>4</sub>]<sup>+</sup>, [Ni<sup>1</sup>(L-L)<sub>2</sub>]<sup>+</sup> and their precursors (L monodentate phosphine, L-Z = bidentate diphosphine), 1231 Different co-ordination behaviour of 1,2-diaminoethane (en) and

Different co-ordination behaviour of 1,2-diaminoethane (en) and tetracyanonickelate(II) upon accommodation of polar guest molecules in their metal complex hosts: crystal structures of [M(en),Ni(CN)<sub>4</sub>]-2PhNH<sub>2</sub> (M = Ni, Cu, Zn or Cd) and [{Cd(en)}<sub>2</sub>(en){Ni(CN)<sub>4</sub>}<sub>2</sub>]-4PhOH, 1237

Synthesis and characterization of mononuclear nickel(II) and cobalt(II) complexes of 2,2,4,4-tetrakis(3,5-dimethylpyrazolyl)-6,6-diphenyl-2λ<sup>2</sup>,4λ<sup>2</sup>,6λ<sup>2</sup>-cyclotriphosphaza-1,3,5-triene L: crystal structure of [NiLCl<sub>2</sub>], 1301

Highly active homogeneous nickel catalysts for alkene dimerisation: crystal structure of [Ni(η<sup>3</sup>-C,H<sub>3</sub>)(PPh<sub>3</sub>)Br] and in situ characterisation of AlEt<sub>3</sub>-activated [Ni(η<sup>3</sup>-C,H<sub>5</sub>)-(PPh<sub>3</sub>)Br] by nuclear magnetic resonance and extended X-ray absorption fine structure spectroscopy, 1337

(Fright) of the teat magnetic resonance and extended A-ra absorption fine structure spectroscopy, 1337

Nickel thioether chemistry: syntheses and crystal structures of [Ni<sub>2</sub>L<sub>2</sub>(µ-Cl)<sub>2</sub>][BF<sub>4</sub>]<sub>2</sub> (L = 1,4,7,10-tetrathiacyclododecane, 1,4,8,11-tetrathiacyclotetradecane or 1,5,9,13-tetrathiacyclohexadecane), 1463

hexadecane), 1463
Synthesis, spectroscopic and structural studies of alkali metalnickel periodates MNiIO<sub>6</sub> (M = Na, K, Rb, Cs or NH<sub>4</sub>), 1483
Spin-state equilibria in non-aqueous solution and quantummechanical investigations of iron(II) and nickel(II) complexes
with 4-substituted 2,6-bis(benzimidazol-2-yl)pyridines, 1523
M<sub>2</sub>As<sub>2</sub>O<sub>7</sub>(H<sub>2</sub>O)<sub>2</sub> (M = Co or Ni): hydrous diarsenates with an
intersecting tunnel structure, 1825
Studies on diavactors are recreased in least of the conpression of the second of the control of the second of the se

Studies on a dioxotetraamine macrocyclic ligand, its copper(II) and

nickel(II) complexes and solution equilibria, 1873

Template synthesis, structure and properties of a bis(macrocyclic) dinickel(II) complex based on a 14-membered hexaaza unit, 1913

Preparation, crystal structures, conductivities and electronic structures of [et]<sub>3</sub>[NiCl<sub>4</sub>]·H<sub>2</sub>O and [et]<sub>3</sub>[AuBr<sub>4</sub>] [et = bis(ethylenedithio)tetrathiafulvalene], 1995

Novel two-fold-macrocycle-substituted phthalocyanines (1994, 323), 2023

Synthesis and crystal structure of nickel(II) complexes of macrobicyclic ligands: identification and electron-transfer reactions of the corresponding nickel(III) complexes in solution, 2071

Synthesis, structure, magnetism and electrochemistry of binuclear

Synthesis, structure, magnetism and electrochemistry of of inuclear nickel(II) and copper(II) complexes of an unsymmetrical pentadentate Schiff-base ligand, 2129
Bis(pentafluorophenyl)nickel(II) thio-molybdates and -tungstates.
Crystal structure of [NBu<sub>4</sub>]<sub>2</sub>[Ni<sub>2</sub>(C<sub>6</sub>F<sub>3</sub>)<sub>4</sub>(μ-WS<sub>4</sub>)], 2271
Isomerism in bis(diethylenetriamine)nickel(II) thiocyanate: synthesis, solid-state interconversion and X-ray crystallographic

synthesis, soild-state interconversion and state of states of states of sym-fac and mer isomers, 2367

Transition-metal Schiff-base complexes as ligands in tin chemistry. Part 5. Structural studies of intimate ion-paired heterobimetallic

Part 5. Structural studies of intimate ion-paired heterobimetallic complexes of tin(iv) and nickel, copper or zinc with 3-methoxysalicylaldimine ligands, 2473

Crystal structure, spectroscopic and magnetic properties of two unusual compounds: [Cu(terpy)(N<sub>3</sub>)CI] and [{Cu<sub>0.75</sub>Ni<sub>0.25</sub>(terpy)(N<sub>3</sub>)2<sub>2</sub>]-2H<sub>2</sub>O (terpy = 2,2': 6',2'-terpyridine), 2573

Reactivity of nickel(ii) diphosphine complexes towards alkoxides: a new route to the synthesis of nickel(i0) compounds through nickel(ii) alkoxides, 2761

Syntheses of square-planar nickel-(ii) and -(i) complexes of an

Syntheses of square-planar nickel-(II) and -(I) complexes of an octaaza macrohexacyclic ligand and crystal structure of the nickel(II) complex, 2765

Preparation of four-membered phosphonickelocycles. Unusual facile stabilization of five-co-ordinate complexes, 3075
Synthesis and electrochemistry of nickel and cobalt complexes of

mixed thia—aza crown ethers: single-crystal structures of [Ni([18]aneN<sub>2</sub>S<sub>4</sub>)][PF<sub>6</sub>]<sub>2</sub>·0.33H<sub>2</sub>O and [Co([18]aneN<sub>2</sub>S<sub>4</sub>)][PF<sub>6</sub>]<sub>3</sub>·3H<sub>2</sub>O ([18]aneN<sub>2</sub>S<sub>4</sub> = 1,4,10,13-tetrathia-7,16-diazacyclo-octadecane), 329]

Syntheses and crystal structures of nickel(ii) complexes with thiolate or/and phosphine ligands, 3459

Binary and ternary complexes of nickel(ii) with 2-amino-methylbenzimidazole and salicylaldehyde: kinetic and equilibrium studies, 3727

cquinorium studies, 3733

Co-ordination of 1,4,7-tris(pyrazol-3-ylmethyl)-1,4,7-triazacyclononane with iron(III), nickel(II) and zinc(II). Crystal and molecular structures of [ML][ClO<sub>4</sub>]<sub>2</sub>,nH<sub>2</sub>O (M = Ni, n = 0.5; M = Zn, n = 1), 3739

NIORIUM

Mössbauer spectroscopic investigations of metal incorporation within Nasicon-related NbTiP<sub>2</sub>O<sub>12</sub>, 1703 Synthesis and crystal structure of tris(diethyldithiocarbamato-S,S')(disulfido-S,S')niobium(v), 1765

NIOBIUM (contd)

On the hydrolysis of niobium(v) and tantalum(v) in 3 mol dm<sup>-3</sup> KCl at 25 °C. Part 1. Construction of a thermodynamic model for Nb<sup>v</sup>, 3055

NITRATE

NITRATE

Crystal structures of [Pb(NO<sub>3</sub>)<sub>6</sub>]<sup>4-</sup> and [Ba(NO<sub>3</sub>)<sub>6</sub>]<sup>4-</sup> salts of 24-pyrimidinium crown 6 {5.12,19.26,33,40-hexaamino-3,10,17,24,31,38-hexamethyl[1.<sub>6</sub>](1,5)pyrimidiniophane}, 563

Synthesis, X-ray characterisation and spectroscopic studies of metal complexes of N,N-1,2-xylene-α,x'-diylbis(pyridin-2-one), 859

A chemical model of the solvent extraction system: water-uranyl nitrate-nitric acid-tri-n-butyl phosphate-diluent, 2209

Reactions of copper(II) nitrate with pyridazine (pydz) and crystal structures of catena-[Cu(μ-η²-pydz)(μ-OH)(μ-O<sub>2</sub>NO)]-H<sub>2</sub>O and [Cu<sub>3</sub>(μ-η²-pydz)<sub>4</sub>(pydz)<sub>2</sub>(μ-NO<sub>3</sub>)<sub>2</sub>(NO<sub>3</sub>)<sub>4</sub>], 2397

Crystal structures and luminescence spectra of ten-co-ordinate lanthanide(III) complexes (Ln = Ce, Sm, Eu or Tb) with 2,6-bis(benzimidazol-2-yl)pyridine, 2523

Two different terminal nitrate bonding modes in [Fe<sub>2</sub>O(NO<sub>3</sub>)<sub>4</sub>(C<sub>7</sub>H<sub>7</sub>N<sub>3</sub>)<sub>4</sub>], 2737

NITRIC OXIDE

Reduction of nitric oxide by tetramesityliridium(IV) and

Reduction of nitric oxide by tetramesityliridium(IV) and cobaltocene. Reactions of hyponitrite complexes and of the ether [Co(n<sup>5</sup>-C<sub>5</sub>H<sub>3</sub>)(n<sup>4</sup>-C<sub>5</sub>H<sub>3</sub>)](µ-O-exo) with nitroalkanes, acids and

Adducts of trigonal-prismatic and octahedral metal clusters containing interstitial atoms (nitrogen or carbon) with [Au(PPh<sub>3</sub>)]<sup>+</sup>, 333

[Au(PPh<sub>3</sub>)]<sup>+</sup>, 333

Synthesis, spectroscopy and electrochemistry of luminescent [Re<sup>V</sup>N<sub>4</sub>[Ph<sub>2</sub>P(CH<sub>2</sub>)<sub>2</sub>PPh<sub>2</sub>]<sub>2</sub>(MeCN)]<sup>2+</sup>, 391

Reactions of the nitridocarbonyl cluster anion [Rh<sub>6</sub>N(CO)<sub>15</sub>]<sup>-</sup> with strong bases: synthesis and crystal structure of the hydridic dianion [Rh<sub>6</sub>(µ-H)N(CO)<sub>14</sub>]<sup>2-</sup>, 471

The reaction of nitrogen with dilute solutions of barium in liquid lithium: electrical resistivity, X-ray phase analysis, kinetic and thermal analysis studies, 667

Synthesis, photophysical properties and crystal structure of tetra-n-

Synthesis, photophysical properties and crystal structure of tetra-n-butylammonium bis(maleonitriledithiolato)nitridoosmate(v1),

Spectroscopic studies of a square-pyramidal nitridochromium(v) complex, 2609
NITRILE

Synthesis and redox properties of cis-[ReCl(NCR)(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>-PPh<sub>2</sub>)<sub>2</sub>] (R = alkyl or aryl) complexes with a cis-phosphine rhenium(1) centre, 3299

NITRITE

Crystal and molecular structure and spectra of K<sub>4</sub>[Ni(NO<sub>2</sub>)<sub>6</sub>]-H<sub>2</sub>O and K<sub>3</sub>[Ni(NO<sub>2</sub>)<sub>6</sub>(O<sub>2</sub>N)], 595 Intramolecular nucleophilic addition of the oxygen of a nitro ligand onto the cis olefin in cationic complexes of platinum(11),

NITROALKANE

Reduction of nitric oxide by tetramesityliridium(IV) and cobaltocene. Reactions of hyponitrite complexes and of the ether [Co(η²-C<sub>2</sub>H<sub>3</sub>)(η²-C<sub>2</sub>H<sub>3</sub>)](μ-O-exo) with nitroalkanes, acids and amines, 2223

NITROGEN lew piano-stool ruthenium(II) complexes of benzene and bidentate/tridentate nitrogen-donor ligands: synthesis and characterization, 465

Preparation of urethane and urea derivatives of (NPCl2)3. Crystal structure of a spirocyclic phosphazene with a phosphacyanuric

The reaction of nitrogen with dilute solutions of barium in liquid lithium: electrical resistivity, X-ray phase analysis, kinetic and thermal analysis studies, 667

Reactions of the hexachlorocyclodiphosphazane [MeNPCl<sub>3</sub>]<sub>2</sub> with primary aromatic amines: formation of highly basic bisphosphinimines, 847

Isodiazene complexes: synthesis and molecular structures of 2,2,6,6-tetramethylpiperid-1-ylisodiazene complexes of tungsten(IV) and of rhenium-(III) and -(II), 907

Synthesis and characterization of mononuclear nickel(II) and cobalt(II) complexes of 2.2.4.4-tetrakis(3.5-dimethylpyrazolyl)-6,6-diphenyl-2\(\lambda\_2\),4\(\lambda\_3\),6\(\lambda\_3\)-cyclotriphosphaza-1,3,5-triene L: crystal structure of [NiLCl<sub>2</sub>], 1301

Kinetics and mechanism of oxidation of nitrogen(III) by [ethylene-bis(biguanide)]silver(III) cation and its conjugate bases in aqueous perchlorate media, 1349

Dirhodium(ii) complexes with bi- and tri-dentate nitrogen-containing ligands, 1517 Reaction of methylhydrazine with dimethyl chlorothiophosphate,

Influence of mixed sulfur-nitrogen oxides on the redox kinetics of manganese ions in aqueous solution, 2373

Synthesis and characterization of new phosphanylium and phosphanetriylammonium salts. Molecular structures of

[(Me<sub>2</sub>N)PN(AlCl<sub>3</sub>)R] and [P(NPr'<sub>2</sub>)(NHR)]<sup>+</sup>[CF<sub>3</sub>SO<sub>3</sub>]<sup>-</sup> (R = C<sub>6</sub>H<sub>2</sub>Bu'<sub>3</sub>-2,4,6), 2925 NITROGEN-15

Solid-state structure of sulfur bis(trimethylsilylimide), S(NSiMe<sub>3</sub>)<sub>2</sub>, and multinuclear magnetic resonance studies of some sulfur bis(silylimides) in solution, 633

bis(silylimides) in solution, 633
Kinetics of ligand exchange in rhodium-(i) and -(iii) complexes from magnetisation-transfer measurements; the crystal structure of [Rh(NH<sub>3</sub>)(PPh<sub>3</sub>)<sub>3</sub>]ClO<sub>4</sub>, 1857
Kinetics of ligand exchange in rhodium-(i) and -(iii) complexes from magnetisation-transfer measurements; the crystal structure of [Rh(NH<sub>3</sub>)(PPh<sub>3</sub>)<sub>3</sub>]ClO<sub>4</sub> (1994, 1857), 3335
NITROGENASE
Match: it besit companies 2720

Metals in the nitrogenases, 2739

Electrochemical and electron-electron exchange interactions in binuclear molybdenum complexes containing the bridging ligand 4-(imidazol-1-yl)phenol, 143

Reactivity of acetone oxime towards oxomolybdenum(vi) complexes. Part 2. Syntheses, crystal structures and reactivity of molybdenum nitrosyl complexes, 825

molybdenum nitrosyl complexes, 825
Arenediazonium ion insertion into an iron-phosphine bond; synthesis and crystal structure of [Fe(NO)<sub>2</sub>{PPh<sub>2</sub>CH<sub>2</sub>CH<sub>2</sub>-P(Ph)<sub>2</sub>NN(C<sub>6</sub>H<sub>4</sub>F-p)}][PF<sub>6</sub>]-OC<sub>4</sub>H<sub>8</sub>, 1161
Syntheses and electrochemistry of [Mo(NO){HB(mpp2)<sub>3</sub>}Cl(EN)] (mppz = 3-p-methoxyphenylpyrazol-1-yl; E = O or NH; R = Ph or C<sub>6</sub>H<sub>4</sub>Me-2) and the crystal structures of [Mo(NO)-{HB(mpp2)<sub>3</sub>}Cl(OPh)] and [Mo(NO){HB(mpp2)<sub>3</sub>}-Cl(NHC,H<sub>4</sub>Me-2)], 1555
Synthesis and properties of polynuclear complexes containing {Mo(NO)[HB(dmp2)<sub>3</sub>]Cl] metal centres axially bound to a Ru(tpp) core (dmpz = 3,5-dimethylpyrazol-1-yl; tpp = meso-5,10,15,20-tetraphenylporphyrinate), 2415
Synthesis of 4-benzyl-3,5-dimethylpyrazolylborato complexes of molybdenum and tungsten nitrosyls: molecular structure of [Mo(CO)<sub>2</sub>(NO){HB(3,5-Me<sub>2</sub>-4-PhCH<sub>2</sub>C<sub>3</sub>N<sub>2</sub>)<sub>3</sub>}], a complex with an 'inverted' bowl-like structure, 2559
Non-linear optical materials containing molybdenum or tungsten

Non-linear optical materials containing molybdenum or tungsten mononitrosyl redox centres: diaromatic azo derivatives,

MR
Assembly of [2 + 2] bimetallic macrocyclic complexes from bis(bipyridyl) ligands and metal ions, 77
2,2':6',2''.Terpyridine (terpy) acting as a fluxional bidentate ligand. Part 3. Ruthenium carbonyl halide complexes, [RuX<sub>2</sub>(CO)(terpy)] (X = Cl, Br or l) and metal tetracarbonyl complexes [M(CO)<sub>4</sub>(terpy)] (M = Cr, Mo or W): nuclear magnetic resonance studies of their solution dynamics and synthesis of trans-[RuX<sub>2</sub>(CO)(terpy)] (X = Cl, Br or l), 111 Exchange in mixtures of cadmium with bis(benzimidazoles), 209

Conformational isomers of bis(tert-butylphosphine)osmium

complexes, 221 Adducts of trigonal-prismatic and octahedral metal clusters containing interstitial atoms (nitrogen or carbon) with [Au(PPh<sub>3</sub>)]<sup>+</sup>, 333

Monovalent metal-ion complexation by a bibracchial lariat ether in

several solvents, 423

Proton nuclear magnetic resonance assignments and the electron self-exchange rate constant for pseudoazurin from Achromobacter cycloclastes, 437

1,2-Metallotropic shifts in trimethylplatinum(IV) and tricarbonylrhenium(I) halide complexes of pyridazine and 4-methylpyridazine, 445

Phosphine-substituted trigonal-prismatic and octahedral clusters,

Solid-state structure of sulfur bis(trimethylsilylimide), S(NSiMe3)2, and multinuclear magnetic resonance studies of some sulfur bis(silylimides) in solution, 633

Preparation and reactions of [MoH(η³-C<sub>4</sub>H<sub>7</sub>)(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>-κ<sup>2</sup>P)(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>-κ<sup>P</sup>)]: the intramolecular interconversion between η³-2-methylailyl and η⁴-trimethylenemethane ligands,

Hindered rotation along carbon-nitrogen bonds. The effect of carbonyliron in complexes of 7-azanorbornadiene derivatives, 937 Aqueous molybdotungstates, 1061

Synthesis and characterisation of osmium carbonyl fluorides, 1067
Fluxional rhenium(i) tricarbonyl halide complexes of pyrazolyl-pyridine ligands. A detailed nuclear magnetic resonance investigation, 1079

Polyhedral carbathiaborane chemistry. Ten-vertex *nido* and arachno, eleven-vertex *nido*, and eight-vertex *hypho* families of

carbathiaboranes, 1317 Highly active homogeneous nickel catalysts for alkene dimerisation: crystal structure of [Ni(η³-C<sub>3</sub>H<sub>3</sub>)(PPh<sub>3</sub>)Br] and in situ characterisation of AlEt<sub>3</sub>-activated [Ni(η²-C<sub>3</sub>H<sub>3</sub>)(PPh<sub>3</sub>)Br] by nuclear magnetic resonance and extended X-ray absorption fine structure spectroscopy, 1337

NMR (contd)

Dirhodium(II) complexes with bi- and tri-dentate nitrogen-containing ligands, 1517 1,4,7-Triazacyclononane-1,4,7-triyltrimethylenetris(phenylphos-phinate) enforces octahedral geometry: crystal and solution structures of its metal complexes and comparative biodistribu-tion studies of radiolabelled indium and gallium complexes, 1619

Organometallic macrocyclic chemistry: synthesis of cationic half-sandwich iridium(i) complexes of 1,4,7-trithiacyclononane ([9]aneS<sub>3</sub>). Crystal structures of [Ir([9]aneS<sub>3</sub>)(C<sub>4</sub>H<sub>4</sub>)<sub>2</sub>]PF<sub>6</sub>, [Ir([9]aneS<sub>3</sub>)(C<sub>8</sub>H<sub>12</sub>)]PF<sub>6</sub> and [Ir([9]aneS<sub>3</sub>)(C<sub>4</sub>H<sub>6</sub>)]PF<sub>6</sub>·0.5Et<sub>2</sub>O, 1631

1631
Synthesis, fluxional behaviour in solution and crystal structure of the organolanthanide complexes [Ln(C<sub>3</sub>H<sub>4</sub>CH<sub>2</sub>CH<sub>2</sub>OMe)<sub>2</sub>(thf)][Co(CO)<sub>4</sub>] (Ln = Sm or Yb, thf = tetrahydrofuran), 1665
Sterically hindered diphosphines (Ph<sub>2</sub>P)<sub>2</sub>C=CHR (R = Me or Ph) and their derivatives, 1791
Kinetics of ligand exchange in rhodium-(1) and -(III) complexes from magnetisation-transfer measurements; the crystal structure of [Rh(NH<sub>3</sub>)(PPh<sub>3</sub>)<sub>2</sub>ClO<sub>4</sub>, 1857
Synthesis and characterization of monochelated carboxylatonalla-

of [Rh(NH<sub>3</sub>)(PPh<sub>3</sub>)<sub>3</sub>]ClO<sub>4</sub>, 1857
Synthesis and characterization of monochelated carboxylatopalladium(II) complexes with nitrogen-donor chelating ligands. Crystal structures of diacetato(1,10-phenanthroline)- and diacetato(2,9-dimethyl-1,10-phenanthroline)-palladium(II), 1903
Evidence for π bonding in the boron-thiolate compounds (2,4,6-Me<sub>2</sub>C,H<sub>2</sub>)<sub>2</sub>B(SPh) and (2,4,6-Pr<sub>3</sub>C<sub>6</sub>H<sub>2</sub>)B(SPh)<sub>2</sub>, 2113
1,4,7-Triazacyclononane-1,4,7-triyltrimethylenetris(phenylphosphinate) enforces octahedral geometry: crystal and solution structures of its metal complexes and comparative biodistribution studies of radiolabelled indium and gallium complexes (1994, 1619), 2221
Reversible co-ordination of alkali metals to sulfur-based

Reversible co-ordination of alkali metals to sulfur-based organometallic ligands [M(SC<sub>6</sub>F<sub>5</sub>)<sub>4</sub>(cp)] (M = Mo or W, cp = η<sup>3</sup>-C<sub>5</sub>H<sub>5</sub>), 2423
Methylsilylhydroxylamines: preparative, spectroscopic and *ab initio* 

studies, 2503 Solid-state nuclear magnetic resonance studies on the co-ordination

Solid-state nuclear magnetic resonance studies on the co-ordination geometry of boron in polyoxotungstates, 2585
Structural and solid-state <sup>31</sup>P nuclear magnetic resonance studies on 1:1:1 mixed nitrogen and phosphine base complexes with copper(1) halides, 2621
Synthetic, dynamic nuclear magnetic resonance and crystallographic studies of platinum complexes containing silyl-substituted dialkenyl-thioether and -selenoether ligands, 2637
Platinum and rhodium complexes of dialkenyl telluroether ligands: synthesis, dynamic nuclear magnetic resonance and crystal structure of cis-dibromo(3,3,7,7-tetramethyl-5-tellura-3,7-disilanona-1,8-diene)platinum(1), 2645 disilanona-1,8-diene)platinum(II), 2645

Synthesis and spectroscopic studies of palladium and platinum complexes of methylene-backboned dithio-, diseleno- and ditelluro-ether ligands, RECH<sub>2</sub>ER (R = Me or Ph; E = S,

Se or Te), 2835

Molecular and electronic structures of bis[1,4-bis(trimethylsilyl)-cyclooctatetraene] sandwich complexes of titanium and zirconium, 2867 Reactions of Wilkinson's catalyst with pyridine; observation of rhodium complexes containing both pyridine and phosphine

ligands, 2875

Mono- and bi-nuclear copper(II) complexes of azaparacyclophanes with a single aromatic spacer. Crystal structure of [Cu<sub>2</sub>L<sup>2</sup>Cl<sub>4</sub>]-1.5H<sub>2</sub>O (L<sup>2</sup> = 2,5,8,11-tetraaza[12]paracyclophane), 2995

Effects of the nature of the nitrogen donor atom (sp<sup>2</sup> versus sp<sup>3</sup>) upon the properties and chemistry of palladated complexes with of (Pd-C<sub>3p</sub><sup>2</sup>, ferrocene) bonds, 3039

Comparison of carbon-13 nuclear magnetic resonance methods for the analysis of multiple partially deuteriated products from catalytic reactions: heptan-1-ol and 2-methylpropanol, 3061

Steric effects in heteroboranes. Part 9. Cycloocta-1,5-diene palladium and platinum complexes of mono- and di-phenyl C<sub>2</sub>B<sub>9</sub> ligands: metal-mediated polyhedral rearrangement, 3129

Proton transfer in a phenol-based compartmental cryptate; solution and solid-state structural studies, 3149

Solid-state <sup>15</sup>C nuclear magnetic resonance investigations of

Solid-state <sup>13</sup>C nuclear magnetic resonance investigations of molecular dynamics in crystalline benzenetricarbonylchromium,

The true identity of the 'bare-carbon' cluster, closo-C<sub>3</sub>B<sub>5</sub>H<sub>7</sub>, 3197 Hindered rotation about carbon-nitrogen bonds in 7-aza-norbornadienes and their carbonyliron complexes, 3199

norbornadienes and their carbonyliron complexes, 3199
Synthesis and solution multinuclear magnetic resonance studies of homoleptic copper(1) complexes of sulfur, selenium and tellurium donor ligands, 3225
Synthesis and solid-state structure of [Pd<sub>6</sub>Ru<sub>6</sub>(CO)<sub>24</sub>]<sup>2-</sup>.
Electrochemistry and <sup>13</sup>C nuclear magnetic resonance spectra of [Fe<sub>6</sub>Pd<sub>6</sub>H(CO)<sub>24</sub>]<sup>3-</sup> and [Pd<sub>6</sub>Ru<sub>6</sub>(CO)<sub>24</sub>]<sup>2-</sup>, 3237
Rhodium(III) complexes with cyanide and sulfur-donor ligands: rhodium-103 nuclear magnetic resonance chemical shift correlations 3243

correlations, 3243

Synthesis and redox properties of cis-[ReCl(NCR)(Ph2PCH2CH2-

PPh<sub>2</sub>).] (R = alkyl or aryl) complexes with a *cis*-phosphine rhenium(t) centre, 3299

Aquation of the anticancer complex *trans*-[RuCl<sub>4</sub>(Him)<sub>2</sub>]

(Him = imidazole), 3305

(Film = imidazole), 5303 Kinetics of ligand exchange in rhodium-(i) and -(III) complexes from magnetisation-transfer measurements; the crystal structure of [Rh(NH<sub>3</sub>)(PPh<sub>3</sub>)<sub>3</sub> [102 (1994, 1857), 3335 Evidence for hydrogen bonding in solutions of 1-ethyl-3-methyl-imidazolium halides, and its implications for room-temperature

imidazolium halides, and its implications for room-temperature halogenoaluminate(III) ionic liquids, 3405 2,2':6',2". Terpyridine (terpy) acting as a fluxional bidentate ligand. Part 4. cis-[M(C<sub>6</sub>F<sub>5</sub>)<sub>2</sub>(terpy)] (M = Pd or Pt): nuclear magnetic resonance studies of their solution dynamics and crystal structure of cis-[Pd(C<sub>6</sub>F<sub>5</sub>)<sub>2</sub>(terpy)], 3441 Rhenium(1) tricarbonyl halide complexes of pyrazolylbipyridine ligands. Part 1. Nuclear magnetic resonance studies of solution fluxionality. 3545

fluxionality, 3545

Design and synthesis of ionophores with multiple receptor sites: solution nuclear magnetic resonance studies of their interaction with chloride, sodium and potassium ions, 3637

Multinuclear magnetic resonance studies on aluminium chelates.

Part 1. Chelates with catechol and disodium 4,5-dihydroxy-

benzene-1,3-disulfonate, 3711
Rotational energy barrier in Pt<sup>11</sup>–N<sup>7</sup> (purine) bonds by one- and two-dimensional nuclear magnetic resonance spectroscopy, 3717
Kinetics of carbon monoxide exchange in chloro and bromo

carbonyl complexes of palladium(II) and platinum(II), 3723 NUCLEOSIDE

Rotational energy barrier in PtII-N7 (purine) bonds by one- and two-dimensional nuclear magnetic resonance spectroscopy, 3717

Binding of divalent metal ions to synthetic double-stranded poly-

Binding of divalent metal ions to synthetic double-stranded polyribonucleotides, 1929

Rotational energy barrier in Pt<sup>II</sup>—N<sup>7</sup> (purine) bonds by one- and two-dimensional nuclear magnetic resonance spectroscopy, 3717

OPTICAL ACTIVITY

Chiral induction in the reduction of [Co(glyO)(ox)<sub>2</sub>]<sup>2-</sup> by [Co(phen)<sub>3</sub>]<sup>2+</sup> (glyO = glycinate, ox = oxalate, phen = 1,10-phenanthroline), 1655

OPTICAL MATERIAL

Non-linear oxitical materials containing molyhdanyan ox tyngsten

Non-linear optical materials containing molybdenum or tungsten mononitrosyl redox centres: diaromatic azo derivatives, 3427 OSMIUM

SMIUM
Synthesis and photochemical reactivity of phenylthioureatotriosmium cluster complexes: crystal structures of [Os<sub>3</sub>H(CO)<sub>10</sub>{μ-SC(NPh)(NHPh)}] and [Os<sub>3</sub>H(CO)<sub>8</sub>(μ<sub>3</sub>-SC(NPh)(NHPh)}], 1
Reaction of the unsaturated triosmium cluster
[Os<sub>3</sub>H(CO)<sub>8</sub>(Ph<sub>2</sub>PCH<sub>2</sub>P(Ph)C<sub>6</sub>H<sub>4</sub>}] with HBF<sub>4</sub> and
[Au(PPh<sub>3</sub>)]PF<sub>6</sub>; crystal structure of
[Os<sub>3</sub>AuH(CO)<sub>8</sub>(Ph<sub>2</sub>PCH<sub>2</sub>P(Ph)C<sub>6</sub>H<sub>4</sub>}(PPh<sub>3</sub>)]PF<sub>6</sub>, 33
Conformational isomers of bis(tert-butylphosphine)osmium
complexes 221

complexes, 221

Conformational isomers of bis(tert-butylphosphine)osmium complexes, 221

Synthesis and proton-coupled redox properties of mononuclear or asymmetric dinuclear complexes of ruthenium, rhodium and/or osmium containing 2.2'-bis(2-pyridyl)-6,6'-bibenzimidazole, 263

Synthesis and structural characterisation of the osmium cluster dianions [Os<sub>17</sub>(CO)<sub>36</sub>]<sup>2</sup> and [Os<sub>20</sub>(CO)<sub>46</sub>]<sup>2</sup>, 521

Synthesis and characterisation of osmium carbonyl fluorides, 1067

Pendant-functionalised ligands for metallosupramolecular assemblies; ruthenium(II) and osmium(II) complexes of 4'-(4-pyridyl)-22':6',2'-terpyridine, 1409

Molecular structure of tetrakis(tert-butylimido)osmium(VIII), determined in the gas phase by electron diffraction, 1563

Synthesis and characterization of a palladium-osmium mixedmetal cluster; crystal structure of [Os<sub>6</sub>Pd(CO)<sub>18</sub>(bipy)]-CHCl<sub>3</sub> (bipy = 2,2'-bipyridine), 1605

Thiolate complexes of osmium(IV): preparation of [Os(SR)<sub>4</sub>(PR'<sub>3</sub>)] (R = C<sub>6</sub>F<sub>5</sub>, C<sub>F4</sub>H-4, C<sub>8</sub>H<sub>4</sub>F-4 or Ph, R' = Ph; R = C<sub>6</sub>F<sub>5</sub> or C<sub>6</sub>F<sub>4</sub>H-4, R'<sub>3</sub> = M<sub>2</sub>Ph) and [OsCl(SC<sub>6</sub>F<sub>3</sub>)<sub>2</sub>(SC<sub>6</sub>H<sub>4</sub>K-3)] (PMe<sub>7</sub>Ph)] (X = F or CF<sub>3</sub>); crystal structures of [Os(SC<sub>6</sub>F<sub>4</sub>H-4)<sub>4</sub>-(PPh<sub>3</sub>)] and [OsCl(SC<sub>6</sub>F<sub>3</sub>)<sub>2</sub>(SC<sub>6</sub>H<sub>4</sub>CF<sub>3</sub>-3)(PMe<sub>7</sub>Ph)], 1819

Synthesis and characterisation of cyanide-bridged heterobinuclear mixed-valence compounds based on cyclopentadienylorganophosphine-ruthenium(II) and -osmium(III) projetics 1987

phine-ruthenium(II) and -osmium(II) cyano and pentaammine-ruthenium(III) and -osmium(III) moieties, 1987 Cluster build-up using the [Os(η<sup>6</sup>-C<sub>6</sub>H<sub>6</sub>)(MeCN)<sub>3</sub>]<sup>2+</sup> cation; synthesis and structural characterisation of some hexa- and hepta-nuclear arene-substituted clusters, 2159

Sequential synthesis of some tetraosmium-arene clusters, 2167 Synthetic and structural characterisation of metal complexes of ferrocenylacetylene: novel donor-acceptor heterobimetallic materials, 2215

materials, 2215
Synthesis of new η<sup>4</sup>-hexafluorobenzene complexes of ruthenium and osmium from atoms of the metals: crystal structure of [Ru(η<sup>6</sup>-C<sub>6</sub>H<sub>3</sub>Me<sub>3</sub>-1,3,5)(η<sup>4</sup>-C<sub>6</sub>F<sub>6</sub>)], 2251
Osmium(II) complexes with the hybrid ligand 1-(diphenylphosphino)-2-(2-pyridyl)ethane, 2257
Synthesis, photophysical properties and crystal structure of tetra-n-

**OSMIUM** (contd)

butylammonium bis(maleonitriledithiolato)nitridoosmate(v1). Synthesis and electrochemistry of dialkylosmium-(IV) and -

(v) porphyrins. Crystal structure of [Os(ttp)(CH<sub>2</sub>SiMe<sub>5</sub>)<sub>2</sub>] [H<sub>2</sub>ttp = 5,10,15,20-tetra(p-tolyl)porphyrin], 2713. Reaction of [Os<sub>4</sub>(µ-Cl)(CO)<sub>13</sub>] with the [Au(PPh<sub>3</sub>)] \* cation involving insertion of an Os(CO)<sub>4</sub> fragment into the gold phosphorus bond, 3331

Synthesis and redox studies on ruthenium and osmium complexes with primary and secondary phosphines. Single-crystal structures of trans-[RuCl<sub>2</sub>(PPhH<sub>2</sub>)<sub>4</sub>] and trans-[OsCl<sub>2</sub>(PPh<sub>2</sub>H)<sub>4</sub>]-CH<sub>2</sub>Cl<sub>2</sub>,

Complexes of the platinum metals. Part 46. 1,1,1,5,5,5-Hexafluoro-3-azapentane-2,4-diiminato derivatives of ruthenium, osmium and iridium. Crystal structure of

[Ru{NHC(CF<sub>3</sub>)NC(CF<sub>3</sub>)NH}H(CO)(PPh<sub>3</sub>)<sub>2</sub>], 3615

Stereoselective photosensitized decomposition of tris(oxalato)cobaltate(III) and tris(acetylacetonato)cobalt(III) by tris(2,2'-bipyridine)ruthenium(II), 583

OXAMIDATE

Crystal structure and magnetic properties of two two-dimensional sheet-like polynuclear copper complexes with bridging transoxamidate and 4,4'-bipyridine or pyrimidine, 1917

Crystal structure and magnetic properties of a two-dimensional sheet-like copper(II) complex with bridging trans-oxamidate and

aziue, 1923 An alternating copper(II) chain with bridging azide and oxamidate ligands: Crystal structure and magnetic properties of  $[Cu_2(dmaeoxd)(N_3)_2(H_2O)_2]$  and  $[\{Cu_2(dmaeoxd)(N_3)_2\}_n]$   $\{H_2dmaeoxd = N,N'-bis[2-(dimethylamino)-ethyl]oxamide\}$ , 3769

OXAMIDE

Structure and magnetic studies of a two-dimensional sheet-like copper(II) complex with bridging pyridine-4-carboxylate and trans-oxamidate ligands, 2989

OXIDATION

Functionalizable 5,5,10,10,15,15,20,20-octaethylporphyrinogen complexes of early transition metals: synthesis and crystal structure of titanium-, vanadium- and chromium-(III) derivatives and a two-electron oxidation of the porphyrinogen skeleton, 2015 Crystal structure and oxo-transfer properties of [NH<sub>4</sub>]<sub>2</sub>-

[W\*IO<sub>2</sub>{O<sub>2</sub>CC(S)Ph<sub>2</sub>}<sub>2</sub>], 3511

OXIDATIVE ADDITION

Stereoselective oxidative-addition reaction of molecular iodine and mercury(II) halides to rhodium dithiolate compounds. Crystal structure of [Rh<sub>2</sub>{μ-S(CH<sub>2</sub>)<sub>2</sub>S}Cl<sub>2</sub>(CO)<sub>2</sub>(PPh<sub>3</sub>)<sub>2</sub>], 385

OXIDE

Chemistry of molybdenum. Part 9. Non-oxomolybdenum(IV) and mononuclear oxomolybdenum(v) complexes with dithioacid ligands, 97

ligands, 97
Formation of [Mn(η-C<sub>5</sub>H<sub>5</sub>)O<sub>2</sub>] by photooxidation of [Mn(η<sup>5</sup>-C<sub>5</sub>H<sub>3</sub>)(CO)<sub>3</sub>] in low-temperature matrices containing O<sub>2</sub>, 311
Synthesis, properties and crystal structures of [Ru<sup>11</sup><sub>3</sub>(tacn)<sub>2</sub>-(μ-CO<sub>3</sub>)]<sub>Fr</sub>-3-75H<sub>2</sub>O and [Ru<sup>3.5</sup><sub>2</sub>(dtne)(μ-O)<sub>2</sub>(μ-CO<sub>3</sub>)]-P<sub>6</sub>-5H<sub>2</sub>O [tacn = 1,4,7-triazacyclononane, dtne = 1,2-bis(1,4,7-triazacyclononan-1-yl)ethane], 457
Aggregation of fac-[Ir(aet)<sub>3</sub>] (aet = 2-aminoethanethiolate) around the [Co<sup>11</sup><sub>4</sub>O]<sup>6+</sup> core. Structures and some properties of spontaneously resolved S-bridged octanuclear complexes [{Ir(aet)<sub>3</sub>}<sub>4</sub>M<sub>4</sub>O]Br<sub>6</sub> (M<sub>4</sub> = Co<sup>11</sup><sub>4</sub>, Zn<sup>11</sup><sub>4</sub> or Zn<sup>11</sup><sub>2,5</sub>Co<sup>11</sup><sub>1,2</sub>), 533
Reactivity of acetone oxime towards oxomolybdenum(vi) complexes. Part 1. Syntheses and crystal structures of

complexes. Part 1. Syntheses and crystal structures of tetranuclear molybdenum(vi) complexes, 819

Reactivity of acetone oxime towards oxomolybdenum(v1) complexes. Part 2. Syntheses, crystal structures and reactivity of molybdenum nitrosyl complexes, 825

Photo-oxidation of [V(CO)<sub>6</sub>] in low-temperature matrices containing O<sub>2</sub>: formation of a novel superoxovanadium species, 835

Electrochemical oxidation of diaquaruthenium(11) complexes of

quaterpyridines and crystal structure of  $[RuL^1(PPh_3)_2][ClO_4]_2$ ( $L^1 = 3'', 5, 5', 5'''$ -tetramethyl-2,2':6',2":6",2"''-quaterpyridine),

Crystal and molecular structure of [SnLCl<sub>3</sub>]. The single-crystal electron paramagnetic resonance spectra of [MoE(L)Cl<sub>2</sub>] and [MoO(L)(NCS)<sub>2</sub>] diluted in [SnLCl<sub>3</sub>] [E = O or S; L = tris(3,5-dimethylpyrazolyl)hydroborate], 1003

Isolation and crystal structure of a dimeric oxomolybdenum(v) complex containing two ethoxy bridges and one ethanol bridge,

hacidification of [WS<sub>4</sub>]<sup>2-</sup>. Synthesis and structures of di-µ-sulfido-bis[(2,2'-bipyridine)chlorooxotungsten(v)] and di-µ-sulfido-bis[(2,2'-bipyridine)bromooxotungsten(v)], 1311
Mössbauer spectroscopic investigations of metal incorporation within Nasicon-related NbTiP<sub>3</sub>O<sub>12</sub>, 1703
Molecular heterogeneous metathesis catalysts: an attempted

synthesis of surface-anchored alkylidenetungsten complexes, 1723

Crystal and molecular structures of [Mg(MeCN)<sub>6</sub>][ $\{TiCl_a\}^{(4-n)+}$  species. Crystal and molecular structures of [Mg(MeCN)<sub>6</sub>][ $\{TiCl_a-(MeCN)\}_2(\mu-O)\}_4$ ]-2MeCN and [ $\{TiCl_2(MeCN)_2(\mu-O)\}_4$ ]-2MeCN,

μ-Oxo-bridged diiron(III) complexes and H<sub>2</sub>O<sub>2</sub>: monooxygenase-and catalase-like activities, 2081 Synthesis, mechanism of formation and characterization of a new

class of octanuclear mixed-metal clusters Na<sub>2</sub>M'<sub>2</sub>[M<sub>3</sub>O<sub>4</sub>-(O<sub>2</sub>CEt)<sub>8</sub>]<sub>2</sub> (M' = Cr or V; M = Mo or W), 2099 Synthesis and crystal structures of dinuclear oxotungsten(vi)

diolato complexes, 2119

diolato complexes, 2119

High-temperature spectrophotometric and electron spin resonance spectroscopic investigations of vanadium complexes in the molten salt-gas system V<sub>2</sub>O<sub>5</sub>-K<sub>2</sub>S<sub>2</sub>O<sub>7</sub>/SO<sub>2</sub>-SO<sub>3</sub>-N<sub>2</sub>, 2151

Bis(pentafluorophenyl)nickel(ii) thio-molybdates and -tungstates. Crystal structure of [NBu<sub>4</sub>]<sub>2</sub>[Ni<sub>2</sub>(C<sub>F</sub>)<sub>3</sub>(µ-WS<sub>4</sub>)], 2271

A novel tetranuclear [C<sub>F</sub><sup>11</sup><sub>2</sub>Mn<sup>11</sup><sub>2</sub>(µ<sub>3</sub>-O)<sub>2</sub>]<sup>8+</sup> core with an S<sub>T</sub> = 0 spin ground state, 2313

Influence of mixed sulfur-nitrogen oxides on the redox kinetics of manganese ions in aqueous solution, 2373

Synthesis, chiroptical and electrochemical studies of dioxouranium(vi) complexes of aldimine derivatives of L-/D-histidine and crystal structure of (2.2-binyridy) dioxo(N-ahistidine and crystal structure of (2,2'-bipyridyl)dioxo(N-o-vanillylidene-L-histidinato)uranium(v1)-water-methano(1/1/1),

New polymeric compounds containing vanadium-oxygen chains, 2457

Novel binuclear vanadium(v)—Schiff base cations containing single fluorine bridges and the structure of difluorodioxovanadate(1-), 2591

Carbon tellurium bond cleavage in tellurolatochromium complexes. Synthesis and single-crystal structures of  $[Cr_a(cp)_4Te_nO_{4-n}]$  (cp =  $\eta^5$ -C<sub>5</sub>H<sub>5</sub>, n = 1–3), 2697 Intercalation of the oxo-transfer molybdenum(vi) complex

[MoO<sub>2</sub>{O<sub>2</sub>CC(S)Ph<sub>2</sub>}<sub>2</sub>]<sup>2-</sup> into a zinc(11)-aluminium(111) layered double hydroxide host. Catalysis of the air oxidation of thiols,

Extended X-ray absorption fine structure studies of transition-metal periodate and tellurate complexes. Crystal structure of Rb<sub>2</sub>Na<sub>4</sub>[OSO<sub>2</sub>(H<sub>2</sub>TeO<sub>6</sub>)<sub>2</sub>]-16H<sub>2</sub>O<sub>2</sub> 2983 Kinetics and mechanism of the oxidation of iodide by *trans*-

dioxoruthenium(v1), 3091
Structural and vibrational properties of the octanuclear silasesquioxane C<sub>6</sub>H<sub>13</sub>(H<sub>7</sub>Si<sub>8</sub>O<sub>12</sub>), 3123

silasesquioxane C<sub>6</sub>F1<sub>3</sub>(T<sub>1</sub>>3<sub>1</sub>O<sub>1</sub>), 5125 Synthesis, crystal structure and non-linear optical properties of [NEt<sub>4</sub>]<sub>4</sub>[Cu<sub>6</sub>Mo<sub>2</sub>S<sub>6</sub>O<sub>2</sub>Br<sub>2</sub>I<sub>4</sub>], 3211 Hydrogen activation by arene ruthenium complexes in aqueous solution. Part 2. Build-up of cationic tri- and tetra-nuclear ruthenium clusters with hydrido ligands, 3215

Electron spin resonance study of the cobalt(II) species formed after room-temperature photolysis of aqua(sec-butyl)bis-(dimethylglyoximato)cobalt(III) in the presence of N-donor bases, 369

Reactivity of acetone oxime towards oxomolybdenum(vi) complexes. Part 1. Syntheses and crystal structures of tetranuclear molybdenum(vi) complexes, 819

complexes. Part 2. Syntheses, crystal structures and reactivity of molybdenum nitrosyl complexes, 825 A novel tetranuclear  $[Cr^{III}_2Mn^{III}_2(\mu_3-O)_2]^{8+}$  core with an  $S_T=0$  **OXIME** Reactivity of acetone oxime towards oxomolybdenum(vi) complexes. Part 2. Syntheses, crystal structures and reactivity of

Kinetic studies on the oxidation of sulfur(IV) by nickel(IV) oxime-imine complexes, 3733

OXO

Reactions of titanium tetrachloride with carboxylic acids. Crystal and molecular structure of the dinuclear titanium oxo compound

[{TiC<sub>2</sub>(O<sub>2</sub>CBu')(Bu'CO<sub>2</sub>H)<sub>2</sub>O<sub>3</sub>, 195 Reactivity of the rhenium(y-oxo complex [AsPh<sub>4</sub>][ReOCl<sub>4</sub>] toward bis(diphenylphosphino)amine NH(PPh<sub>2</sub>)<sub>2</sub>. Synthesis and crystal structures, 339

Synthesis, structure and metal redox of new VO3+ and VO2+ complexes incorporating mixed tridentate-bidentate binding,

Titanium oxo carboxylate compounds. Crystal and molecular structures of [{TiC<sub>2</sub>(O<sub>2</sub>CEt)(EtCO<sub>2</sub>H)}<sub>2</sub>O] and [Ti<sub>2</sub>Cl<sub>3</sub>O<sub>2</sub>CEt)<sub>3</sub>] and an unusual quantitative conversion of a Ti<sub>2</sub>O to a Ti<sub>3</sub>O<sub>2</sub> oxo derivative, 3533

Electron-gain and -loss centres in oxyanions containing S-S bonds: an electron spin resonance study, 1271 PALLADIUM

Complexes of the bidentate ligands PPh<sub>2</sub>CH<sub>2</sub>C(Bu<sup>i</sup>)=NNR<sub>2</sub> (R = H or Me) and PPh<sub>2</sub>CH<sub>2</sub>C(Bu<sup>i</sup>)=N-N=CHPh with

PALLADIUM (contd)

palladium and platinum. X-Ray crystal structure of cis-

[Pt{PPh2CH2C(Bu1)=NNH}2], 103

[Pt{PPh<sub>2</sub>CH<sub>2</sub>C[Bu<sup>1</sup>=NNH}<sub>2</sub>], 103

Unusual properties of metal complexes involving acyclic polydentate thioether ligands. Copper, nickel and palladium complexes of 3,6,9,12,15-pentathiaheptadecane, 185

Synthesis, crystal structure and electrical properties of two new palladium complexes of selenium and sulfur ligands:
[NMe<sub>4</sub>][Pd(C<sub>3</sub>S<sub>3</sub>e<sub>2</sub>)<sub>2</sub>]<sub>2</sub> and [PMe<sub>4</sub>][Pd(C<sub>3</sub>S<sub>3</sub>)<sub>2</sub>]<sub>2</sub>, 249

Palladium(II) complexes of N-sulfonylamino acids. Part 1. Solid-state behaviour of binary and ternary 2,2'-bipyridine-containing systems. 273

systems 273 Palladium(II) complexes of N-sulfonylamino acids. Part 2

Co-ordination behaviour under strongly acidic conditions, 279

Palladium(i) complexes of N-sulfonylamino acids. Part 3. Ternary adducts with 2,2'-bipyridine, 285

Palladium(II) complexes of N-sulfonylamino acids. Part 3. Ternary adducts with 2,2'-bipyridine, 285 Tri- and tetra-nuclear palladium(II) and/or platinum(II) compounds with double thiolato bridges. Crystal structure of [P(CH<sub>2</sub>Ph)Ph<sub>1</sub>]<sub>2</sub>[(C<sub>F</sub>S<sub>2</sub>)-Pd(μ-SC<sub>6</sub>F<sub>3</sub>)<sub>2</sub>Pt(μ-SC<sub>6</sub>F<sub>3</sub>)<sub>2</sub>Pt(μ-SC<sub>6</sub>F<sub>3</sub>)<sub>2</sub>Pd(C<sub>6</sub>F<sub>3</sub>)<sub>2</sub>], 401
Synthesis of tetraalkylthio-substituted phthalocyanines and their complexation with Ag¹ and Pd¹¹, 497
Synthesis and reactivity of palladium(II) complexes with the [C(PPh<sub>2</sub>)<sub>3</sub>] ligand. Crystal structures of [Pd(C<sub>7</sub>F),(PPh<sub>3</sub>),CPPh<sub>3</sub>\{PPh<sub>3</sub>\} and [Pd{(PPh<sub>2</sub>)<sub>2</sub>CP(O)Ph<sub>2</sub>}]-4.74CHCl<sub>3</sub>, 505
Influences of the substituents at the iminic carbon atoms (hydrogen versus methyl) upon the properties of ferrocenylimines and their cyclopalladated derivatives, 735
Influence of the length of the quaternisation group on the cyclometallation of [M(2,4'-R-bipy)Cl<sub>3</sub>] (M = Pt¹¹ or Pd¹¹; 2,4'-R-bipy = 1'-alkyl-2,4'-bipyridinium), 879
Mechanism of nucleophilic attack by diethylamine on cationic palladium(II) allyl complexes containing α-diimine ligands, 1145
Cleavage and reassembly of trinuclear palladium clusters in reactions with an isocyanide ligand, 1283
Octakis(alkylthio)-substituted phthalocyanines and their interactions with silver(I) and palladium(II) ions, 1419
Aerobic photooxidation and C-C bond cleavage of the acetylacetonate ligand in (2-arylazo)arylpalladium(II) complexes induced by visible light, 1505
Synthesis and characterization of a palladium—osmium mixed-

by visible light, 1505

by visible light, 1505
Synthesis and characterization of a palladium-osmium mixedmetal cluster; crystal structure of [Os<sub>6</sub>Pd(CO)<sub>18</sub>(bipy)]-CHCl<sub>3</sub>
(bipy = 2,2'-bipyridine), 1605
Synthesis and characterization of monochelated carboxylatopalladium(ii) complexes with nitrogen-donor chelating ligands. Crystal
structures of diacetato(1,10-phenanthroline)- and diacetato(2,9dimethyl-1,10-phenanthroline)-palladium(ii), 1903
Synthesis and structural study of {Pd(CH<sub>2</sub>C<sub>2</sub>H<sub>6</sub>N)<sub>2</sub>(μ-O<sub>2</sub>Ck)(μ-X)] complexes (R = Me or CF<sub>3</sub>; X = hydroxide, amide or
thiolate), 2353
Synthesis and vibrational spectra of new bis(alkoxysulfane).

thiolate), 2533
Synthesis and vibrational spectra of new bis(alkoxysulfane)-dichloropalladium(ii) complexes and X-ray structural analysis of [PdCl<sub>2</sub>(\$(OPr)<sub>2</sub>)<sub>2</sub>], 2509
Synthesis and spectroscopic studies of palladium and platinum complexes of methylene-backboned dithio-, diseleno- and ditelluro-ether ligands, RECH<sub>2</sub>ER (R = Me or Ph; E = S, Se or

Ultrafine palladium particles supported on chelate resin-metal complexes: promotion effect of lanthanide ions on catalytic activity, 2967

activity, 2967

Mixed phosphathia macrocyclic chemistry: synthesis and characterisation of [M(Ph<sub>2</sub>[14]aneP<sub>2</sub>S<sub>2</sub>)]<sup>2+</sup> (M = Pd or Pt) and [RhCl<sub>2</sub>(Ph<sub>2</sub>[14]aneP<sub>2</sub>S<sub>2</sub>)] + (Ph<sub>2</sub>[14]aneP<sub>2</sub>S<sub>2</sub> = 8,12-diphenyl-1,5-dithia-8,12-diphosphacyclotetradecane, 3031

Effects of the nature of the nitrogen donor atom (sp<sup>2</sup> versus sp<sup>3</sup>) upon the properties and chemistry of palladated complexes with  $\sigma$ (Pd-C<sub>sp</sub><sup>2</sup>, ferrocene) bonds, 3039

Chemistry of acetoacetanilide and derivatives with zero- and divalent platinum and palladium complexes: crystal structure of

valent platinum and palladium complexes; crystal structure of the four-membered ring palladalactam complex

the four-membered ring palladalactam complex [Pd{CH(COMe)C(O)NPh}{(bipy)]} (bipy = 2,2'-bipyridyl), 3085 Equilibrium studies of \( \alpha \)-dimine displacement in cationic allylpalladium(ii) complexes by monodentate N-donors and the mechanism of allyl amination by triethylamine and pyridine, 3113 Steric effects in heteroboranes. Part 9. Cycloocta-1,5-diene palladium and platinum complexes of mono- and di-phenyl C<sub>2</sub>B<sub>9</sub> ligands: metal-mediated polyhedral rearrangement, 3129 Palladium(ii) and platinum(ii) dihalogeno-complexes containing the polyfunctional phosphine 7-diphenylphosphino-2,4-dimethyl-1,8-naphthyridine (dpnapy). Crystal structure of the metallocycle trans,trans-[{Pd(\( \pu \)-dpnapy)Cl<sub>2</sub>\)-21-2Q, 3135 Synthesis, molecular structure and reactivity of cis-[Pd(C<sub>\( \infty \)-F\))-2 (C<sub>\( \infty \)-H<sub>2</sub>NM<sub>\( \infty \)-KC', \( \infty \), \( \infty \)] a compound displaying an unusual \( \eta \) arene-palladium interaction, 3143 Preparation of 1, 1'-bis[(diphenylphosphino)methyl]ferrocene and</sub></sub></sub>

Preparation of 1,1'-bis[(diphenylphosphino)methyl]ferrocene and its transition-metal complexes, 3191

Platinum(II) and palladium(II) complexes with 2-amino-4-methyl-sulfanylbutanol and 2-(ethylsulfanyl)ethylamine, 3231 Synthesis and solid-state structure of  $[Pd_6Ru_6(CO)_{24}]^{2-}$ . Electrochemistry and  $^{13}C$  nuclear magnetic resonance spectra of  $[Fe_6Pd_6H(CO)_{24}]^{3-}$  and  $[Pd_6Ru_6(CO)_{24}]^{2-}$ , 3237 Deprotonation, deuteriation and substitution of the backbone of some azine diphosphine complexes of palladium and platinum: crystal structures of [PtI(PPh2CH=CBu'N-N=CBu'CH2PPh2)]

and [PtCl(PPh2CH2CBu=N-N=CBu+CH2PPh2)][OC6H2-

and [PtCl(PPh<sub>2</sub>CH<sub>2</sub>CBu'=N-N=CBu'CH<sub>2</sub>PPh<sub>2</sub>)][OC<sub>6</sub>H<sub>2</sub>-(NO<sub>2</sub>)<sub>3</sub>·2,4,6], 3311
Dithiolene-like palladium complexes of methyl 3-phenyldithio-carbazate and related derivatives. Crystal structure of [Pd{N[C,H<sub>3</sub>(OMe-4)NC<sub>6</sub>H<sub>4</sub>(OMe-4)]NC(S)SMe}(SCN)]-0.5C,H<sub>6</sub>, 3349
2,2':6',2''-Terpyridine (terpy) acting as a fluxional bidentate ligand. Part 4. cis-[M(C<sub>6</sub>F<sub>5</sub>)<sub>2</sub>(terpy)] (M = Pd or Pt): nuclear magnetic resonance studies of their solution dynamics and crystal structure of cis-[Pd(C<sub>6</sub>F<sub>5</sub>)<sub>2</sub>(terpy)], 3441
Bonding interaction between Group 10 and 11 metals. Synthesis, structure and properties of [M<sub>3</sub>(S<sub>2</sub>CNR<sub>2</sub>)<sub>6</sub>M'<sub>2</sub>]<sup>2+</sup> (M = Pt or Pd; M' = Ag or Cu; R = Et, Pr', Pr', Pu' or C<sub>6</sub>H<sub>1</sub>), 3621
Conversion of acetonitrile into acetamide in the co-ordination spheres of cis- and trans-M<sup>1</sup>(amine)<sub>2</sub> (M = Pt or Pd). Solution

spheres of cis- and trans-M<sup>11</sup>(amine)<sub>2</sub> (M = Pt or Pd). Solution and crystal structural studies, 3667

Kinetics of carbon monoxide exchange in chloro and bromo carbonyl complexes of palladium(II) and platinum(II), 3723 PENDANT

Interaction of transition and post-transition metal ions with oxygen-nitrogen donor macrocycles incorporating pendant hydroxyethyl and carbamoylethyl groups, 2791

PENTAFLUOROPHENYL

ENTAFLUOROPHENYL

Tri- and tetra-nuclear palladium(II) and/or platinum(II) compounds with double thiolato bridges. Crystal structure of [P(CH<sub>2</sub>Ph)Ph<sub>3</sub>]<sub>2</sub>[(C<sub>6</sub>F<sub>3</sub>)<sub>2</sub>Pd(μ-SC<sub>6</sub>F<sub>5</sub>)<sub>2</sub>Pt(μ-SC<sub>6</sub>F<sub>5</sub>)<sub>2</sub>Pt-(μ-SC<sub>6</sub>F<sub>5</sub>)<sub>2</sub>Pd(C<sub>6</sub>F<sub>5</sub>)<sub>2</sub>], 401

Bis(pentafluorophenyl)nickel(II) thio-molybdates and -tungstates. Crystal structure of [NBu<sub>4</sub>]<sub>2</sub>[Ni<sub>2</sub>(C<sub>6</sub>F<sub>5</sub>)<sub>4</sub>(μ-WS<sub>4</sub>)], 2271

EPTTIPE

Influence of alkali- and alkaline-earth-metal cations on the 'salt-

induced peptide formation' reaction, 1125

Co-ordination properties of cyclopeptides. Formation and stability of zinc(II) and copper(II) complexes of histidine-containing cyclopeptides, or imidazole, 1227

Bioinorganic reaction centres on electrodes. Modified electrodes

possessing amino acid, peptide and ferredoxin-type groups on a poly(pyrrole) backbone, 2181

Polytopyriole) backbone, 2181
Potentiometric and spectroscopic studies on copper(II) and zinc(II)
complexes of peptides containing bis(imidazolyl) ligands, 2939
PERCHLORATE

Crystal and molecular structure of anhydrous copper(II)

perchlorate, 3119
PERIODATE

Synthesis, spectroscopic and structural studies of alkali metal-nickel periodates MNiIO<sub>6</sub> (M = Na, K, Rb, Cs or NH<sub>4</sub>), 1483

Novel modifications of the structure of the layered vanadyl hydrogenphosphate VO(HPO<sub>4</sub>)-0.5H<sub>2</sub>O, 2145 PHASE DIAGRAM

The reaction of nitrogen with dilute solutions of barium in liquid lithium: electrical resistivity, X-ray phase analysis, kinetic and thermal analysis studies, 667

PHENANTHRENE

Spectroelectrochemical and flash photochemical reduction of 1,4,5,8-tetraazaphenanthrene and 1,4,5,8,9,12-hexaazatriphenylene mono- and bi-metallic ruthenium(II) complexes, 3651 PHENANTHROLINE

Studies on organolanthanide complexes. Part 56. Formation of ion-pair complexes [Na·3phen] \* [Ln(C<sub>5</sub>H<sub>5</sub>)<sub>3</sub>Cl] \* phen (Ln = La, Pr or Nd; phen = 1,10-phenanthroline) and crystal structure for Ln = Pr, 2109

PHENAZINE

Building a two-dimensional co-ordination polymer having a multilayered arrangement. A molecular assembly comprising hanging phenazine molecules between polymeric stair frameworks of copper(i) halides, 2771

Electrochemical and electron-electron exchange interactions in binuclear molybdenum complexes containing the bridging ligand 4-(imidazol-1-yl)phenol, 143

Reactions of monocyclopentadienyl complexes of molybdenum and tungsten with derivatives of phenols and pentafluorobenzeneselenol, 3527

PHENOLATE

Dinuclear manganese(II) complexes of unsymmetric phenol-based dinucleating ligands with amino and imino chelating arms: synthesis, structure and catalase-like activity, 1097 Copper(II) complexes of novel tripodal ligands containing

PHENOLATE (contd)

phenolate and benzimidazole/pyridine pendants: synthesis, structure, spectra and electrochemical behaviour, 1219

PHENOXARSINE

Synthesis and characterization of phenoxarsin-10-yl diorgano-dithiophosphinates. A folded phenoxarsine system in the first dimeric organoarsenic(III) 1,1-dithiolate associated through As ··· S secondary bonding, 2191 PHENVI.

Cation-anion interactions involving hydrogen bonds. Syntheses, structures and spectroscopic studies of [H<sub>2</sub>dam]-[Bi<sup>iii</sup>Ph(O<sub>2</sub>CCF<sub>3</sub>)<sub>4</sub>], [Hpy]<sub>2</sub>[Bi<sup>iii</sup>Ph-(O<sub>2</sub>CCF<sub>3</sub>)<sub>4</sub>] and [H<sub>2</sub>dam]-[Bi<sup>iiii</sup>(O<sub>2</sub>CCF<sub>3</sub>)<sub>4</sub>] (dam = diamine, py = pyridine), 2545

PHOSPHAALKENE

Mono- and bi-dentate phosphaalkene ligands: structures of their copper(1) chloride complexes, 1685

Synthesis and characterization of new phosphanylium and phosphanetriylammonium salts. Molecular structures of [(Me,N)PN(A|Cl<sub>3</sub>)R] and [P(NPr<sub>2</sub>)(NHR)]<sup>+</sup>[CF<sub>3</sub>SO<sub>3</sub>]<sup>-</sup> (R = C<sub>5</sub>H<sub>2</sub>Bu'<sub>1</sub>, 2,46), 2925

PHOSPHANYLIUM

HOSPHANYLIUM
Synthesis and characterization of new phosphanylium and phosphanetriylammonium salts. Molecular structures of [(Me<sub>2</sub>N)PN(AlCl<sub>3</sub>)R] and [P(NPr<sub>2</sub>)(NHR)]<sup>+</sup>[CF<sub>3</sub>SO<sub>3</sub>]
(R = C<sub>4</sub>H<sub>3</sub>Bu<sub>3</sub>-2,4,6), 2925

PHOSPHATASE

Mechanism of the reaction of different phosphates with the iron(II)iron(III) form of purple acid phosphatase from porcine uteri (Uteroferrin), 429

Redox reactivity of the binuclear iron active site of porcine purple acid phosphatase (uteroferrin), 683

PHOSPHATE

HOSPHATE

Mechanism of the reaction of different phosphates with the iron(II)iron(III) form of purple acid phosphatase from porcine uteri (Uteroferrin), 429 CAM<sub>2</sub>(PO<sub>2</sub>)<sub>2</sub>(HPO<sub>2</sub>) (M = Fe or V): phosphates containing dimers of edge-sharing MO<sub>6</sub> octahedra, 931

RbFe(HPO<sub>4</sub>)<sub>2</sub>: an iron(III) phosphate with an intersecting tunnel structure, 1577

Reaction of methylhydrazine with dimethyl chlorothiophosphate, 1591

Mössbauer spectroscopic investigations of metal incorporation within Nasicon-related NbTiP<sub>3</sub>O<sub>12</sub>, 1703
Novel modifications of the structure of the layered vanadyl hydrogenphosphate VO(HPO<sub>2</sub>)0.5H<sub>2</sub>O, 2145
A chemical model of the solvent extraction system: water-uranyl

A chemical model of the solvent extraction system: water nitrate-nitric acid-tri-n-butyl phosphate-diluent, 2209 Synthesis and crystal structure of a new layered zirconium phosphate compound, Zr(PO<sub>4</sub>)F(OSMe<sub>2</sub>), 2453 PHOSPHATOANTIMONIC ACID

Low-temperature syntheses of a 1,4-diazabicyclo[2.2.2]octane-intercalated phosphatoantimonic acid, 2881 PHOSPHAZENE

Studies of phosphazenes. Part 34. Group 6 metal carbonyl complexes of bis(pyrazolyl)cyclotriphosphazenes, 63 PHOSPHIDE

The influence of the ring substituent, R, on the substitution of carbonyl groups by phosphine ligands in [Co<sub>2</sub>{μ-PPh<sub>2</sub>-CHCRC(O)}(μ-PPh<sub>2</sub>)(CO)<sub>4</sub>] (R = H, Ph or SiMe<sub>3</sub>), 609

Synthesis and structure of a series of unique cobalt phosphides, 971

Synthesis and characterisation of zirconium complexes with the diphosphinophosphide ligands ¬P(CH<sub>2</sub>CH<sub>2</sub>PR<sub>2</sub>)<sub>2</sub> (R = Me or Et); crystal structure of bis[bis(2-dimethylphosphinoethyl)-phosphido]pentachlorohydridodizirconium(iv), 977
Stereoselective alkyne insertion into a bridging hydride at a diiron centre: cis-trans isomerisation and metallacycle formation, 3389

PHOSPHINATE

Binuclear pentamethylcyclopentadienyl dirhodium complexes with pyrazolato and diphenylphosphido bridging ligands, 159 PHOSPHINE

Gold complexes with selenium ligands. Part 7. Synthesis and Gold complexes with scientum ligands. Part 7. Synthesis and crystal structures of oligonuclear gold(i)—selenolate complexes, 83 Synthetic, spectroscopic and structural studies on phosphine-stabilised [PPh<sub>3</sub>, Ph<sub>2</sub>PCH<sub>2</sub>Ph<sub>2</sub>, Ph<sub>2</sub>P(CH<sub>2</sub>)<sub>4</sub>PPh<sub>2</sub>, (Ph<sub>2</sub>P)C<sub>2</sub>H<sub>4</sub>N] main group element—iron—silicon chain complexes, 117 Conformational isomers of bis(tert-butylphosphine)osmium

complexes, 221

complexes, 221

Synthesis and reactivity of palladium(II) complexes with the [C(PPh<sub>2</sub>)<sub>3</sub>] ligand. Crystal structures of [Pd(C<sub>6</sub>F<sub>3</sub>){(PPh<sub>2</sub>)<sub>2</sub>CPPh<sub>2</sub>}{(PPh<sub>3</sub>)] and [Pd{(PPh<sub>2</sub>)<sub>2</sub>CP(O)Ph<sub>3</sub>}<sub>2</sub>J-4.74CHCl<sub>3</sub>, 505

The influence of the ring substituent, R, on the substitution of carbonyl groups by phosphine ligands in [Co<sub>3</sub>{µ-PPh<sub>2</sub>-CHCRC(O)}{(µ-PPh<sub>2</sub>)(CO)<sub>4</sub>] (R = H, Ph or SiMe<sub>3</sub>), 609

Cyclic voltammetric studies on some manganese(II) tertiary arylphosphine complexes, 619

arylphosphine complexes, 619
Some chemistry with a chiral phosphine generated from fenchone-

pinacolone mixed azine: crystal structure of Z,E-Ph₂PCH₂C(Bu¹)=N-N=C₁₀H₁₆, 713
η-Cyclopentadienyltungsten compounds with vinyl- and allyl-phosphine ligands, 871

Synthesis and characterisation of zirconium complexes with the diphosphinophosphide ligands ¬P(CH₂CH₂PR₂)₂ (R = Me or Et); crystal structure of bis[bis(2-dimethylphosphinoethyl)-phosphido]pentachlorohydridodizirconium(tv), 977

Simple preparations of new monomeric tribulogen ophosphine

Simple preparations of new monomeric trihalogenophosphine imides, 997

Electrochemical, electron spin resonance and nuclear magnetic resonance investigations of tertiary phosphine complexes of nickel. Part 2. [Ni<sup>1</sup>L<sub>4</sub>]<sup>+</sup>, [Ni<sup>1</sup>(L-L)<sub>2</sub>]<sup>+</sup> and their precursors (L monodentate phosphine, L-L = bidentate diphosphine), 1231 A theoretical investigation of the bonding of early transition metals

to tellurium, 1391

Synthesis and characterization of neutral technetium(III) complexes with mixed S,P-bidentate phosphine-thiolate ligands. Crystal structure of [Tc(SCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>)<sub>2</sub>(SCH<sub>2</sub>CH<sub>2</sub>Ph<sub>2</sub>O)], 1453 Synthesis, structure and relative hydrolytic stability of cis-[PtCl<sub>2</sub>L] and cis-[W(CO)<sub>4</sub>L] where L is the bidentate triaminophosphine

and cts-[W(CO)<sub>4</sub>L] where L is the bidentate triaminophosphil ligand [MeNCH<sub>2</sub>CH<sub>2</sub>N(Me)PN(Me)CH<sub>2</sub>]<sub>2</sub>, 1571
Kinetics of substitution reactions of trans-[Mo(N<sub>2</sub>)<sub>2</sub>(PPh<sub>2</sub>Me)<sub>4</sub>] with tripodal phosphines, 1717
Neutral phosphine complexes of antimony(III) and bismuth(III) halides, 1743
Anionic phosphine complexes of antimony(III) and bismuth(III) halogenoanions, 1753
Kinetics of ligand exchange in the dium (I) and (III) complexes

Kinetics of ligand exchange in rhodium-(1) and -(III) complexes from magnetisation-transfer measurements; the crystal structure of [Rh(NH<sub>3</sub>)(PPh<sub>3</sub>)<sub>3</sub>]ClO<sub>4</sub>, 1857

Tetrahedral gold-phosphine clusters: a relativistic molecular orbital study, 2061

Osmium(II) complexes with the hybrid ligand 1-(diphenylphosphino)-2-(2-pyridyl)ethane, 2257 Synthesis and characterization of five-co-ordinate rhenium(III)

Synthesis and characterization of five-co-ordinate rhenium(III) complexes with 2-(diphenylphosphino)ethanethiolate and monothiolate ligands. Crystal structure of [Re(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>S)<sub>2</sub>(PhCH<sub>2</sub>S)], 2437
Stabilization of copper(i) by phosphinoamines, 2471
Structural and solid-state <sup>31</sup>P nuclear magnetic resonance studies on 1:1:1 mixed nitrogen and phosphine base complexes with copper(i) halides, 2621
Synthesis and evaluation of the bonding properties of a potentially tridentate ligand: 1-(diphenylphosphino)-2-ethoxy-1-(2-pyridyl)-ethane, 2755
Water-soluble Co-C and Co-C clusters: redox chemistry and

water-soluble Co<sub>2</sub>C and Co<sub>2</sub>C<sub>2</sub> clusters; redox chemistry and electrochemical reactions in water, 2821

Crystal structures of [W(CO)<sub>3</sub>(PPh<sub>3</sub>)], [M(CO)<sub>3</sub>(AsPh<sub>3</sub>)] and [M(CO)<sub>3</sub>(SbPh<sub>3</sub>)] (M = Mo or W): a comparative study of structure and bonding in [M(CO)<sub>3</sub>(EPh<sub>3</sub>)] complexes (E = P, As or Sb; M = Cr, Mo or W), 2827

Reactions of Wilkinson's catalyst with pyridine; observation of rhodium complexes containing both pyridine and phosphine ligands, 2875

friodum complexes containing both pyridine and phosphine ligands, 2875

Synthesis of heterometallic species with (Ph,P),CH or (Ph,P),C<sup>-</sup>. Crystal structures of [Mo(CO)<sub>4</sub>((PPh<sub>2</sub>)<sub>2</sub>CHPPh<sub>2</sub>Au(C,F<sub>3</sub>)] and [NBu<sub>4</sub>][Mo(CO)<sub>4</sub>((PPh<sub>2</sub>)<sub>2</sub>CPPh<sub>2</sub>Au(C<sub>3</sub>F<sub>3</sub>)], 2891

Carbonylation of organic halides catalysed by rhodium triethylphosphine complexes, 2899

Synthesis and crystal structure of a luminescent one-dimensional phenylacetylide-gold(1) polymer with 2,6-bis(diphenylphosphino)-pyridine as ligand, 3067

Preparation of four-membered phosphonickelocycles. Unusual facile stabilization of five-co-ordinate complexes, 3075

Palladium(11) and platinum(11) dihalogeno-complexes containing the polyfunctional phosphine 7-diphenylphosphino-2,4-dimethyl-1,8-naphthyridine (dpnapy). Crystal structure of the metallocycle trans,trans-{[Pd(µ-dpnapy)(Cl<sub>3</sub>}]-2H<sub>3</sub>O, 3135

Reactions of dihalogenotriorgano-phosphorus, -arsenic and -antimony compounds with [Fe<sub>2</sub>(CO)<sub>9</sub>]. Single-crystal structures of the iron(III) complexes [(Ph<sub>3</sub>PO)<sub>3</sub>H][FeBr<sub>3</sub>] and [Ph<sub>4</sub>Sb][FeI<sub>4</sub>]-Ph<sub>3</sub>SbI<sub>3</sub> and of [Fe(CO)<sub>3</sub>(Ph<sub>3</sub>P)<sub>3</sub>] 3249

Deprotonation, deuteriation and substitution of the backbone of some azine diphosphine complexes of palladium and platinum: crystal structures of [PtI(PPh<sub>2</sub>CH=CBu<sup>N</sup>N-CBu<sup>C</sup>CH<sub>2</sub>PPh<sub>2</sub>)]

crystal structures of [PtI(PPh2CH=CBu1N-N=CBu1CH2PPh2)]

and [PtCl(PPh<sub>2</sub>CH<sub>2</sub>CBu'=N-N=CBu'CH<sub>2</sub>PPh<sub>2</sub>)][OC<sub>6</sub>H<sub>2</sub>-(NO<sub>3</sub>)-2.4,6], 3311 Kinetics of ligand exchange in rhodium-(i) and -(iii) complexes from magnetisation-transfer measurements; the crystal structure of [Rh(NH<sub>3</sub>)(PPh<sub>3</sub>)<sub>3</sub>]ClO<sub>4</sub> (1994, 1857), 3335

Synthesis and redox studies on ruthenium and osmium complexes with primary and secondary phosphines. Single-crystal structures of trans-[RuCl<sub>2</sub>(PPhH<sub>2</sub>)<sub>4</sub>] and trans-[OsCl<sub>2</sub>(PPh<sub>2</sub>H)<sub>4</sub>]-CH<sub>2</sub>Cl<sub>2</sub>,

Promotion of tetrahedral copper(1) dimers by chelation of 1,1'-

PHOSPHINE (contd)

PHOSPHINE (contd) bis(diphenylphosphino)ferrocene (dppf). Crystal structures of [{Cu(μ-X)(dppf-P,P')}<sub>2</sub>] (X = O<sub>2</sub>CH, I or NO<sub>3</sub>), 3451
Syntheses and crystal structures of nickel(n) complexes with thiolate or/and phosphine ligands, 3459
Dinitrogenvanadates(-1): synthesis, reactions and conditions for their stability, 3471
Tris(diphenylphosphino)methanide gold(III) complexes. Crystal structures of [Au(C,F<sub>2</sub>)<sub>3</sub>(Ph<sub>2</sub>P)<sub>2</sub>CPPh<sub>2</sub>)] and [(F<sub>3</sub>C<sub>6</sub>)<sub>2</sub>Au{(Ph<sub>2</sub>P)<sub>2</sub>CPPh<sub>3</sub>}AuCI], 3487
Synthesis and co-ordination chemistry of a new tripodal phosphine alcohol 3499

alcohol, 3499
Complexes of Tell", Coll", Nil" and ReV with tridentate Schiff bases having PNO, NNO and NNS donor sets. Crystal structures of 2-(Ph,PC,H<sub>4</sub>N=CH)C,H<sub>4</sub>OH and [Co{2-(Ph,PC,H<sub>4</sub>CH=N)-C,H<sub>4</sub>O][PF,3] 3553
Terdentate (P-N-O) complexes formed from Z,E-PPh,CH<sub>2</sub>C-(Bu')=N-N=CH(C,H<sub>4</sub>OH-2) or Z,E-PPh,CH<sub>2</sub>C(Bu')=N-N=CH-(C,H<sub>4</sub>OH-2) or Z,E-PPh,CH<sub>2</sub>C(Bu')=N-N=CH-(C,H<sub>4</sub>OH-2) or J,E-PPh,CH<sub>2</sub>C(Bu')=N-N-CH-(C,H<sub>4</sub>OH-2) or J,E-PPh,CH<sub>2</sub>C(Bu')=N-N-CH-(C,H<sub>4</sub>OH-2) or J,E-PPh,CH<sub>2</sub>C(Bu')=N-N-CH-(C,H<sub>4</sub>OH-2) or J,E-PPh,CH<sub>2</sub>C(Bu')=N-N-CH-(C,H<sub>4</sub>OH-2) or J,E-PPh,CH<sub>2</sub>C(Bu')=N-N-CH-(C,H<sub>4</sub>OH-2) or J,E-PPh,CH<sub>2</sub>C(Bu')=N-N-CH-(C,H<sub>4</sub>OH-2) or J,E-PPh,CH<sub>2</sub>C(Bu')=N-N-CH-(D,H<sub>4</sub>OH-2) or J,E-PPh,CH<sub>4</sub>C(Bu')=N-N-CH-(D,H<sub>4</sub>OH-2) or J,E-PPh,CH<sub>4</sub>C(Bu')=N-CH-( alcohol, 3499

HOSPHITE

A study of the polarities, anisotropic polarisabilities and carbonyl infrared vibrational frequencies of the complexes

[M(CO)<sub>5</sub>{P(OCH<sub>2</sub>)<sub>3</sub>CMe}] (M = Cr, Mo or W) and the crystal structure of [Mo(CO)<sub>5</sub>{P(OCH<sub>2</sub>)<sub>3</sub>CMe}]: evidence for π-acceptor behaviour in co-ordinated phosphorus, 91

Electrochemical behaviour of cobalt(1) hydrides, 695

Retardation effect of trimethyl phosphite on chelate ring closure of 2,2'-bipyridine (bipy) in cis-[W(CO)<sub>4</sub>{P(OMe)<sub>3</sub>}(bipy)], 2239

Catalytic reaction of methanol with a series of ruthenium(n) complexes and the mechanism of the formation of acetic acid from methanol alone 2065

from methanol alone, 2265 PHOSPHONATE

Synthesis of the first lanthanide complexes of dialkyl «-hydroxyiminophosphonates; ambivalent ligand bonding in the Pr<sup>III</sup> and Nd<sup>III</sup> complexes of diisopropyl α-hydroxyiminopropylphosphonate (L<sup>1</sup>), [PrL<sup>1</sup><sub>3</sub>Cl<sub>3</sub>] and [NdL<sup>1</sup><sub>2</sub>(NO<sub>3</sub>)<sub>3</sub>(H<sub>2</sub>O)], 2335

First structural characterisation of an amino phosphonate monoester metal complex, 3333

PHOSPHONIUM

Raman spectra and isomerism of some bromophenylphosphoranes  $Ph_nPBr_{3-n}$  ( $1 \le n \le 3$ ) and their salts, 1441 **PHOSPHORANE** 

Raman spectra and isomerism of some bromophenylphosphoranes  $Ph_nPBr_{5-n}$  ( $1 \le n \le 3$ ) and their salts, 1441 **PHOSPHORUS** 

Preparation of urethane and urea derivatives of (NPCl<sub>2</sub>)<sub>3</sub>. Crystal structure of a spirocyclic phosphazene with a phosphacyanuric

Reactions of the hexachlorocyclodiphosphazane [MeNPCl<sub>3</sub>]<sub>2</sub> with primary aromatic amines: formation of highly basic bisphosphinimines, 847

bisphosphinimines, 847

Simple preparations of new monomeric trihalogenophosphine imides, 997

Synthesis and characterization of mononuclear nickel(II) and cobalt(II) complexes of 2,2,4,4-tetrakis(3,5-dimethylpyrazolyl)-6,6-diphenyl-2λ<sup>2</sup>,4λ<sup>3</sup>,6λ<sup>3</sup>-cyclotriphosphaza-1,3,5-triene L: crystal structure of [NiLCl<sub>3</sub>], 1301

Raman spectra and isomerism of some bromophenylphosphoranes Ph<sub>n</sub>PBr<sub>3−n</sub> (1 ≤ n ≤ 3) and their salts, 1441

Reaction of methylhydrazine with dimethyl chlorothiophosphate, 1581

Synthesis and characterization of new phosphanylium and phosphanetriylammonium salts. Molecular structures of [(Me,N)PN(AlCl<sub>3</sub>)R] and [P(NPr<sub>2</sub>)(NHR)]<sup>+</sup>[CF<sub>3</sub>SO<sub>3</sub>]<sup>-</sup> (R = C<sub>2</sub>H<sub>3</sub>Bu<sub>3</sub>-2,4,6), 2925

PHOTOCATALYSIS

Stereoselective photocatalysis of helical ruthenium(II) complexes in the reduction of racemic tris(acetylacetonato)cobalt(III), 239
PHOTOCHEMISTRY

HOTOCHEMISTRY
Synthesis and photochemical reactivity of phenylthioureatotriosmium cluster complexes: crystal structures of [Os<sub>3</sub>H(CO)<sub>10</sub>{μ-SC(NPh)(NHPh)}] and [Os<sub>3</sub>H(CO)<sub>9</sub>(μ<sub>3</sub>-SC(NPh)(NHPh)}], 1
Formation of [Mn(η-C<sub>3</sub>H<sub>3</sub>)O<sub>3</sub>] by photooxidation of [Mn(η<sup>5</sup>C<sub>3</sub>H<sub>3</sub>)(CO)<sub>3</sub>] in low-temperature matrices containing O<sub>2</sub>, 311
Electron spin resonance study of the cobalt(II) species formed
after room-temperature photolysis of aqua(sec-butyl)bis(dimethylglyoximato)cobalt(III) in the presence of N-donor
bases. 369

Photo-oxidation of [V(CO)<sub>6</sub>] in low-temperature matrices containing O<sub>2</sub>: formation of a novel superoxovanadium species, 835
Photoelectrochemical dehalogenation: bis(cyclopentadienyl)-vanadium dichloride and -molybdenum dichloride, 1711

Photoelectrochemical and quenching studies of tris(2,2'-bipyridine)ruthenium(II) bound to Nafion- and clay-coated electrodes, 2445

electrodes, 2445
Photochemical and photophysical properties of fac[Re(CO)<sub>2</sub>(L)<sub>2</sub>CI] (L = quinoline or isoquinoline), 2565
Photochemistry of polyoxovanadates. Part 1. Formation of the anion-encapsulated polyoxovanadate [V<sub>15</sub>O<sub>36</sub>(CO<sub>3</sub>)]<sup>7</sup> and electron-spin polarization of α-hydroxyalkyl radicals in the presence of alcohols, 2599
Spectroelectrochemical and flash photochemical reduction of 1,4,5,8-tetraazaphenanthrene and 1,4,5,8,9,12-hexa-azatriphenylene mono- and bi-metallic ruthenium(II) complexes, 3651
PHOTOELECTRON
Electronic structure of a stable silylene: photoelectron spectra ar

Electronic structure of a stable silylene: photoelectron spectra and theoretical calculations of Si(NRCHCHNR), Si(NRCH<sub>2</sub>CH<sub>2</sub>NR) and SiH<sub>2</sub>(NRCHCHNR), 2405

PHOTOOXIDATION

Aerobic photooxidation and C-C bond cleavage of the acetyl-acetonate ligand in (2-arylazo)arylpalladium(II) complexes induced by visible light, 1505 PHOTOPHYSICS

Synthesis, spectroscopy and electrochemistry of luminescent [Re<sup>v</sup>N{Ph<sub>2</sub>P(CH<sub>2</sub>)<sub>2</sub>PPh<sub>2</sub>]<sub>2</sub>(MeCN)]<sup>2+</sup>, 391
Synthesis, characterization and photophysics of luminescent organogold(i) phosphines, 2057
Synthesis, photophysical properties and crystal structure of tetra-n-butylammonium bis(maleonitriledithiolato)nitridoosmate(vi),

2519
Photochemical and photophysical properties of fac[Re(CO)<sub>3</sub>(L)<sub>2</sub>CI] (L = quinoline or isoquinoline), 2565
Synthesis, photophysics and electrochemistry of a novel luminescent platinum(II) sulfido complex. Crystal structure of [Pt<sub>2</sub>(μ-S)(μ-dppm)(dppm)<sub>2</sub>]<sup>2+</sup> (dppm = Ph<sub>2</sub>PCH<sub>2</sub>PPh<sub>2</sub>), 2587
PHTHALOCYANINATE
Novel two-fold-macrocycle-substituted phthalocyanines, 323
Cyclic voltammetry and spectroelectrochemistry of rhodium phthalocyanines, 1359
Octalsi(salkythio), substituted phthalocyanines and their inter-

Octakis(alkylthio)-substituted phthalocyanines and their inter-actions with silver(i) and palladium(ii) ions, 1419 Novel two-fold-macrocycle-substituted phthalocyanines

(1994, 323), 2023

Synthesis and crystal structure of an indium(III) complex with a bicyclic phthalocyanine at 300 K, 2539

PHTHALOCYANINE

Synthesis of tetraalkylthio-substituted phthalocyanines and their complexation with Agi and Pdii, 497
PLATINUM

Complexes of the bidentate ligands PPh<sub>2</sub>CH<sub>2</sub>C(Bu')=NNR<sub>2</sub> (R = H or Me) and PPh<sub>2</sub>CH<sub>2</sub>C(Bu')=N-N=CHPh with palladium and platinum. X-Ray crystal structure of cis-

[Pt{Pth<sub>2</sub>CH<sub>2</sub>C(Bu')=NNH}<sub>2</sub>], 103
Di- and tri-nuclear platinum complexes with double acetylide bridges. Molecular structure of [NBu<sub>2</sub>]<sub>2</sub>[Pt<sub>3</sub>(C<sub>8</sub>F<sub>5</sub>)<sub>4</sub>- (µ-C<sub>8</sub>CPh<sub>2</sub>]-4th (thf = tetrahydrofuran), 135
Nucleophilic displacement of halides from dihalogenoplatinum(II)

complexes containing a chelating thioether. Kinetics and equilibria, 169

complexes containing a chelating thioether. Kinetics and equilibria, 169

Tri- and tetra-nuclear palladium(II) and/or platinum(II) compounds with double thiolato bridges. Crystal structure of [P(CH,Ph)Ph],[[(C,F<sub>5</sub>),Pd(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>F<sub>5</sub>),Pt-(μ-SC<sub>6</sub>

chelating 8-aminoquinoline in some dicationic platinum(II) complexes, 731

Synthesis and crystal structure of trans-bis(N,N-dibutyl-N'-

PLATINUM (contd)
naphthoylthioureato)platinum(II). First example of trans
chelation of N,N-dialkyl-N'-acylthiourea ligands, 785
Influence of the length of the quaternisation group on the
cyclometallation of [M(2,4'-R-bipy)Cl<sub>3</sub>] (M = Pt<sup>II</sup> or Pd<sup>II</sup>;
2,4'-R-bipy = 1'-alkyl-2,4'-bipyridinium), 879
Intramolecular nucleophilic addition of the oxygen of a nitro ligand
onto the cis olefin in cationic complexes of platinum(II), 949
Synthesis and characterisation of penta- and hexa-platinum cluster
compounds. 1013

compounds, 1013
Synthesis and characterization of methylplatinum(II) O,O'-dialkyl dithiophosphates. Crystal structure of [PtMe{S<sub>2</sub>P(OPr)<sub>2</sub>}-(AsPh<sub>3</sub>)], 1207

(AsPh<sub>3</sub>)], 1207

To what extent can the Pt-C bond of a metallacycle labilize the trans position? A temperature- and pressure-dependent mechanistic study, 1257

Synthesis of homo- and hetero-dinuclear complexes containing alkynyl bridges. Molecular structure of cis,trans-[(OC)(C<sub>6</sub>F<sub>3</sub>)<sub>2</sub>-Pt(μ-η<sup>2</sup>-C≡CPh)Pt(C≡CPh)(PPh<sub>3</sub>)<sub>2</sub>], 1291

Facile isolation and crystal structure determination of trans-[PtCl-(OH)(NH<sub>3</sub>)<sub>2</sub>]-H<sub>2</sub>O, 1499

Synthesis structure and relative hydrolytic stability of cis-[PtCl-L1]

Synthesis, structure and relative hydrolytic stability of cis-[PtCl<sub>2</sub>L] and cis-[W(CO)<sub>4</sub>L] where L is the bidentate triaminophosphine

ligand [MeNCH<sub>2</sub>CH<sub>2</sub>N(Me)PN(Me)CH<sub>2</sub>]<sub>2</sub>, 1571
Reactivity of neutral nitrogen donors in planar d<sup>8</sup> metal complexes.
Part 1. The system [1,2-bis(phenylsulfanyl)ethane]dichloroplatinum(II) with pyridines in methanol. Effect of basicity and steric hindrance, 1805

Facile synthesis of four-membered ring platinalactam complexes and the single-crystal structure of [P{CH(CN)C(O)N(CO<sub>2</sub>Et)}(cod)] (cod = cycloocta-1,5-diene), 1831
Reactions of the cyclic platinum(II) thiolate complex

[Pt{SCH<sub>2</sub>C(O)CH<sub>2</sub>}(PPh<sub>3</sub>)<sub>2</sub>] with electrophiles, and the single-

crystal structure of [{Pt[SCH<sub>2</sub>C(O)CH<sub>2</sub>](PPh<sub>3</sub>)<sub>2</sub>·HgBr<sub>2</sub>}<sub>2</sub>], 2489 Synthesis, photophysics and electrochemistry of a novel lumin platinum(ii) sulfido complex. Crystal structure of [Pt<sub>2</sub>(μ-S)-(μ-dppm)(dppm)<sub>2</sub>]<sup>2+</sup> (dppm = Ph<sub>2</sub>PCH<sub>2</sub>PPh<sub>2</sub>), 2587 Synthetic, dynamic nuclear magnetic resonance and

crystallographic studies of platinum complexes containing silyl-substituted dialkenyl-thioether and -selenoether ligands, 2637 Platinum and rhodium complexes of dialkenyl telluroether ligands:

synthesis, dynamic nuclear magnetic resonance and crystal structure of cis-dibromo(3,3,7,7-tetramethyl-5-tellura-3,7disilanona-1,8-diene)platinum(II), 2645

usianona<sup>1</sup>, σ-tenephantining unsymmetrical μ<sub>1</sub>-σ and μ-η<sup>2</sup>, σ alkynyl groups. Crystal structure of [PtAg<sub>2</sub>(C<sub>6</sub>F<sub>3</sub>)<sub>2</sub>(μ-η<sup>2</sup>,σ-C≡CPh)(PPh<sub>3</sub>)<sub>2</sub>]-0.25CH<sub>2</sub>Cl<sub>2</sub>, 2735

Synthesis and spectroscopic studies of palladium and platinum complexes of methylene-backboned dithio-, diseleno- and ditelluro-ether ligands, RECH<sub>2</sub>ER (R = Me or Ph; E = S, Se or Te), 2835

Iridium-platinum perfluorobenzenethiolato trinuclear complexes: crystal structures of [Ir<sub>2</sub>Pt( $C_5Me_5$ )( $\mu$ -SR<sub>F</sub>)<sub>4</sub>Cl<sub>2</sub>] (R<sub>F</sub> =  $C_6F_5$  or  $C_6F_4H$ -p), syntheses and solution behaviour, 2861

Mixed phosphathia macrocyclic chemistry: synthesis and characterisation of [M(Ph<sub>2</sub>[14]aneP<sub>2</sub>S<sub>2</sub>)]<sup>2</sup> (M = Pd or Pt) and [RhCl<sub>2</sub>(Ph<sub>2</sub>[14]aneP<sub>2</sub>S<sub>2</sub>)]<sup>2</sup> (Ph<sub>2</sub>[14]aneP<sub>2</sub>S<sub>2</sub>) 8,12-diphenyl-1,5 dithia-8,12-diphosphacyclotetradecane, 3031 Chemistry of acetoacetanlide and derivatives with zero- and di-= 8,12-diphenyl-1,5-

valent platinum and palladium complexes; crystal structure of the four-membered ring palladalactam complex

the four-membered ring palladalactam complex [Pd{CH(COMe)C(O)NPh}(bipy)] (bipy = 2,2'-bipyridyl), 3085 Steric effects in heteroboranes. Part 9. Cyclocota-1,5-diene palladium and platinum complexes of mono- and di-phenyl C<sub>2</sub>B<sub>9</sub> ligands: metal-mediated polyhedral rearrangement, 3129 Palladium(II) and platinum(II) dihalogeno-complexes containing the polyfunctional phosphine 7-diphenylphosphino-2,4-dimethyl-1,8-naphthyridine (dpnapy). Crystal structure of the metallocycle trans.trans-{Pd(μ-dpnapy)C1<sub>2</sub>}-2-H<sub>2</sub>O, 3135 X-Ray photoelectron spectroscopic characterization of [Pt(PPh<sub>3</sub>)<sub>2</sub>(μ<sub>3</sub>-S)}<sub>2</sub>PtC1<sub>2</sub>], [{Pt<sub>2</sub>(PPh<sub>3</sub>)<sub>4</sub>(μ<sub>3</sub>-S)<sub>2</sub>Cu}<sub>2</sub>(μ-dppf)]-[PF<sub>6</sub>]<sub>2</sub> [dppf = Fe(C<sub>2</sub>H<sub>4</sub>Ph<sub>2</sub>)<sub>2</sub>] and other heterometallic aggregates derived from [Pt(PPh<sub>3</sub>)<sub>2</sub>(μ-S)<sub>2</sub>], 3177 Platinum(II) and palladium(II) complexes with 2-amino-4-methyl-sulfanylbutanol and 2-(ethylsulfanyl)ethylamine, 3231 Deprotonation, deuteriation and substitution of the backbone of some azine diphosphine complexes of palladium and platinum:

some azine diphosphine complexes of palladium and platinum: crystal structures of [PtI(PPh2CH=CBu1N-N=CBu1CH2PPh2)]

and [PtCl(PPh<sub>2</sub>CH<sub>2</sub>CBu<sup>1</sup>N-N=CBu<sup>1</sup>CH<sub>2</sub>PPh<sub>2</sub>)][OC<sub>6</sub>H<sub>2</sub>-(NO<sub>2</sub>)<sub>2</sub>-2,4,6], 3311

Synthesis and characterization of bis(η<sup>2</sup>-alkyne)dihalogenomercury(II) compounds: crystal structure of [NBu<sub>4</sub>]<sub>2</sub>-[cic-Pt(C<sub>6</sub>F<sub>3</sub>)<sub>2</sub>(C≡CSiMe<sub>3</sub>)<sub>2</sub>}HgBr<sub>2</sub>]-CH<sub>2</sub>Cl<sub>2</sub> 3343

Cyclopentadiene-, furan- and thiophene-derived 1,2-dioxolene complexes of platinum(II) and the crystal structure of

[Pt{OCC(CO<sub>2</sub>Me)CH<sub>2</sub>C(CO<sub>2</sub>Me)CO}(PPh<sub>3</sub>)<sub>2</sub>], 3383 [Pt]OCC(CO<sub>2</sub>Me)CH<sub>2</sub>C(CO<sub>3</sub>Me)CO<sub>3</sub>(PPh<sub>3</sub>)<sub>2</sub>], 3383 2,2':6',2"-Terpyridine (terpy) acting as a fluxional bidentate ligand. Part 4. cis-[M(C<sub>6</sub>F<sub>3</sub>)<sub>2</sub>(terpy)] (M = Pd or Pt): nuclear magnetic resonance studies of their solution dynamics and crystal structure of cis-[Pd(C<sub>6</sub>F<sub>3</sub>)<sub>2</sub>(terpy)], 3441 Reactivity of neutral nitrogen donors in planar d<sup>8</sup> metal complexes. Part 2. The system [2,6-bis(methylsulfanylmethyl)pyridine]-chloroplatinum(II) with pyridines and amines in methanol. Effect of basicity magnetic and actine is in methanol.

chloroplathnum(II) with pyridines and amines in methanol. Effect of basicity,  $\pi$ -acceptor capacity and steric hindrance, 3539 Bonding interaction between Group 10 and 11 metals. Synthesis, structure and properties of  $[M_3(S_2CNR_2)_6M'_2]^{2+}$  (M=Pt or Pt; M'=Ag or Cu; R=Et, Pt, Pt, Pu0 or  $C_6H_1$ ), 3621 Conversion of acetonitrile into acetamide in the co-ordination

spheres of cis- and trans-M<sup>II</sup>(amine)<sub>2</sub> (M = Pt or Pd). Solution and crystal structural studies, 3667
Rotational energy barrier in Pt<sup>II</sup>-N<sup>7</sup> (purine) bonds by one- and

two-dimensional nuclear magnetic resonance spectroscopy, 3717 Kinetics of carbon monoxide exchange in chloro and bromo carbonyl complexes of palladium(ii) and platinum(ii), 3723 Synthesis and crystal structure of the first trinuclear chloride-

Synthesis and crystal structure of the first trinuclear chloride-bridged platinum(ii) complex with mutually perpendicular co-ordination planes: cyclo-tri-µ-chloro-tris[chloro(1-hydroxy-1-imino-2,2-dimethylpropane)platinum(ii)]—dichloromethane (0.5/1), 3753

PLATINUM-195

1,2-Metallotropic shifts in trimethylplatinum(iv) and tricarbonylrhenium(i) halide complexes of pyridazine and 4-methylpyridazine, 445

POLARISABILITY

A study of the polarities, anisotropic polaricabilities and carbonyl

A study of the polarities, anisotropic polarisabilities and carbonyl infrared vibrational frequencies of the complexes [M(CO)<sub>5</sub>{P(OCH<sub>2</sub>)<sub>2</sub>CMe}] (M = Cr, Mo or W) and the crystal structure of [Mo(CO)<sub>5</sub>{P(OCH<sub>2</sub>)<sub>2</sub>CMe}]: evidence for π-acceptor behaviour in co-ordinated phosphorus, 91

POLARITY

Pagament's behaviour in co-ordinated phosphorus, 91

Pearson's hard-soft acid-base principle and the heterolytic dissociative version of Pauling's bond-energy equation (1992, 1855), 3201

POLYMER

Synthesis and crystal structures of complexes of Mn<sup>II</sup>, Cu<sup>II</sup> and Zn<sup>II</sup> with the new bis(tridentate) chelate 2,3,5,6-tetrakis(aminomethyl)pyrazine, 1549

Bioinorganic reaction centres on electrodes. Modified electrodes possessing amino acid, peptide and ferredoxin-type groups on a poly(pyrrole) backbone, 2181

poly(pyrrole) backbone, 2181 Reactions of copper(II) nitrate with pyridazine (pydz) and crystal structures of catena-[Cu(μ-η²-pydz)(μ-OH)(μ-O<sub>2</sub>NO)]-H<sub>2</sub>O and [Cu<sub>3</sub>(μ-η²-pydz)<sub>4</sub>(pydz)<sub>2</sub>(μ-NO<sub>3</sub>)<sub>2</sub>(NO<sub>3</sub>)<sub>4</sub>], 2397 New polymeric compounds containing vanadium-oxygen chains, 2457

Structural characterization of pyridazine (pydz) adducts of MX<sub>2</sub> (M = Mn, Fe, Co, Ni, Cu or Zn; X = Cl or Br). Ab-initio X-ray powder diffraction determination of polymeric [NiX<sub>2</sub>(pydz)]

complexes, 3009
POLYMERIZATION

New ansa-metallocenes of the Group 4 transition metals as homogeneous catalysts for the polymerization of propene and styrene, 657

Stylene, 63", [BF<sub>4</sub>], supported on silica: an efficient heterogeneous catalyst for the ring-opening metathesis polymerization of norbornene, 1489

Hydrolysis, polymerisation, and structure of dimethyltin(IV) in aqueous solution. Molecular structure of the polymer [(SnMe<sub>2</sub>)<sub>2</sub>(OH)<sub>3</sub>]ClO<sub>4</sub>, 2749
POLYOXOMETALATE

Photochemistry of polyoxovanadates. Part 1. Formation of the anion-encapsulated polyoxovanadate [V<sub>15</sub>O<sub>36</sub>(CO<sub>3</sub>)]<sup>7</sup> and electron-spin polarization of α-hydroxyalkyl radicals in the presence of alcohols, 2599

POLYRIBONUCLEOTIDE

Binding of divalent metal ions to synthetic double-stranded poly-ribonucleotides, 1929

PORPHYRIN

Hydrogenation catalysis by an iron porphyrin and its application to α,β-unsaturated esters, 7

π-Cation radicals of iron(III) derivatives of deformed porphyrins, Hemes and hemoproteins. Part 10. Co-ordination of imidazole and

other azoles by the iron(III) porphyrin microperoxidase-8, 1367 Cytochrome c oxidase models: synthesis and reactivity of iron(III)—copper(II) complexes of deuterohaemin—polybenzimidazole dinucleating ligands, 3203
PORPHYRINATE

Synthesis and properties of polynuclear complexes containing {Mo(NO)[HB(dmpz)<sub>3</sub>]Cl} metal centres axially bound to a Ru(tpp) core (dmpz = 3,5-dimethylpyrazol-1-yl; tpp = meso-5,10,15,20-tetraphenylporphyrinate), 2415
Synthesis and electrochemistry of dialkylosmium-(iv) and -(v)

PORPHYRINATE (contd)

porphyrins. Crystal structure of [Os(ttp)(CH<sub>2</sub>SiMe<sub>3</sub>)<sub>2</sub>] [H<sub>2</sub>ttp = 5,10,15,20-tetra(p-tolyl)porphyrin], 2713 **PORPHYRINOGEN** 

Functionalizable 5,5,10,10,15,15,20,20-octaethylporphyrinogen complexes of early transition metals: synthesis and crystal structure of titanium-, vanadium- and chromium-(III) derivatives and a two-electron oxidation of the porphyrinogen skeleton,

Solvent-dependent forms of lithiated 5,5,10,10,15,15,20,20-octaethylporphyrinogen in solution and in the solid state and reaction with tetrahydrofuran, 2467 POTASSIUM

Structures of potassium encapsulated within the 1,3-alternate conformation of calix[4]arenes, 3479

Design and synthesis of ionophores with multiple receptor sites: solution nuclear magnetic resonance studies of their interaction with chloride, sodium and potassium ions, 3637

POTENTIOMETRY

Potentiometric study of the protonation equilibria of tartaric acid in aqueous sodium perchlorate solutions at 25 °C. Construction of a thermodynamic model, 2729

PRASEODYMIÚM

Synthesis of the first lanthanide complexes of dialkyl α-hydroxyiminophosphonates; ambivalent ligand bonding in the Prill and Ndill complexes of diisopropyl α-hydroxyiminopropylphosphonate (L<sup>1</sup>), [PrL<sup>1</sup><sub>3</sub>Cl<sub>3</sub>] and [NdL<sup>1</sup><sub>2</sub>(No<sub>3</sub>)<sub>3</sub>(H<sub>2</sub>O)], 2335

PREORGANISATION
Criteria to indee preorganisation in the complex of the preorganisation in the complex of the c

Criteria to judge preorganisation in the study of known and the design of new thiocrown ethers, 2243

PROPANOLATE

Syntheses and characterization of polynuclear metal complexes related to a chemical precursor system for the YBa<sub>2</sub>Cu<sub>3</sub>O<sub>7-x</sub> superconductor, 955

PROTEIN

Proton nuclear magnetic resonance assignments and the electron self-exchange rate constant for pseudoazurin from Achromobacter cycloclastes, 437

Redox reactivity of the type 1 (blue) copper protein amicyanin from *Thiobacillus versutus* with inorganic complexes, 3017

PROTONATION

Synthesis, protonation and co-ordination abilities of the open-chain polyamine 4,8,11,15-tetraazaoctadecane-1,18-diamine, 637 Potentiometric study of the protonation equilibria of tartaric acid in aqueous sodium perchlorate solutions at 25 °C. Construction of a thermodynamic model, 2729

**PSEUDOAZURÍN** 

Proton nuclear magnetic resonance assignments and the electron self-exchange rate constant for pseudoazurin from Achromobacter cycloclastes, 437

Rotational energy barrier in Pt<sup>II</sup>-N<sup>7</sup> (purine) bonds by one- and two-dimensional nuclear magnetic resonance spectroscopy,

PURPLE ACID PHOSPHATASE

Mechanism of the reaction of different phosphates with the iron(II)iron(III) form of purple acid phosphatase from porcine uteri (Uteroferrin), 429

Synthesis and crystal structures of complexes of Mn<sup>II</sup>, Cu<sup>II</sup> and Zn<sup>II</sup> with the new bis(tridentate) chelate 2,3,5,6-tetrakis(aminomethyl)pyrazine, 1549

PYRAZOLATE

PYRAZOLATE

Di- and tri-nuclear nickel(II) complexes with bridging thiolato groups. Crystal structure of [NBu,];[Ni<sub>3</sub>(C<sub>8</sub>F<sub>3</sub>)<sub>4</sub>(II-SEt)<sub>4</sub>], 19

Binuclear pentamethylcyclopentadienyl dirhodium complexes with pyrazolato and diphenylphosphido bridging ligands, 159

Synthesis, structure, magnetism and electrochemistry of binuclear nickel(II) and copper(II) complexes of an unsymmetrical pentadentate Schiff-base ligand, 2129

PYRAZOLYI.

Fluxional thenium(I) triceche and believed.

Fluxional rhenium(1) tricarbonyl halide complexes of pyrazolylpyridine ligands. A detailed nuclear magnetic resonance investigation, 1079

investigation, 1079
Syntheses and electrochemistry of [Mo(NO){HB(mppz)<sub>3</sub>}Cl(ER)]
(mppz = 3-p-methoxyphenylpyrazol-1-yl; E = O or NH; R = Ph or C<sub>6</sub>H<sub>4</sub>Me-2) and the crystal structures of [Mo(NO)-{HB(mppz)<sub>3</sub>}Cl(OPh)] and [Mo(NO){HB(mppz)<sub>3</sub>}-Cl(NHC<sub>6</sub>H<sub>4</sub>Me-2)], 1555
Synthetic approximate computation containing

CI(NHC,H<sub>4</sub>Me-2)], 1555
Synthesis and properties of polynuclear complexes containing {Mo(NO)[HB(dmpz)<sub>3</sub>]CI} metal centres axially bound to a Ru(tpp) core (dmpz = 3,5-dimethylpyrazol-1-yl; tpp = meso-5,10,15,20-tetraphenylporphyrinate), 2415
Syntheses of 4-benzyl-3,5-dimethylpyrazolylborato complexes of molybdenum and tungsten nitrosyls: molecular structure of [Mo(CO)<sub>2</sub>(NO){HB(3,5-Me<sub>2</sub>-4-PhCH<sub>2</sub>C<sub>3</sub>N<sub>2</sub>)<sub>3</sub>}], a complex with an 'inverted' bowl-like structure, 2559

Uranium-ligand bond-dissociation enthalpies of uranium(IV)

poly(pyrazolyl)borate complexes, 2687 Rhenium(I) tricarbonyl halide complexes of pyrazolylbipyridine ligands. Part 1. Nuclear magnetic resonance studies of solution fluxionality, 3545

PYRENE Assembly of [2 + 2] bimetallic macrocyclic complexes from bis(bipyridyl) ligands and metal ions, 77

PYRIDAZINE

1,2-Metallotropic shifts in trimethylplatinum(IV) and tricarbonylrhenium(I) halide complexes of pyridazine and 4-methylpyridazine, 445
Synthesis and structure of di- and tetra-copper(I) complexes

Synthesis and structure of and tetra-copper(t) complexes bridged by pyridazine, 603

Reactions of copper(II) nitrate with pyridazine (pydz) and crystal structures of catena-[Cu(μ-η²-pydz)(μ-OH)(μ-O2NO)]-H<sub>2</sub>O and [Cu<sub>3</sub>(μ-η²-pydz)<sub>4</sub>(μydz)<sub>2</sub>(μ-NO<sub>3</sub>)<sub>2</sub>(NO<sub>3</sub>)<sub>4</sub>], 2397

Bis(μ-pyridazine)-bis[(2-cyanoguanidine)copper(t)] cation: a molecule containing two co-ordinatively unsaturated copper(t)

Structural characterization of pyridazine (pydz) adducts of MX<sub>2</sub> (M = Mn, Fe, Co, Ni, Cu or Zn; X = Cl or Br). Ab-initio X-ray powder diffraction determination of polymeric [NiX<sub>2</sub>(pydz)] complexes, 3009
PYRIDINE

N-Salicylideneamino acidate complexes of oxovanadium(IV). Part 1. Crystal and molecular structures and spectroscopic properties,

Electron spin resonance study of the cobalt(II) species formed after room-temperature photolysis of aqua(sec-butyl)bis-(dimethylglyoximato)cobalt(III) in the presence of N-donor

bases, 369
Unusually labile organoplatinum complexes: a mechanistic study of insertion-deinsertion into platinum-alkyl complexes of pyridine-2-carboxylic acid, 415
Electrochemical oxidation of diaquaruthenium(II) complexes of quaterpyridines and crystal structure of [RuL\(^1\)(P\(^1\))\(^1\))\_2[[ClO\_4]\(^1\)(\(^1\) = 3",5,5',5"'\)-tetramethyl-2,2':6',2":6",2"'\)-quaterpyridine), 805

895
Control of the stereochemistry of four-co-ordinate copper(II) complexes by pyridinecarboxamide ligands: crystal structure, spectral and redox properties, 965
Fluxional rhenium(I) tricarbonyl halide complexes of pyrazolyl-pyridine ligands. A detailed nuclear magnetic resonance investigation, 1079
Conperti, complexes of powel tripodal ligands containing

Copper(ii) complexes of novel tripodal ligands containing phenolate and benzimidazole/pyridine pendants: synthesis, structure, spectra and electrochemical behaviour, 1219 Transition metal-carbohydrate chemistry. Part 2. Homoleptic diacetoneglucose complexes of aluminium and Group 4 metals, 1242

The chemistry of vitamin B<sub>12</sub>. Part 30. Co-ordination of amines, pyridines and diazines by aquacyanocobinamide; nitrogencontaining bases as probes for basicity and other effects in metal-ligand bonding, 1377

metal-ligand bonding, 1377

Spin-state equilibria in non-aqueous solution and quantummechanical investigations of iron(II) and nickel(II) complexes
with 4-substituted 2,6-bis(benzimidazol-2-yl)pyridines, 1523

Metallosupramolecular complexes containing ferrocenyl groups as
redox spectators; synthesis and co-ordination behaviour of the
helicand 4',4"-bis(ferrocenyl)-2,2':6',2":6",2":6",2":e",2"'-quinquepyridine, 1585

Reactivity of poutral nitrogen donors in planar de metal complexes

pyriume, 1985

Reactivity of neutral nitrogen donors in planar d8 metal complexes.
Part 1. The system [1,2-bis(phenylsulfanyl)ethane]dichloroplatinum(II) with pyridines in methanol. Effect of basicity and steric hindrance, 1805

hindrance, 1805

Synthesis, structure, spectroscopic and magnetic properties of two copper(ii) dimers containing pyridine-2-carbaldehyde thiosemicarbazonate (L), [{CuL(X)}<sub>2</sub>] (X = Cl or Br), 2233

Osmium(ii) complexes with the hybrid ligand 1-(diphenylphosphino)-2-(2-pyridy)ethane, 2257

Crystal structures and luminescence spectra of ten-co-ordinate lanthanide(iii) complexes (Ln = Ce, Sm, Eu or Tb) with 2,6-bis(benzimidazol-2-ylpyridine, 2523

A convenient method for the preparation of 3-(2-pyridyl)triazolo-[1,5-a]pyridine (L). Crystal structures of L and [CuL<sub>2</sub>(OH<sub>2</sub>)<sub>2</sub>][NO<sub>3</sub>]<sub>2</sub>, 2651

Reactions of Wilkinson's catalyst with pyridine; observation of rhodium complexes containing both pyridine and phosphine ligands, 2875

Synthesis and crystal structure of a luminescent one-dimensional phenylacetylide-gold(1) polymer with 2,6-bis(diphenylphosphino)-pyridine as ligand, 3067

Thermodynamics of complexation of manganese(II) and zinc(II) ions with pyridine, 3-methyl- and 4-methyl-pyridine in cyanomethane, 3267

Reactivity of neutral nitrogen donors in planar d<sup>8</sup> metal complexes. Part 2. The system [2,6-bis(methylsulfanylmethyl)pyridine]-

PYRIDINE (contd)

chloroplatinum(II) with pyridines and amines in methanol. Effect of basicity, π-acceptor capacity and steric hindrance, 3539 PYRIDINETHIONATE

Synthesis and reactions of but-2-yne complexes of tungsten(II) containing pyridine-2-thionate (SC<sub>3</sub>H<sub>4</sub>N): crystal structure of [W(CO)(NCMe)(SC<sub>3</sub>H<sub>4</sub>N)(η²-MeC<sub>2</sub>Me)<sub>2</sub>][BPh<sub>4</sub>], 37 **PYRIDINIUM** 

Synthesis, structure and properties of [Hpy]<sub>2</sub>[{M(mnt)<sub>2</sub>}<sub>2</sub>] (M = Co or Fe, Hpy = pyridinium, mnt = maleonitriledithiolate), 2655

PYRIDONE

Synthesis, X-ray characterisation and spectroscopic studies of metal complexes of N,N'-1,2-xylene-α,α'-diylbis(pyridin-2-one), 859

Novel monomenic and dimeric copper(ii) pyridone complexes containing the 2,2'-bipyridyl ligand, 2005

Synthesis, crystal structures and thermal decomposition studies of

a series of copper-lanthanoid complexes of 6-methyl-2-pyridone, 2719

Nucleophilic attack at co-ordinated isocyanides promoted by the 2-pyridyl ligand, 407

2-pyridyl ngand, 407 Preparation of α-diazines and α-2-pyridylazines containing (1R)-(+)-camphor or (1R)-(-)-fenchone residues and their complexes with Group 6 metal carbonyls, 3597

4,6-Dimethylpyrimidine-2-thionato (dmpymt<sup>-</sup>) complexes of nickel(II) and cadmium(II). Crystal structure of [Cd(dmpymt)<sub>2</sub>]: a compound with a calixarene-like structure, 1115

Crystal structure and magnetic properties of two two-dimensional sheet-like polynuclear copper complexes with bridging trans-oxamidate and 4,4'-bipyridine or pyrimidine, 1917

**PYRIMIDINIOPHANE** 

Crystal structures of [Pb(NO<sub>3</sub>)<sub>6</sub>]<sup>4-</sup> and [Ba(NO<sub>3</sub>)<sub>6</sub>]<sup>4-</sup> salts of 24-pyrimidinium crown 6 {5,12,19,26,33,40-hexaamino-3,10,17,24,31,38-hexamethyl[1.<sub>6</sub>](1,5)pyrimidiniophane}, 563

PYRROLE

Bioinorganic reaction centres on electrodes. Modified electrodes possessing amino acid, peptide and ferredoxin-type groups on a poly(pyrrole) backbone, 2181

QUANTUM MECHANICS

Co-ordination of solvent molecules to square-planar mixed-ligand nickel(II) complexes: a thermodynamic and quantum-mechanical

Spin-state equilibria in non-aqueous solution and quantum-mechanical investigations of iron(II) and nickel(II) complexes with 4-substituted 2,6-bis(benzimidazol-2-yl)pyridines, 1523

QUATERPYRIDINE

Electrochemical oxidation of diaquaruthenium(II) complexes of quaterpyridines and crystal structure of [RuL<sup>1</sup>(PPh<sub>3</sub>)<sub>2</sub>][ClO<sub>4</sub>]<sub>2</sub> (L<sup>1</sup> = 3",5,5',5"'-tetramethyl-2,2':6',2":6",2"'-quaterpyridine), 895

A binuclear ruthenium(II) complex of 2,2':3',2":6",2"-quaterpyridine containing RuN<sub>3</sub>Cl and cyclometallated RuN<sub>3</sub>C fragments linked by a bridging (N,C-donor) pyridyl residue, 3094

OUINOLINE

Acid-base equilibria of co-ordinated ligands. Part 1. The effect of basicity of co-ordinated nitrogen donors upon the acidity of chelating 8-aminoquinoline in some dicationic platinum(II) complexes, 731

Photochemical and photophysical properties of fac-[Re(CO)<sub>3</sub>(L)<sub>2</sub>Cl] (L = quinoline or isoquinoline), 2565 QUINOLYLMETHYL

Synthesis and structural study of [{Pd(CH<sub>2</sub>C<sub>9</sub>H<sub>6</sub>N)}<sub>2</sub>-(μ-O<sub>2</sub>CR)(μ-X)] complexes (R = Me or CF<sub>3</sub>; X = hydroxide, amide or thiolate), 2353

Electrochemical control of bridging ligand conformation in a binuclear complex—a possible basis for a molecular switch,

QUINQUEPYRIDINE

Metallosupramolecular complexes containing ferrocenyl groups as redox spectators; synthesis and co-ordination behaviour of the helicand 4',4"-bis(ferrocenyl)-2,2':6',2":6",2":6",2"-quinque-pyridine, 1585

RADICAL

π-Cation radicals of iron(III) derivatives of deformed porphyrins, 491 Radical intermediates in the reductive isomerisation of octahedral manganese carbonyl bipyridyl complexes; electrochemistry, electron spin resonance spectroscopy and molecular-orbital calculations, 3745

Raman spectra and isomerism of some bromophenylphosphoranes  $Ph_nPBr_{5-n}$  ( $1 \le n \le 3$ ) and their salts, 1441 Synthesis and vibrational spectra of new bis(alkoxysulfane)-dichloropalladium(II) complexes and X-ray structural analysis of  $[PdCl_2\{S(OPr^i)_2\}_2]$ , 2509

RARE EARTH

Studies on a dioxotetraamine macrocyclic ligand, its copper(II) and nickel(11) complexes and solution equilibria, 1873

RECOGNITION

Metal-ion recognition. Donor-set control of silver(1)/lead(II) discrimination using mixed-donor macrocyclic ligands, 237

REDOX

Synthesis, structure and metal redox of new VO<sup>3+</sup> and VO<sup>2+</sup> complexes incorporating mixed tridentate-bidentate binding, 557
Synthetic and structural characterisation of metal complexes of ferrocenylacetylene: novel donor-acceptor heterobimetallic materials, 2215

REDOX POTENTIAL

Control of the stereochemistry of four-co-ordinate copper(II)
complexes by pyridinecarboxamide ligands: crystal structure,
spectral and redox properties, 965
REGIOSELECTIVITY

Carbon-hydrogen and C-X (X = Cl or SiMe<sub>3</sub>) bond activation.

1-Cyclopalladation and oxidation of some derivatives of

2-[(dimethylamino)methyl]naphthalene, 2293

RHENIUM

Reactivity of the rhenium(v)-oxo complex [AsPh4][ReOCl4] toward bis(diphenylphosphino)amine NH(PPh2)2. Synthesis and crystal structures, 339

Rhenium multihydride heterobimetallic complexes containing bridging and chelating diphosphine ligands, 379

Synthesis, spectroscopy and electrochemistry of luminescent [Re'N{Pl<sub>2</sub>P(CH<sub>2</sub>)<sub>2</sub>PPh<sub>2</sub>]<sub>2</sub>(MeCN)]<sup>2+</sup>, 391

1,2-Metallotropic shifts in trimethylplatinum(iv) and tricarbonylrhenium(i) halide complexes of pyridazine

tricarbonylrhenium(t) halide complexes of pyridazine and 4-methylpyridazine, 445
Isodiazene complexes: synthesis and molecular structures of 2,2,6,6-tetramethylpiperid-1-ylisodiazene complexes of tungsten(ty) and of rhenium-(iii) and -(ii), 907
New multihydride complexes of rhenium containing diphosphine ligands: low-temperature protonation of [ReH<sub>2</sub>(Ph<sub>2</sub>CH=CHPPh<sub>2</sub>-PP')], 917
Fluxional rhenium(t) tricarbonyl halide complexes of pyrazolylpyridine ligands. A detailed nuclear magnetic resonance investigation, 1079
Preparation and structure of a non-carbide-stabilized octahedral

investigation, 1079
Preparation and structure of a non-carbide-stabilized octahedral rhenium cluster: [NEt<sub>4</sub>][Re<sub>6</sub>H<sub>7</sub>(CO)<sub>18</sub>], 2011
Synthesis and characterization of five-co-ordinate rhenium(III) complexes with 2-(diphenylphosphino)ethanethiolate and monothiolate ligands. Crystal structure of [Re(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>S)<sub>2</sub>(PhCH<sub>2</sub>S)], 2437
Photochemical and photophysical properties of fac-[Re(CO)<sub>3</sub>(L)<sub>2</sub>CI] (L = quinoline or isoquinoline), 2565
Synthesis and reactivity of [NEt<sub>4</sub>]<sub>2</sub>[ReBr<sub>3</sub>(CO)<sub>3</sub>]. Formation and structural characterization of the clusters [NEt<sub>4</sub>][Re<sub>2</sub>(μ<sub>3</sub>-OH)(μ-OH)<sub>3</sub>(CO)<sub>9</sub>] and [NEt<sub>4</sub>][Re<sub>2</sub>(μ-OH)<sub>3</sub>(CO)<sub>6</sub>] by alkaline titration, 2815

2813 Synthesis and redox properties of cis-[ReCl(NCR)(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>-PPh<sub>2</sub>)<sub>2</sub>] (R = alkyl or aryl) complexes with a cis-phosphine rhenium(i) centre, 3299 Reactivity of nido-[2-(Fe(η-C<sub>2</sub>H<sub>2</sub>))B<sub>2</sub>H<sub>10</sub>] with some transition-metal hydride complexes, 3337

Contrasting pathways for the reactions of triruthenaborane cluster anions with [{M(η²-C<sub>3</sub>Me<sub>3</sub>)Cl<sub>2</sub>}<sub>2</sub>] (M = Rh or Ir). Molecular structures of [RhRu<sub>3</sub>(η²-C<sub>3</sub>Me<sub>3</sub>)H<sub>2</sub>(CO)<sub>8</sub>(PPh<sub>3</sub>)BH] and [IrRu<sub>3</sub>(η²-C<sub>3</sub>Me<sub>3</sub>)H(CO)<sub>16</sub>BH<sub>2</sub>], 69 Binuclear pentamethylcyclopentadienyl dirhodium complexes with pyrazolato and diphenylphosphido bridging ligands, 159 Reactions of the hexanuclear mixed-metal cluster [Ru<sub>3</sub>RhC(CO)<sub>14</sub>(η²-C<sub>3</sub>Me<sub>3</sub>)] and the synthesis, characterisation and structural analysis of the pentanuclear derivative [Ru<sub>4</sub>RhC(CO)<sub>12</sub>(η²-C<sub>3</sub>Me<sub>3</sub>)], 243 Synthesis and proton-coupled redox properties of mononuclear or asymmetric dinuclear complexes of ruthenium, rhodium and/or osmium containing 2,2'-bis(2-pyridyl)-6,6'-bibenzimidazole, 263

263
Adducts of trigonal-prismatic and octahedral metal clusters containing interstitial atoms (nitrogen or carbon) with [Au(PPh<sub>3</sub>)]<sup>+</sup>, 333
Chlorometal(iii) complexes of a new chiral quinquedentate polyamino acid based on (SS)-trans-cyclohexane-1,2-diamine, 355
Rhenium multihydride heterobimetallic complexes containing bridging and chelating diphosphine ligands, 379
Stereoselective oxidative-addition reaction of molecular iodine and mercury(ii) halides to rhodium dithiolate compounds. Crystal structure of [Rh<sub>2</sub>{μ-S(CH<sub>2</sub>)<sub>2</sub>S}Cl<sub>2</sub>(CO)<sub>2</sub>(PPh<sub>3</sub>)<sub>2</sub>], 385
Reactions of the nitridocarbonyl cluster anion [Rh<sub>2</sub>N(CO)<sub>15</sub>] with strong bases: synthesis and crystal structure of the hydridic

with strong bases: synthesis and crystal structure of the hydridic dianion [Rh<sub>6</sub>(µ-H)N(CO)<sub>14</sub>]<sup>2-</sup>, 471
Phosphine-substituted trigonal-prismatic and octahedral clusters, 513
Exchange reactions of acetate ligands and electrophilic rhodium—carbon bond activation in orthometallated rhodium(II)

RHODIUM (contd)

compounds with trifluoroacetic acid. Crystal structure of [Rh<sub>2</sub>(O<sub>2</sub>CCF<sub>3</sub>)<sub>3</sub>{(C<sub>6</sub>H<sub>4</sub>)PPh<sub>2</sub>}]-2CF<sub>2</sub>CO<sub>2</sub>H, 539

Mechanism of the acid-catalysed cyclometallation reaction of dirhodium(ii) compounds with general formula [Rh<sub>2</sub>(O<sub>2</sub>CMe)-(μ-0<sub>2</sub>CMe)<sub>3</sub>{(C<sub>6</sub>H<sub>2</sub>)-PPh<sub>3</sub>}{P(C<sub>6</sub>H<sub>4</sub>X)<sub>3</sub>}(OH<sub>2</sub>)], 545

Ligand substitution reactions in new square-planar iridium, rhodium and platinum complexes containing a potentially terdentate C,N,N' ligand system; crystal structure of [Ir{C<sub>6</sub>H<sub>4</sub>CH<sub>2</sub>N(Me)CH<sub>2</sub>CH<sub>2</sub>NMe<sub>2</sub>-2-C,N,N'}(cod)] (cod = cycloocta-1,5-diene), 703

Rhodium complexes containing substituted hydrazines. 787

(cou = cycroocta-1,3-diene), /0.5
Rhodium complexes containing substituted hydrazines, 787
Reactions of the pentanuclear mixed-metal cluster compound
[Ru,RhC(CO)<sub>12</sub>(n<sup>2</sup>-C<sub>3</sub>Me<sub>3</sub>)]. Synthesis, characterisation and
crystal structure of the pentanuclear derivative [Ru,RhC(CO)<sub>11</sub>H(n<sup>2</sup>-C<sub>3</sub>Me<sub>3</sub>)]], 1109

Cyclic voltammetry and spectroelectrochemistry of rhodium phthalocyanines, 1359

phthalocyanines, 1359
Chiral cyclopentadienyl catalysts. Part 3. Synthesis and reactions of (S)-1-(1-dimethylaminoethyl)-2-(2,3,4,5-tetramethylcyclopenta-1,3-dienyl)benzene; crystal structure of [Rh{η}<sup>5</sup>-C<sub>3</sub>Me<sub>4</sub>C<sub>6</sub>H<sub>4</sub>-CH(Me)NMe<sub>5</sub>]Cl<sub>2</sub>], 1445
Dirhodium(II) complexes with bi- and tri-dentate nitrogencontaining ligands, 1517
Reversible skeletal rearrangement in a carbido carbonyl cluster induced by ligand substitution. Synthesis and crystal structure of the anion [Rh<sub>1</sub>C<sub>2</sub>(CO)<sub>21</sub>(AuPPh<sub>3</sub>)]-, 1777
New aspects of rhodium(III)-dimethyl sulfoxide chemistry: synthesis and molecular structure of [NEt<sub>4</sub>][cis-RhCl<sub>4</sub>{(CH<sub>3</sub>)<sub>2</sub>SO}<sub>2</sub>] and chemical behaviour in aqueous solution of [RhCl<sub>n</sub>{(CH<sub>3</sub>)<sub>2</sub>-SO}<sub>6-n</sub>]<sup>3-n</sup> (n = 3 or 4) complexes, 1849

Chemical benaviour in aqueous solution of [RhCl<sub>n</sub>((CH<sub>3</sub>))<sub>2</sub>-SO<sub>16-n</sub>]<sup>3-n</sup> (n = 3 or 4) complexes, 1849 Kinetics of ligand exchange in rhodium-(i) and -(III) complexes from magnetisation-transfer measurements; the crystal structure of [Rh(NH<sub>3</sub>)(PPh<sub>3</sub>)]ClO<sub>4</sub>, 1857 Organometallic thiol and thiolato complexes of ruthenium(IV), 1949

Preparation and reactivity of iodomethyl complexes of rhodium(III);

Preparation and reactivity of iodomethyl complexes of rhodium(III crystal and molecular structure of carbonylchloroiodo-(iodomethyl)bis(triethylphosphine)rhodium(III), 1963

Synthesis of cationic half-sandwich rhodium(1) complexes of 1,4,7-trithiacyclononane ([9]aneS<sub>3</sub>). The single-crystal structures of [Rh([9]aneS<sub>3</sub>)(C<sub>2</sub>H<sub>4</sub>)<sub>2</sub>]PF<sub>6</sub>. [Rh([9]aneS<sub>3</sub>)(C<sub>2</sub>H<sub>12</sub>)]BF<sub>4</sub> and [Rh([9]aneS<sub>3</sub>)(C<sub>4</sub>H<sub>5</sub>)]PF<sub>6</sub>·0.25OEt<sub>2</sub>, 2197

Syntheses and molecular structures of two boride cluster anions: octahedral [Rh<sub>2</sub>Ru<sub>4</sub>(CO)<sub>16</sub>B<sub>2</sub>] and double-prismatic [Rh<sub>3</sub>Ru<sub>4</sub>(CO)<sub>2</sub>B<sub>2</sub>], 2359

Synthesis, characterization and reactivity of Claus' blue, a superoxodirhodium(III,III) species long said to contain Rh<sup>VI</sup>, 2531

Synthetic, dynamic nuclear magnetic resonance and

Synthetic, dynamic nuclear magnetic resonance and crystallographic studies of platinum complexes containing silyl-substituted dialkenyl-thioether and -selenoether ligands, 2637

Platinum and rhodium complexes of dialkenyl telluroether ligands: synthesis, dynamic nuclear magnetic resonance and crystal structure of cis-dibromo(3,3,7,7-tetramethyl-5-tellura-3,7-disilanona-1,8-diene)platinum(II), 2645

Synthesis and evaluation of the bonding properties of a potentially tridentate ligand: 1-(diphenylphosphino)-2-ethoxy-1-(2-pyridyl)-ethane, 2755

Reactions of Wilkinson's catalyst with pyridine; observation of rhodium complexes containing both pyridine and phosphine

Carbonylation of organic halides catalysed by rhodium

Triethylphosphine complexes, 2899

Mixed phosphathia macrocyclic chemistry: synthesis and characterisation of [M(Ph<sub>2</sub>[14]aneP<sub>2</sub>S<sub>2</sub>)]<sup>2+</sup> (M = Pd or Pt) and [RhCl<sub>2</sub>(Ph<sub>2</sub>[14]aneP<sub>2</sub>S<sub>2</sub>) = 8,12-diphenyl-1,5-dithia-8,12-diphosphacyclotetradecane, 3031

An ab initio molecular-orbital study of insertion of CO<sub>2</sub> into a

An abutto inoccutar-order study of instation of Co<sub>2</sub> inco Rh-H bond, 3047.

Synthesis of the mixed-metal clusters [Ru<sub>5</sub>RhC(CO)<sub>14</sub>(cod)Y]

[Y = H, Au(PEt<sub>3</sub>) or Au(PPh<sub>3</sub>); cod = cycloocta-1,5-diene]; reactions of [Ru<sub>5</sub>RhC(CO)<sub>14</sub>(cod){Au(PR<sub>3</sub>)}] (R = Ph or Et) and crystal structure of [Ru<sub>5</sub>RhC(CO)<sub>14</sub>(cod){µ<sub>5</sub>-Au(PPh<sub>3</sub>)}],

Rhodium(III) complexes with cyanide and sulfur-donor ligands: rhodium-103 nuclear magnetic resonance chemical shift correlations, 3243

Electronic structure of rhodium(II) dimers of formula [Rh<sub>2</sub>X<sub>2</sub>-(μ-O<sub>2</sub>CH)<sub>2</sub>(HN=CHCH=NH)<sub>2</sub>] (X = halide), 3261 Kinetics of ligand exchange in rhodium-(I) and -(III) complexes

Kinetics of ligand exchange in rhodium-(1) and -(III) complexes from magnetisation-transfer measurements; the crystal structure of [Rh(NH<sub>3</sub>)(PPh<sub>3</sub>)<sub>3</sub>]ClO<sub>4</sub> (1994, 1857), 3335

A series of rhodium(1) complexes, including carbene, vinylidene and allenylidene derivatives, with the bifunctional arsine Pri<sub>2</sub>AsCH<sub>2</sub>CH<sub>2</sub>OMe as ligand, 3415

Charge-transfer interactions between sulfur dioxide and Group 8 half-sandwich complexes, 3515

Photochemical generation of 16-electron [Rh(η<sup>5</sup>-C<sub>5</sub>H<sub>5</sub>)(PMe<sub>5</sub>)] and [Ir(η<sup>5</sup>-C<sub>5</sub>H<sub>5</sub>)(PMe<sub>3</sub>)] in low-temperature matrices: evidence for methane activation, 3519

RHODIUM-103

Rhodium(III) complexes with cyanide and sulfur-donor ligands: rhodium-103 nuclear magnetic resonance chemical shift correlations, 3243

Hindered rotation along carbon-nitrogen bonds. The effect of carbonyliron in complexes of 7-azanorbornadiene derivatives,

Hindered rotation about carbon-nitrogen bonds in 7-aza-norbornadienes and their carbonyliron complexes, 3199

Syntheses of novel monomeric 1,4,7-trimethyl-1,4,7-triazacyclo-nonane ruthenium complexes. Reactivities and structure of sterically encumbered cationic monoaquaruthenium(II) and

nonane ruthenium complexes. Reactivities and structure of sterically encumbered cationic monoaquaruthenium(II) and monooxoruthenium(IV) complexes, 57
Contrasting pathways for the reactions of triruthenaborane cluster anions with [{M(η<sup>5</sup>-C<sub>3</sub>Me<sub>3</sub>)Cl<sub>2</sub>}<sub>2</sub>] (M = Rh or Ir). Molecular structures of [Rnks(η<sup>5</sup>-C<sub>3</sub>Me<sub>3</sub>)H<sub>3</sub>(CO)<sub>8</sub>(PPh<sub>3</sub>)BH] and [IrRu<sub>3</sub>(η<sup>5</sup>-C<sub>3</sub>Me<sub>3</sub>)H(CO)<sub>10</sub>BH<sub>2</sub>], 69
2.7:6', 2"-Terpyridine (terpy) acting as a fluxional bidentate ligand. Part 3. Ruthenium carbonyl halide complexes, [RuX<sub>2</sub>(CO)(terpy)] (X = Cl, Br or I) and metal tetracarbonyl complexes [M(CO)<sub>4</sub>(terpy)] (M = Cr, Mo or W): nuclear magnetic resonance studies of their solution dynamics and synthesis of trans-[RuX<sub>2</sub>(CO)(terpy)] (X = Cl, Br or I), 111 Stereoselective photocatalysis of helical ruthenium(II) complexes in the reduction of racemic tris(acetylacetonato)cobalt(III), 239
Reactions of the hexanuclear mixed-metal cluster [Ru<sub>3</sub>RhC(CO)<sub>14</sub>(η<sup>5</sup>-C<sub>3</sub>Me<sub>3</sub>)], 243
Synthesis and proton-coupled redox properties of mononuclear or asymmetric dinuclear complexes of ruthenium, rhodium and/or osmium containing 2,2'-bis(2-pyridy)-6,6'-bibenzimidazole, 263
Cyclohexadiene and benzene derivatives of [Ru<sub>3</sub>C(CO)<sub>13</sub>], 393
Synthesis, properties and crystal structures of [Ru<sup>11</sup><sub>3</sub>(tacn)<sub>2</sub>- (μ-OH)<sub>2</sub>(μ-CO)<sub>3</sub>]PF<sub>5</sub>-5H<sub>2</sub>O [tacn = 1,4,7-triazacyclononane, dtne = 1,2-bis(1,4,7-triazacyclononan-1-y)]ethane], 457
New piano-stool ruthenium(II) complexes of benzene and bidentate/tridentate nitrogen-donor ligands: synthesis and characterization, 465
Tri- and tetra-nuclear μ-alkyne clusters from [Ru<sub>2</sub>(μ-CO)-

characterization, 465

characterization, 405
Tri- and tetra-nuclear μ-alkyne clusters from [Ru<sub>2</sub>(μ-CO)(μ-C<sub>3</sub>R<sub>2</sub>)(η-C<sub>3</sub>H<sub>3</sub>)<sub>2</sub>] (R = Ph or CF<sub>3</sub>), 477
Stereoselective photosensitized decomposition of tris(oxalato)cobaltate(III) and tris(acetylacetonato)cobalt(III) by tris(2,2'-bipyridine)ruthenium(II), 583

Kinetics and mechanism of ruthenium(III) catalysed oxidation of formic acid by cerium(IV) in aqueous sulfuric acid media, 589
Complexes containing ferrocenyl groups as redox spectators;
synthesis, molecular structure and co-ordination behaviour of
4'-ferrocenyl-2,2': 6',2'-terpyridine, 645
Ra's constants for intramolecular electron-transfer reactions of

ruthenium-modified histidine mutants of cytochrome b2, 675 Electrochemical control of bridging ligand conformation in a binuclear complex—a possible basis for a molecular switch,

Electrochemical oxidation of diaquaruthenium(II) complexes of quaterpyridines and crystal structure of [RuL¹(PPh<sub>3</sub>)<sub>2</sub>][ClO<sub>4</sub>]<sub>2</sub> (L¹ = 3",5,5',5"'-tetramethyl-2,2':6',2":6",2"'-quaterpyridine), 895

Anisotropic magnetic exchange observed by electron spin resonance in hexaammineruthenium(iii) chloride sulfate trihydrate, 901

In nexaminarium intermediate surface surface, 901 Ruthenium carbonyl cluster complexes with oxygen ligands. Part 2. Auration of a hexaruthenium 'raft' cluster; crystal structures of  $[Ru_6(\mu_3-H)(\mu-\theta):\mu-C:\eta^6-OC_6H_3OMe-4)(CO)_{16}]$  and  $[AuRu_6(\mu_3-H)(\mu-\theta):\mu-C:\eta^6-OC_6H_3OMe-4)(CO)_{16}(PPh_3)]$ , 925 The kinetics of the reaction of  $[Ru(Cl)H(PPh_3)_3]$  with various

Olems, 931 Bis(cyclopentadienyl) clusters of ruthenium: the synthesis, characterisation and molecular structures of [Ru<sub>5</sub>C(CO)<sub>10</sub>(η<sup>5</sup>-C<sub>5</sub>H<sub>3</sub>)<sub>2</sub>], 1105 Reactions of the pentanuclear mixed-metal cluster compound [Ru<sub>4</sub>RhC(CO)<sub>12</sub>(η<sup>5</sup>-C<sub>5</sub>M<sub>25</sub>)]. Synthesis, characterisation and crystal structure of the pentanuclear derivative [Ru<sub>4</sub>RhC(CO)<sub>11</sub>-U<sub>5</sub>C<sub>5</sub>M<sub>25</sub>)].

Reactic \(\frac{1}{2}\) of diphosphazane-bridged derivatives of diruthenium nonacarbonyl with metal-containing electrophiles: formation of solvento species [Ru<sub>2</sub>(CO)<sub>3</sub>(solv)/\(\frac{1}{2}\)-(\(\frac{1}{2}\)-(\(\frac{1}{2}\)-(\(\frac{1}{2}\))-(\(\frac{1}{2}\)-(\(\frac{1}{2}\))-(\(\frac{1}{2}\)-(\(\frac{1}{2}\))-(\(\frac{1}{2}\)-(\(\frac{1}{2}\))-(\(\frac{1}{2}\))-(\(\frac{1}{2}\)-(\(\frac{1}{2}\))-(\(\frac{1}{2}\))-(\(\frac{1}{2}\))-(\(\frac{1}{2}\)-(\(\frac{1}{2}\))-(\(\frac{1}\))-(\(\frac{1}{2}\))-(\(\frac{1}{2}\))-(\(\frac{1}{2}\))-(\(\frac{1}{2}\))-(\(\frac{1}\))-(\(\frac{1}{2}\))-(\(\frac{1}{2}\))-(\(\frac{1}\))-(\(\frac{1}\))-(\(\frac{1}\))-(\(\frac{1}\))-(\(\frac{1}\))-(\(\frac{1}\))-(\(\frac{1}\))-(\(\frac{1}\))-(\(\frac{1}\))-(\(\frac{1}\))-(\(\frac{1}\))-(\(\frac{1}\))-(\(\frac{1}\

nucleophiles, 1131
Alkene complexes of ruthenium(0): crystal structures, isomerism and fluxionality, 1193

New ruthenium(ii) complexes of α,α'-diimines. Synthesis, electro-chemical and optical spectral properties of mononuclear complexes

**RUTHENIUM** (contd)

containing aryl(2-pyridylmethylene)amine and 2,2'-bipyridine ligands, 1305

Pendant-functionalised ligands for metallosupramolecular assemblies; ruthenium(ii) and osmium(ii) complexes of 4'-(4-pyridyl)-2,2': 6',2"-terpyridine, 1409

Charge density in [Ru(ND<sub>3</sub>)<sub>6</sub>][SCN]<sub>3</sub> by X-ray diffraction at 92 K, 1429

1429
Chiral cyclopentadienyl catalysts. Part 3. Synthesis and reactions of (5)-1-(1-dimethylaminoethyl)-2-(2,3,4,5-tetramethylcyclopenta-1,3-dienyl)benzene; crystal structure of [Rh{η<sup>5</sup>-C<sub>3</sub>Me<sub>4</sub>C<sub>6</sub>H<sub>4</sub>-CH(Me)NMe<sub>2</sub>]C<sub>1</sub>], 1445
Synthesis and chemistry of 1,1-bis(3-indenyl)ethane; crystal structure of [{Ru(CO)<sub>2</sub>}<sub>2</sub>{η<sup>5</sup>:η<sup>5</sup>-CH<sub>3</sub>CH(C<sub>3</sub>H<sub>6</sub>)<sub>2</sub>], 1731
Structure and reactions of the thioether half-sandwich ruthenium(II) complexes [Ru(MeCN)<sub>3</sub>([9]aneS<sub>3</sub>)][CF<sub>3</sub>SO<sub>3</sub>]<sub>2</sub> and [Ru(MeCN)<sub>2</sub>-(PPh<sub>3</sub>)([9]aneS<sub>3</sub>)][CF<sub>3</sub>SO<sub>3</sub>]<sub>2</sub> ([9]aneS<sub>3</sub>) = 1,4,7-trithiacyclononane), 1885
Activation of carbon sulfur and carbon chlorine bonds by the

nonane), 1885
Activation of carbon–sulfur and carbon–chlorine bonds by the electrophilic ruthenium fragment 'Ru(η-C<sub>3</sub>Me<sub>3</sub>)<sup>+\*</sup>, 1895
Organometallic thiol and thiolato complexes of ruthenium(IV), 1949

Synthesis and characterisation of cyanide-bridged heterobinuclear mixed-valence compounds based on cyclopentadienylorganophosphine-ruthenium(II) and -osmium(II) cyano and pentaammine-

ruthenium(III) and -osmium(III) moieties, 1987

New synthetic routes to face-to-face and open-book triazenide-bridged dirhodium bipyridyl complexes with the [Rh<sub>2</sub>]<sup>4+</sup> core,

Formation of optically active [Ru(bipy)<sub>2</sub>Cl<sub>2</sub>] (bipy = 2,2'-bipyridyl) by photoeissociation of [Ru(bipy)<sub>3</sub>]Cl<sub>2</sub> in dichloromethane, 2085

Synthetic and structural characterisation of metal complexes of ferrocenylacetylene: novel donor-acceptor heterobimetallic materials, 2215

Synthesis of new η<sup>4</sup>-hexafluorobenzene complexes of ruthenium and osmium from atoms of the metals: crystal structure of

[Ru(n<sup>6</sup>·C<sub>6</sub>H<sub>3</sub>Me<sub>3</sub>-1,3,5)(n<sup>4</sup>·C<sub>6</sub>F<sub>6</sub>)], 2251 Catalytic reaction of methanol with a series of ruthenium(II) complexes and the mechanism of the formation of acetic acid from methanol alone, 2265

from methanol alone, 2265
Syntheses and molecular structures of two boride cluster anions: octahedral [Rh<sub>2</sub>Ru<sub>4</sub>(CO)<sub>16</sub>B] and double-prismatic [Rh<sub>3</sub>Ru<sub>6</sub>(CO)<sub>25</sub>B<sub>2</sub>]<sup>-</sup>, 2359
Molecular structure and linkage isomerism of cis-[Ru(bipy)<sub>2</sub>-{trans-Cr(cyclam)(CN)<sub>2</sub>]<sub>2</sub>]<sup>+</sup> (bipy = 2,2'-bipyridine, cyclam = 1,4,8,11-tetraazacyclotetradecane), 2391
Synthesis and properties of polynuclear complexes containing [Mo(NO)[FB6(mpz)<sub>2</sub>]Cl] metal centres axially bound to a Ru(tpp) core (dmpz = 3,5-dimethylpyrazol-1-yl; tpp = meso-5,10,15,20-tetraphenylporphyrinate), 2415
Photoelectrochemical and quenching studies of tris(2,2'-

Photoelectrochemical and quenching studies of tris(2,2'-bipyridine)ruthenium(II) bound to Nafion- and clay-coated electrodes, 2445

electrodes, 2445

Syntheses, structures and fluxional behaviour of η<sup>4</sup>-1, 4-di-tert-butylbuta-1,3-diene complexes of iron and ruthenium, 2615

Synthesis and evaluation of the bonding properties of a potentially tridentate ligand: 1-(diphenylphosphino)-2-ethoxy-1-(2-pyridyl)-ethane, 2755

Synthesis of the mixed-metal clusters [Ru<sub>2</sub>RhC(CO)<sub>14</sub>(cod)Y]

[Y = H, Au(PE<sub>3</sub>) or Au(PPh<sub>3</sub>); cod = cyclocota-1,5-diene]; reactions of [Ru<sub>3</sub>RhC(CO)<sub>14</sub>(cod){Au(PR<sub>3</sub>)}] (R = Ph or Et) and crystal structure of [Ru<sub>3</sub>RhC(CO)<sub>14</sub>(cod){µ<sub>3</sub>-Au(PPh<sub>3</sub>)}], 3069

Kinetics and mechanism of the oxidation of iodide by trans-dioxoruthenium(VI), 3091

A binuclear ruthenium(II) complex of 2,2':3',2":6',2"-quaterpyridine containing RuN<sub>3</sub>Cl and cyclometallated RuN<sub>3</sub>C fragments linked by a bridging (N,C-donor) pyridyl residue,

3095

Hydrogen activation by arene ruthenium complexes in aqueous solution. Part 2. Build-up of cationic tri- and tetra-nuclear ruthenium clusters with hydrido ligands, 3215

Synthesis and solid-state structure of [Pd<sub>6</sub>Ru<sub>6</sub>(CO)<sub>24</sub>]<sup>2-</sup>.

Electrochemistry and <sup>13</sup>C nuclear magnetic resonance spectra of [Fe<sub>6</sub>Pd<sub>6</sub>H(CO)<sub>24</sub>]<sup>3-</sup> and [Pd<sub>6</sub>Ru<sub>6</sub>(CO)<sub>24</sub>]<sup>2-</sup>, 3237

Mean magnetic susceptibility and its solvent dependence for several substituted ferrocenes, ruthenocene and di(η<sup>6</sup>-benzene)chromium, 3257

Borons nitrogen coupling in a ruthenium-rich nuthenaborane

Boron-nitrogen coupling in a ruthenium-rich ruthenaborane cluster: synthesis, and molecular and electronic structures of [Ru<sub>4</sub>H(CO)<sub>12</sub>BH(µ-NCHMe)], 3273
Aquation of the anticancer complex trans-[RuCl<sub>4</sub>(Him)<sub>2</sub>]

(Him = imidazole), 3305

Synthesis and redox studies on ruthenium and osmium complexes with primary and secondary phosphines. Single-crystal structures of *trans*-[RuCl<sub>2</sub>(PPhH<sub>2</sub>)<sub>4</sub>] and *trans*-[OsCl<sub>2</sub>(PPh<sub>2</sub>H)<sub>4</sub>]-CH<sub>2</sub>Cl<sub>2</sub>, Complexes of the platinum metals. Part 46. 1,1,1,5,5,5-Hexafluoro-3-azapentane-2,4-diiminato derivatives of ruthenium, osmium and iridium. Crystal structure of

[Ru{NHC(CF<sub>3</sub>)NC(CF<sub>3</sub>)NH}H(CO)(PPh<sub>3</sub>)<sub>2</sub>], 3615 Spectroelectrochemical and flash photochemical reduction of 1,4,5,8-tetraazaphenanthrene and 1,4,5,8,9,12-hexa-azatriphenylene mono- and bi-metallic ruthenium(II) complexes, 3651

complexes, 3651 Stereochemistry in tris(bidentate ligand)ruthenium(11) complexes containing unsymmetrical polypyridyl ligands, 3659 Interpretation of the electronic spectra of the confacial bioctahedral nonahalides  $[Ru_2Cl_a]^3$ - and  $[Ru_2Br_3]^3$ - using the SCF-X $\alpha$ -SW method: location of the  $\sigma \longrightarrow \sigma^*$  transition, 3759

SALICYLALDEHYDE

Binary and ternary complexes of nickel(II) with 2-aminomethyl-benzimidazole and salicylaldehyde: kinetic and equilibrium studies, 3727

SALICYLATE

Kinetics of ternary complex formation between cobalt(II) species and 5-nitrosalicylic acid: the effect of charge, 3645

SAMARIUM

Synthesis, fluxional behaviour in solution and crystal structure of the organolanthanide complexes [Ln(C<sub>3</sub>H<sub>4</sub>CH<sub>2</sub>CH<sub>2</sub>OMe)<sub>7</sub>(thf)]-[Co(CO)<sub>4</sub>] (Ln = Sm or Yb, thf = tetrahydrofuran), 1665

Molecular and electronic structures of bis[1,4-bis(trimethylsilyl)cyclooctatetraene] sandwich complexes of titanium and zirconium, 2867

SCHIFF BASE

N-Salicylideneamino acidate complexes of oxovanadium(IV). Part

1. Crystal and molecular structures and spectroscopic properties,

149
Spin equilibrium in five-co-ordinate Lewis-base adducts of cobalt(II)
Schiff-base complexes with a S<sub>2</sub>N<sub>3</sub> ligand environment. Molecular and crystal structure of [CoL4(mim)] at 293 and 103 K [H<sub>2</sub>L<sup>4</sup> = N, N'-bis(5-mercapto-3-methyl-1-phenylpyrazol-4-ylmethylene)-o-phenylenediamine, mim = N-methylimidazole], 361
Decomposition of chemically and electrochemically generated nickel(III) complexes with N<sub>2</sub>O<sub>2</sub> Schiff-base ligands, 571
Electronic conjugation pathways in ferrocenyl Schiff bases, 747
On the mechanism of a model quercetinase reaction using a cobalt Schiff-base complex, 805

Schiff-base complex, 805
Complexes of lanthanide ions with a Schiff-base macrocyclic ligand derived from 2,6-diformylpyridine, 1185

mechanism for the rearrangement of unsymmetrical tetradentate (N<sub>2</sub>O<sub>2</sub>) ligands bound to manganese(III): the isolation and crystal structure of a manganese(III) complex containing a ten-membered cis-chelated ring, 1265

cis-chelated ring, 1265
Synthesis, structure, magnetism and electrochemistry of binuclear nickel(n) and copper(n) complexes of an unsymmetrical pentadentate Schiff-base ligand, 2129
Partial hydrolysis of a Schiff-base tripodal ligand induced by copper(n) salts: crystal structure of the product from reaction with copper(n) perchlorate, 2213
Ligand-field control in the self-assembly of polymeric metal complexes: copper(n) complexes with quadridentate Schiff-base ligands involving an imidazole moiety, 2339
New polymeric compounds containing vanadium—oxygen chains.

New polymeric compounds containing vanadium-oxygen chains, 2457

Transition-metal Schiff-base complexes as ligands in tin chemistry. Part 5. Structural studies of intimate ion-paired heterobimetallic

Part 5. Structural studies of intimate ion-paired heterobimetallic complexes of tin(IV) and nickel, copper or zinc with 3-methoxysalicylaldimine ligands, 2473

Novel binuclear vanadium(V)-Schiff base cations containing single fluorine bridges and the structure of difluorodioxovanadate(1-), 2591

Ligand control on the synthesis and redox potency of mononuclear manganese-(III) and -(IV) complexes with tridentate ONS co-ordination, 2799

Influence of electronic conjugation and steric effects on the crystal structures of imino- and hydrazido-derivatives of ferrocenecarbaldehyde, 3355

aldehyde, 3355
Complexes of functionalised phosphine ligands. Part 1. Complexes of Fe<sup>III</sup>. Co<sup>III</sup>, Ni<sup>II</sup> and Re<sup>V</sup> with tridentate Schiff bases having PNO, NNO and NNS donor sets. Crystal structures of 2-(Ph<sub>2</sub>PC<sub>6</sub>H<sub>4</sub>N=CH)C<sub>6</sub>H<sub>4</sub>OH and [Co{2-(Ph<sub>2</sub>PC<sub>6</sub>H<sub>4</sub>CH=N)-C<sub>6</sub>H<sub>4</sub>O}<sub>2</sub>][PF<sub>6</sub>], 3553
Binary and ternary complexes of nickel(II) with 2-aminomethylbenzimidazole and salicylaldehyde: kinetic and acquilibrium studies 3727

equilibrium studies, 3727 SECONDARY BONDING

Synthesis and characterization of phenoxarsin-10-yl diorgano-dithiophosphinates. A folded phenoxarsine system in the first dimeric organoarsenic(III) 1,1-dithiolate associated through As · · · S secondary bonding, 2191

SELENIDE

Bismuth(III) complexes with sulfur and selenium donor ligands:

SELENIDE (contd)

ENNIDE (CORIO) synthesis and crystal structures of BiCl<sub>3</sub>- $Pr^n_2P(S)P(S)Pr^n_2$  and  $[(Me_2N)_3PSeSeP(NMe_2)_3]^{2+}[(BiCl_4)_2]_*^{2-}$ , 3025

SELENIUM

Gold complexes with selenium ligands. Part 7. Synthesis and crystal structures of oligonuclear gold(i)-selenolate complexes, 83

CSeSeC(CF<sub>1</sub>)C(CF<sub>1</sub>)SeSeCCF<sub>1</sub>. Electron diffraction study of F3CCSeSeCCF3 and crystal structure of the eight-membered heterocycle F<sub>3</sub>CCSeSeC(CF<sub>3</sub>)C(CF<sub>3</sub>)SeSeCCF<sub>3</sub>, 2705 SELENIUM-77

Synthesis and solution multinuclear magnetic resonance studies of homoleptic copper(i) complexes of sulfur, selenium and tellurium donor ligands, 3225
SELENOCYANATE

Synthetic and structural studies on bismuth(III) thiocyanate and selenocyanate complexes, 1327
SELENOETHER

Synthetic, dynamic nuclear magnetic resonance and crystallographic studies of platinum complexes containing silylsubstituted dialkenyl-thioether and -selenoether ligands, 2637 Synthesis and solution multinuclear magnetic resonance studies of homoleptic copper(1) complexes of sulfur, selenium and tellurium donor ligands, 3225

Gold complexes with selenium ligands. Part 7. Synthesis and crystal structures of oligonuclear gold(i)-selenolate complexes, 83 Reactions of monocyclopentadienyl complexes of molybdenum and tungsten with derivatives of phenols and pentafluorobenzeneselenol, 3527

SELENOLATE

A new route to organometallic selenolate complexes of tungsten(II) and molybdenum(II). Crystal structure of [W(η<sup>5</sup>-C<sub>5</sub>H<sub>5</sub>)(CO)<sub>3</sub>-(SeCH<sub>2</sub>Ph)], 3329
SELF-ASSEMBLY

Ligand-field control in the self-assembly of polymeric metal complexes: copper(II) complexes with quadridentate Schiff-base ligands involving an imidazole moiety, 2339

SEMICONDUCTOR

Spectral sensitization of large-band-gap semiconductors (thin films and ceramics) by a carboxylated bis(1,10-phenanthroline)-copper(1) complex, 1649

SEMIQUINONE

Electrochemical control of bridging ligand conformation in a binuclear complex—a possible basis for a molecular switch, 799

Spectral sensitization of large-band-gap semiconductors (thin films and ceramics) by a carboxylated bis(1,10-phenanthroline)-copper(1) complex, 1649

SILASEQUIOXANE

Structural and vibrational properties of the octanuclear silasesquioxane C<sub>6</sub>H<sub>13</sub>(H<sub>7</sub>Si<sub>8</sub>O<sub>12</sub>), 3123

SILICA

From synthesis to chemical reactivity of supported d<sup>0</sup> complexes. Part 1. An in situ infrared spectroscopic study of silica-anchored zirconium hydrides, 1153
[Mo<sub>2</sub>(MeCN)<sub>3</sub>][BF<sub>4</sub>]<sub>4</sub> supported on silica: an efficient heterogeneous catalyst for the ring-opening metathesis polymerization

of norbornene, 1489

Structure of copper complexes adsorbed on a silica gel surface chemically modified with benzimidazole, 1493

SILICON

Synthetic, spectroscopic and structural studies on phosphine-stabilised [PPh<sub>3</sub>, Ph<sub>2</sub>PCH<sub>2</sub>PPh<sub>2</sub>, Ph<sub>2</sub>P(CH<sub>2</sub>)<sub>4</sub>PPh<sub>2</sub>, (Ph<sub>2</sub>P)C<sub>5</sub>H<sub>4</sub>N] main group element—iron—silicon chain complexes, 117
Structure of copper complexes adsorbed on a silica gel surface chemically modified with benzimidazole, 1493

Electronic structure of a stable silylene: photoelectron spectra and theoretical calculations of Si(NRCHCHNR), Si(NRCH<sub>2</sub>CH<sub>2</sub>NR) and SiH<sub>3</sub>(NRCHCHNR), 2405

Structural and vibrational properties of the octanuclear silasesquioxane C<sub>8</sub>H<sub>13</sub>(H<sub>7</sub>Si<sub>8</sub>O<sub>12</sub>), 3123

SILICON-29

Solid-state structure of sulfur bis(trimethylsilylimide), S(NSiMe<sub>3</sub>)<sub>2</sub>, and multinuclear magnetic resonance studies of some sulfur bis(silylimides) in solution, 633

Synthesis and structural characterisation of five-co-ordinate copper(1) and silver(1) 2,2':6',2-terpyridine complexes, 215 Metal-ion recognition. Donor-set control of silver(1)/lead(11) discrimination using mixed-donor macrocyclic ligands, 237 Monovalent metal-ion complexation by a bibracchial lariat ether in

several solvents, 423
Synthesis of tetraalkylthio-substituted phthalocyanines and their complexation with Ag¹ and Pd¹¹, 497
Reactions of diphosphazane-bridged derivatives of diruthenium nonacarbonyl with metal-containing electrophiles: formation of

solvento species  $[Ru_2(CO)_5(solv)\{\mu-(RO)_2PN(Et)P(OR)_2\}_2]^{2+}$  (R = Me or Pr) and their reactivity towards various nucleophiles, 1131

Kinetics and mechanism of oxidation of nitrogen(III) by [ethylene-bis(biguanide)]silver(III) cation and its conjugate bases in aqueous

perchlorate media, 1349 Interaction of environmentally important metal ions with nitrogen-sulfur-donor macrocycles. The crystal structures of seven-co-ordinate lead(II) and mercury(II) complexes of an 18-membered

ordinate lead(II) and mercury(II) complexes of an 18-membered N<sub>4</sub>S<sub>2</sub> macrocycle, 1383 Octakis(alkylthio)-substituted phthalocyanines and their interactions with silver(I) and palladium(II) ions, 1419 Synthetic and structural study of tetra-μ-3-aminopropanolatotricopper(II) catena-pentaiodo-tricoppare(I) and -argentate(I), 2125 Mesitylgold complexes: synthesis and reactivity; crystal structure of [{(Ph<sub>3</sub>P<sub>4</sub>Auμ-mes)Ag(tht)}<sub>2</sub>][SO<sub>3</sub>CF<sub>3</sub>]<sub>2</sub> (mes = mesityl, tht = tetrahydrothiophene), 2515 Neutral PtAg<sub>2</sub> clusters containing unsymmetrical μ<sub>3</sub>-σ and μ-η²,σ alkynyl groups. Crystal structure of [PtAg<sub>2</sub>(C<sub>6</sub>F<sub>3</sub>)<sub>2</sub>(μ-η²,σ-C=CPh)(μ<sub>3</sub>-σ-C=CPh)(PPh<sub>3</sub>)<sub>2</sub>]-0.25CH<sub>2</sub>(2<sub>2</sub>, 2735 Synthesis and characterization of Lewis-base adducts of 1,1,1,5,5,5-hexafluoroacetylacetonatosilver(I), 2841 Bonding interaction between Group 10 and 11 metals. Synthesis,

nexanuoroacetylacetonatosilver(1), 2841
Bonding interaction between Group 10 and 11 metals. Synthesis, structure and properties of [M<sub>1</sub>(S<sub>2</sub>CNR<sub>2</sub>)<sub>6</sub>M'<sub>2</sub>]<sup>2+</sup> (M = Pt or Pd; M' = Ag or Cu; R = Et, Pr', Pr°, Bu° or C<sub>6</sub>H<sub>11</sub>), 3621
SILYLENE

Electronic structure of a stable silylene: photoelectron spectra and theoretical calculations of Si(NRCHCHNR), Si(NRCH<sub>2</sub>CH<sub>2</sub>NR) and SiH<sub>2</sub>(NRCHCHNR), 2405

SODIUM

SODIUM

The crystal structure of NaBa, an interpenetrating network of sodium tetrahedra and barium octahedra, 1159

The first structurally characterised sodium primary amide complex; synthesis and crystal structure of 2-PhOC<sub>6</sub>H<sub>4</sub>NHNa·NMe[(CH<sub>2</sub>)<sub>2</sub>, NMe<sub>2</sub>]<sub>2</sub>, 2901

Design and synthesis of ionophores with multiple receptor sites: solution nuclear magnetic resonance studies of their interaction with chloride, sodium and potassium ions, 3637

SODIUM-23

Monovalent metal-ion complexation by a bibracchial lariat ether in several solvents, 423
SOLVENT EFFECT

Monovalent metal-ion complexation by a bibracchial lariat ether in several solvents, 423

Co-ordination of solvent molecules to square-planar mixed-ligand nickel(II) complexes: a thermodynamic and quantum-mechanical

nickel(II) complexes: a thermoughantic and quantum incomments study, 1091

Synthesis and characterisation of cyanide-bridged heterobinuclear mixed-valence compounds based on cyclopentadienylorganophosphine-ruthenium(II) and -osmium(II) cyano and pentaammineruthenium(III) and -osmium(III) moieties, 1987
Solvation structures for bromide ion in various solvents by

extended X-ray absorption fine structure, 2321

Mean magnetic susceptibility and its solvent dependence for several substituted ferrocenes, ruthenocene and di(ηδ-benzene)chromium,

Thermodynamics of complexation of manganese(II) and zinc(II) ions with pyridine, 3-methyl- and 4-methyl-pyridine in cyanomethane, 3267

cyanomethane, 3267
Carbonylation of the alkyl compounds [U(η-C<sub>3</sub>H<sub>4</sub>R)<sub>3</sub>R'] and rearrangement of the acyl derivatives [U(η-C<sub>4</sub>H<sub>4</sub>R)<sub>3</sub>(η'-COR')] into C<sub>6</sub>H<sub>4</sub>RR'. Influence of R and R' (Me, Pr' or Bu') and role of the solvent (benzene or tetrahydrofuran), 3397
SOLVENT EXTRACTION
A chemical model of the solvent extraction system: water-uranyl nitrate-nitric acid-tri-n-butyl phosphate-diluent, 2209

STABILITY

Molybdenum(vi) complex formation. Part 7. Equilibria and thermo-dynamic quantities for the reactions with nitrilotriacetate,

Nucleophilic displacement of halides from dihalogenoplatinum(II) complexes containing a chelating thioether. Kinetics and equilibria, 169

equilibria, 169
Palladium(II) complexes of N-sulfonylamino acids. Part 2.
Co-ordination behaviour under strongly acidic conditions, 279
Palladium(II) complexes of N-sulfonylamino acids. Part 3. Ternary adducts with 2,2'-bipyridine, 285
Copper(II) and oxovanadium(IV) complexes of 2,3-dihydroxy-terephthalic and 2,3,4-trihydroxybenzoic acids, 347
Monovalent metal-ion complexation by a bibracchial lariat ether in several solvents. 423

several solvents, 423

several solvents, 423
Synthesis, protonation and co-ordination abilities of the openchain polyamine 4,8,11,15-tetraazaoctadecane-1,18-diamine, 637
Selection of metal ions by geometric isomers of a polyamine
macrocycle with pendant donors, 793
Complexes of aminophosphonates. Part 8. Copper(II) complexes of
N-(phosphonomethyl)amino acids and related compounds, 811

Aqueous molybdotungstates, 1061

STABILITY (contd)
Co-ordination of solvent molecules to square-planar mixed-ligand nickel(II) complexes: a thermodynamic and quantum-mechanical

Iron(III) complexes of lactobionic acid: equilibrium and structural studies in aqueous solution, 1189

Co-ordination properties of cyclopeptides. Formation and stability of zinc(II) and copper(II) complexes of histidine-containing cyclopeptides, or imidazole, 1227

themes and hemoproteins. Part 10. Co-ordination of imidazole and other azoles by the iron(III) porphyrin microperoxidase-8, 1367. The chemistry of vitamin B<sub>12</sub>. Part 29. Co-ordination of imidazoles

and 1,2,4-triazole by aquacyanocobinamide, 1373

The chemistry of vitamin B<sub>12</sub>. Part 30. Co-ordination of imidazoles and 1,2,4-triazole by aquacyanocobinamide, 1373

The chemistry of vitamin B<sub>12</sub>. Part 30. Co-ordination of amines, pyridines and diazines by aquacyanocobinamide; nitrogencontaining bases as probes for basicity and other effects in metal-ligand bonding, 1377

Studies on a dioxotetraamine macrocyclic ligand, its copper(II) and

nickel(II) complexes and solution equilibria, 1873
Binary and ternary copper(II) complexes of N<sup>\*</sup>- and N<sup>\*</sup>-methyl-L-histidine in aqueous solution, 2049

Design of ligands containing the o-hydroxybenzyl group. Metal-complexing properties of N,N"-bis(2-hydroxybenzyl)diethylene-triamine-N,N',N"-triacetic acid, 2679

Hydrolysis, polymerisation, and structure of dimethyltin(IV) in aqueous solution. Molecular structure of the polymer

aqueous soution. Molecular structure of the polymer
[(SnMe<sub>2</sub>)<sub>2</sub>(OH)<sub>3</sub>]ClO<sub>4</sub>, 2749
Potentiometric and spectroscopic studies on copper(II) and zinc(II)
complexes of peptides containing bis(imidazolyl) ligands, 2939
Mono- and bi-nuclear copper(II) complexes of azaparacyclophanes

Mono- and bi-nuclear copper(II) complexes of azaparacyclophan with a single aromatic spacer. Crystal structure of [Cu<sub>2</sub>L<sup>2</sup>Cl<sub>4</sub>]1.5H<sub>2</sub>O (L<sup>2</sup> = 2,5,8,11-tetraaza[12]paracyclophane), 2995
On the hydrolysis of niobium(v) and tantalum(v) in 3 mol dm<sup>-3</sup>
KCl at 25 °C. Part 1. Construction of a thermodynamic model for Nb<sup>4</sup>, 3055
Thermodynamics of complexation of manganese(II) and zinc(II) ions with pyridine, 3-methyl- and 4-methyl-pyridine in cyanomethane, 3267
Co-ordination tendencies of two novel compartmental oxa-aza.

Co-ordination tendencies of two novel compartmental oxa-aza macrobicycles. Crystal structure of a Cu<sup>II</sup>(H<sub>2</sub>O) inclusion complex, 3581
Anthracycline anticancer drugs as effective ligands for terbium(III) ions, 3689

STANNYL

Catalytic reaction of methanol with a series of ruthenium(II) complexes and the mechanism of the formation of acetic acid from methanol alone, 2265
STEREOCHEMISTRY

Efficient stereochemical regulation of octahedral cobalt(III) complexes by a chiral bidentate ligand. Part 2. Remarkable effect of the chelate-ring size in the stereoselective formation of sym-cis-(ethylenediamine-N,N'-diacetato)(pentane-2,4-diamine)cobalt(III), 1511

Stereochemistry in tris(bidentate ligand)ruthenium(II) complexes containing unsymmetrical polypyridyl ligands, 3659
STEREOSELECTIVITY

Stereoselective photocatalysis of helical ruthenium(II) complexes in the reduction of racemic tris(acetylacetonato)cobalt(III), 239 Diastereoselective nucleophilic additions to imines attached to

tricarbonyl(arene)chromium moieties, 289
Stereoselective photosensitized decomposition of tris(oxalato)cobaltate(III) and tris(acetylacetonato)cobalt(III) by

tris(2,2'-bipyridine)ruthenium(II), 583

Efficient stereochemical regulation of octahedral cobalt(III) complexes by a chiral bidentate ligand. Part 1. Effect of N-alkyl substitutions, 1073

Chiral induction in the reduction of [Co(glyO)(ox)<sub>2</sub>]<sup>2-</sup> by [Co(phen)<sub>3</sub>]<sup>2+</sup>(glyO = glycinate, ox = oxalate, phen = 1,10-phenanthroline), 1655

STIBINE

Crystal structures of [W(CO)<sub>3</sub>(PPh<sub>3</sub>)], [M(CO)<sub>5</sub>(AsPh<sub>3</sub>)] and [M(CO)<sub>5</sub>(SPPh<sub>3</sub>)] (M = Mo or W): a comparative study of structure and bonding in [M(CO)<sub>5</sub>(EPh<sub>3</sub>)] complexes (E = P, As or Sb; M = Cr, Mo or W), 2827
Reactions of dihalogenotriorgano-phosphorus, -arsenic and -antimony compounds with [Fe<sub>2</sub>(CO)<sub>9</sub>]. Single-crystal structures of the iron(iii) complexes [(Ph<sub>3</sub>PO)<sub>2</sub>H][FeBr<sub>4</sub>] and [Ph<sub>3</sub>Sb][Fel<sub>4</sub>]-Ph<sub>3</sub>Sbl<sub>2</sub> and of [Fe(CO)<sub>3</sub>(Ph<sub>3</sub>P)<sub>2</sub>], 3249
SUBSTITUTION
Ligand substitution reactions of aquacabalaming further window

Ligand substitution reactions of aquacobalamin: further evidence for a dissociative interchange mechanism, and factors controlling reaction rates, 297

To what extent can the Pt-C bond of a metallacycle labilize the trans position? A temperature- and pressure-dependent mechan-istic study, 1257

Preparation and properties of the heterometallic cuboidal complex [Mo<sub>3</sub>CrS<sub>4</sub>(H<sub>2</sub>O)<sub>12</sub>]<sup>4+</sup>; comparisons with [Mo<sub>4</sub>S<sub>4</sub>(H<sub>2</sub>O)<sub>12</sub>]<sup>4+</sup>, 1275 Kinetics and mechanism of complex-formation reactions of

ammonia and methylamine with copper(II) complexes in aqueous solution 1355

solution, 1355
Kinetics of substitution reactions of trans-[Mo(N<sub>2</sub>)<sub>2</sub>(PPh<sub>2</sub>Me)<sub>4</sub>] with tripodal phosphines, 1717
Reactivity of neutral nitrogen donors in planar d<sup>8</sup> metal complexes. Part 1. The system [1,2-bis(phenylsulfanyl)ethane]dichloroplatinum(I) with pyridines in methanol. Effect of basicity and steric hindrance, 1805
Preparation and properties of the heterometallic cuboidal complex [Mo<sub>2</sub>Cr<sub>3</sub>(H<sub>2</sub>O<sub>1</sub>)<sub>2</sub>]<sup>4+</sup>; comparisons with [Mo<sub>4</sub>S<sub>4</sub>(H<sub>2</sub>O)<sub>12</sub>]<sup>4+</sup> (1994, 1275), 2024
Mechanistic information on ligand-substitution reactions of eadolinium(III) in agueous solution from high-pressure storped-

gadolinium(III) in aqueous solution from high-pressure stopped-flow experiments, 2497
Reactivity of neutral nitrogen donors in planar d<sup>8</sup> metal complexes.
Part 2. The system [2,6-bis(methylsulfanylmethyl)pyridine]-chloroplatinum(II) with pyridines and amines in methanol. Effect of basicity, π-acceptor capacity and steric hindrance, 3539

SHEFANE

Synthesis and vibrational spectra of new bis(alkoxysulfane)-dichloropalladium(II) complexes and X-ray structural analysis of [PdCl<sub>2</sub>{S(OPr<sup>1</sup>)<sub>2</sub>}<sub>2</sub>], 2509
SULFATE

Electron-gain and -loss centres in oxyanions containing S-S bonds: an electron spin resonance study, 1271

Synthesis, crystal structure and magnetic properties of the alternating chain [VO(H<sub>2</sub>O)<sub>3</sub>][Cu<sub>2</sub>(bipym)<sub>2</sub>(H<sub>2</sub>O)(SO<sub>4</sub>)<sub>3</sub>]-7H<sub>2</sub>O (bipym = 2,2'-bipyrimidine), 1879

Structures, energies and vibrational spectra of four isomers of hydrogendioxothiosulfate(tv) anion (HS<sub>2</sub>O<sub>2</sub><sup>-</sup>) and of the related anion CISO<sub>2</sub><sup>-</sup>: an *ab-initio* molecular-orbital study, 2919 SULFIDE

anion CISO<sub>2</sub>: an ab-initio molecular-orbital study, 2919 IULFIDE

Disulfur-bridged complexes of molybdenum. Crystal structure of the dimolybdenum(IV) complex [4McCl<sub>3</sub>(C<sub>4</sub>H<sub>5</sub>S)<sub>2</sub>(µ-S<sub>2</sub>)(µ-S<sub>2</sub>)(µ-S<sub>2</sub>)MoCl<sub>3</sub>(SMe<sub>2</sub>)], 621

Crystal and molecular structure of [SnLCl<sub>3</sub>]. The single-crystal electron paramagnetic resonance spectra of [MoE(L)Cl<sub>2</sub>] and [MoO(L)(NCS)<sub>2</sub>] diluted in [SnLCl<sub>3</sub>] [E = O or S; L = tris(3,5-dimethylpyrazolyl)hydroborate], 1003

Rate law for the linearisation of the incomplete cuboidal Fe<sub>3</sub>S<sub>4</sub> + active site in aconitase at high pH, 1025

Preparation and properties of the heterometallic cuboidal complex [Mo<sub>3</sub>CrS<sub>4</sub>(H<sub>2</sub>O)<sub>12</sub>]<sup>4+</sup>; comparisons with [Mo<sub>4</sub>S<sub>4</sub>(H<sub>2</sub>O)<sub>12</sub>]<sup>4+</sup>, 1275

Acidification of [WS<sub>4</sub>]<sup>2-</sup>. Synthesis and structures of di-µ-sulfido-bis[(2,2'-bipyridine)chlorooxotungsten(V)] and di-µ-sulfido-bis[(2,2'-bipyridine)chlorooxotungsten(V)], 1311

Synthesis and crystal structure of tris(diethyldithiocarbamato-S,S')(disulfido-S,S')(disulfido-S,S')(aisul

[MoSA(H<sub>2</sub>O)<sub>12</sub>]\* comparisons with [MoSA(H<sub>2</sub>O)<sub>12</sub>]\* (1994, 1275), 2024

Bis(pentafluorophenyl)nickel(n) thio-molybdates and -tungstates. Crystal structure of [NBu<sub>4</sub>]<sub>2</sub>[Ni<sub>2</sub>(C<sub>6</sub>F<sub>3</sub>)<sub>4</sub>(μ-WS<sub>4</sub>)], 2271

Synthesis, photophysics and electrochemistry of a novel luminescent platinum(n) sulfido complex. Crystal structure of [Pt<sub>2</sub>(μ-S)-(μ-dpm)(dppm)<sub>2</sub>]<sup>2+</sup> (dppm = Ph<sub>2</sub>PCH<sub>2</sub>PPh<sub>2</sub>), 2587

Preparation and aqueous solution properties of the heterometallic cuboidal complex [W<sub>2</sub>CuS<sub>4</sub>(H<sub>2</sub>O)<sub>10</sub>]<sup>3+</sup>, 2809

Bismuth(iii) complexes with sulfur and selenium donor ligands: synthesis and crystal structures of BiCl<sub>3</sub>-Pr<sup>9</sup>,P(S)P(S)Pr<sup>9</sup><sub>2</sub> and [(Me<sub>2</sub>N<sub>3</sub>)PSeSeP(NMe<sub>2</sub>)<sub>3</sub>]<sup>2+</sup>[(BiCl<sub>4</sub>)<sub>2</sub>]<sub>3</sub>, 3025

X-Ray photoelectron spectroscopic characterization of [Pt(PPh<sub>3</sub>)<sub>2</sub>(μ<sub>2</sub>-S)<sub>2</sub>PtCl<sub>2</sub>], [Pt<sub>2</sub>(PPh<sub>3</sub>)<sub>3</sub>(μ<sub>3</sub>-S)<sub>2</sub>Cul<sub>2</sub>(μ-dppf)]-[PF<sub>6</sub>], [dppf = Fe(C<sub>3</sub>H<sub>4</sub>PPh<sub>2</sub>)<sub>2</sub>] and other heterometallic aggregates derived from [Pt(PPh<sub>3</sub>)<sub>2</sub>(μ-S))<sub>2</sub>], 3177

Synthesis, crystal structure and non-linear optical properties of [NEt<sub>4</sub>]<sub>4</sub>[Cu<sub>6</sub>Mo<sub>2</sub>S<sub>6</sub>O<sub>2</sub>Br<sub>2</sub>I<sub>4</sub>], 3211

SULFITE

Structures, energies and vibrational spectra of four isomers of

Structures, energies and vibrational spectra of four isomers of hydrogendioxothiosulfate(IV) anion (HS<sub>2</sub>O<sub>2</sub><sup>-1</sup>) and of the related anion ClSO<sub>2</sub><sup>-1</sup>: an *ab-initio* molecular-orbital study, 2919 Kinetic studies on the oxidation of sulfur(IV) by nickel(IV) oxime-imine complexes, 3733

Mechanistic information on ligand-substitution reactions of gadolinium(III) in aqueous solution from high-pressure stopped-flow experiments, 2497
Multinuclear magnetic resonance studies on aluminium chelates.
Part I. Chelates with catechol and disodium 4,5-dihydroxy-benzene-1,3-disulfonate, 3711

Solid-state structure of sulfur bis(trimethylsilylimide), S(NSiMe<sub>3</sub>)<sub>2</sub>, and multinuclear magnetic resonance studies of some sulfur bis(silylimides) in solution, 633

Electron-gain and -loss centres in oxyanions containing S-S bonds: an electron spin resonance study, 1271

High-temperature spectrophotometric and electron spin resonance

SULFUR (contd)

spectroscopic investigations of vanadium complexes in the molten salt-gas system V<sub>2</sub>O<sub>5</sub>-K<sub>2</sub>S<sub>2</sub>O<sub>7</sub>/SO<sub>2</sub>-SO<sub>3</sub>-N<sub>2</sub>, 2151 Influence of mixed sulfur-nitrogen oxides on the redox kinetics of manganese ions in aqueous solution, 2373 Structures, energies and vibrational spectra of four isomers of kinetics of the control 
hydrogendioxothiosulfate(IV) anion (HS<sub>2</sub>O<sub>2</sub><sup>-1</sup>) and of the related anion ClSO<sub>2</sub><sup>-1</sup>: an *ab-initio* molecular-orbital study, 2919 Rhodium(III) complexes with cyanide and sulfur-donor ligands: rhodium-103 nuclear magnetic resonance chemical shift

correlations, 3243

The synthesis and crystal structure of [K(18-crown-6)]<sup>+</sup>[NCS-SO<sub>2</sub>]<sup>-</sup> (18-crown-6 = 1,4,7,10,13,16-hexaoxacyclooctadecane), 753

Synthesis and characterisation of penta- and hexa-platinum cluster compounds, 1013

Compounds, 1013
Kinetics and mechanism for the redox reaction between hexaaquathallium(III) and sulfur dioxide in acidic aqueous solution, 1435
Charge-transfer interactions between sulfur dioxide and Group 8
half-sandwich complexes, 3515
SUPERCONDUCTOR

Syntheses and characterization of polynuclear metal complexes related to a chemical precursor system for the YBa<sub>2</sub>Cu<sub>3</sub>O<sub>7-x</sub> superconductor, 955
SUPEROXIDE

Synthesis, characterization and reactivity of Claus' blue, a superoxodirhodium(III,III) species long said to contain Rh<sup>VI</sup>, 2531

SUPPORTED MATERIAL

From synthesis to chemical reactivity of supported do complexes.

Part 1. An in situ infrared spectroscopic study of silica-anchored

zirconium hydrides, 1153

[Mo<sub>2</sub>(MeCN)<sub>a</sub>][BF<sub>4</sub>]<sub>4</sub> supported on silica an efficient heterogeneous catalyst for the ring-opening metathesis polymerization of norbornene, 1489

Molecular heterogeneous metathesis catalysts: an attempted synthesis of surface-anchored alkylidenetungsten complexes, 1723 From synthesis to chemical reactivity of supported d<sup>6</sup> complexes. Part 2. Reactivity of silica-anchored alkylzirconium complexes.

An attempt toward functionalization of alkanes, 2411
Ultrafine palladium particles supported on chelate resin-metal
complexes: promotion effect of lanthanide ions on catalytic
activity, 2967
TANTALUM

On the hydrolysis of niobium(v) and tantalum(v) in 3 mol dm<sup>-3</sup> KCl at 25 °C. Part 1. Construction of a thermodynamic model for Nb<sup>V</sup>, 3055

TARTARIC ACID

Potentiometric study of the protonation equilibria of tartaric acid in aqueous sodium perchlorate solutions at 25 °C. Construction of a thermodynamic model, 2729

Technetium diazenido complexes. Part 2. Substitution chemistry of [TcCl(NNC<sub>6</sub>H<sub>4</sub>Cl-4)<sub>2</sub>(PPh<sub>3</sub>)<sub>2</sub>] and the synthesis of technetium diazenido-complexes directly from [NH<sub>4</sub>][TcO<sub>4</sub>], 1251

TELLURIDE

Carbon-tellurium bond cleavage in tellurolatochromium complexes. Synthesis and single-crystal structures of [Cr<sub>4</sub>(cp<sub>4</sub>Te<sub>n</sub>O<sub>4-n</sub>] (cp = η<sup>5</sup>-C<sub>3</sub>H<sub>5</sub>, n = 1-3), 2697

TELLURIUM

A theoretical investigation of the bonding of early transition metals

Synthesis and characterization of neutral technetium(III) complexes with mixed S,P-bidentate phosphine-thiolate ligands. Crystal structure of [Tc(SCH,CH,PPh<sub>2</sub>)<sub>2</sub>(SCH<sub>2</sub>CH,PPh<sub>2</sub>O)], 1453 Extended X-ray absorption fine structure studies of transition-metal periodate and tellurate complexes. Crystal structure of Rb<sub>2</sub>Na<sub>4</sub>[OsO<sub>2</sub>(H<sub>2</sub>TeO<sub>6</sub>)<sub>2</sub>]-16H<sub>2</sub>O<sub>2</sub>983

Influence of secondary bonding on the intradimer distance of trichloro(ethane-1,2-diolato-*O,O'*)tellurate(iv), 3279 **TELLURIUM-125** 

Platinum and rhodium complexes of dialkenyl telluroether ligands: synthesis, dynamic nuclear magnetic resonance and crystal structure of cis-dibromo(3,3,7,7-tetramethyl-5-tellura-3,7-

disilanona-1,8-diene)platinum(ii), 2645
Synthesis and solution multinuclear magnetic resonance studies of homoleptic copper(i) complexes of sulfur, selenium and tellurium donor ligands, 3225
TELLUROETHER

Platinum and rhodium complexes of dialkenyl telluroether ligands: synthesis, dynamic nuclear magnetic resonance and crystal structure of cis-dibromo(3,3,7,7-tetramethyl-5-tellura-3,7-disilanona-1,8-diene)platinum(II), 2645

Synthesis and solution multinuclear magnetic resonance studies of homoleptic copper(i) complexes of sulfur, selenium and tellurium donor ligands, 3225

TELLUROLATE

Carbon-tellurium bond cleavage in tellurolatochromium

complexes. Synthesis and single-crystal structures of  $[Cr_4(cp)_A Te_n O_{4-n}]$  (cp =  $\eta^5 \cdot C_3 H_5$ , n = 1-3), 2697 **TEMPLATE** 

Template synthesis, structure and properties of a bis(macrocyclic) dinickel(II) complex based on a 14-membered hexaaza unit, 1913

Anthracycline anticancer drugs as effective ligands for terbium(III) ions, 3689
TEREPHTHALATE

Significant antiferromagnetic coupling in a terephthalate (ta)-

TERPHTHALATE

Significant antiferromagnetic coupling in a terephthalate (ta)bridged manganese(n) compound: preparation, crystal structure
and magnetic properties of the chain [Mn<sub>2</sub>(bipy)<sub>4</sub>(ta)][ClO<sub>4</sub>]<sub>2</sub>
(bipy = 2,2'-bipyridine), 3465

TERPYRIDINE

2,2':6',2'-Terpyridine (terpy) acting as a fluxional bidentate ligand.
Part 3. Ruthenium carbonyl halide complexes,
[RuX<sub>2</sub>(CO)(terpy)] (X = Cl, Br or I) and metal tetracarbonyl
complexes [M(CO)<sub>4</sub>(terpy)] (M = Cr, Mo or W): nuclear
magnetic resonance studies of their solution dynamics and
synthesis of trans-[RuX<sub>2</sub>(CO)(terpy)] (X = Cl, Br or I), 111

Synthesis and structural characterisation of five-co-ordinate
copper(1) and silver(1) 2,2':6',2--terpyridine complexes, 215

Complexes containing ferrocenyl groups as redox spectators;
synthesis, molecular structure and co-ordination behaviour of
4'-ferrocenyl-2,2':6',2'-terpyridine, 645

Pendant-functionalised ligands for metallosupramolecular
assemblies; ruthenium(II) and osmium(II) complexes of 4'-(4pyridyl)-2,2':6',2''-terpyridine, 1409

Crystal structure, spectroscopic and magnetic properties of two
unusual compounds: [Cu(terpy)(N<sub>1</sub>)Cl] and [(Cu<sub>0.7</sub>x)N<sub>0.25</sub>(terpy)(N<sub>2</sub>)<sub>2</sub>]-2H<sub>2</sub>O (terpy = 2,2':6',2''-terpyridine), 2573

2,2':6',2''-Terpyridine (terpy) acting as a fluxional bidentate ligand.
Part 4. cis-[M(C<sub>6</sub>F<sub>1</sub>)<sub>2</sub>(terpy)] (M = Pd or Pt): nuclear magnetic
resonance studies of their solution dynamics and crystal
structure of cis-[Pd(C<sub>6</sub>F<sub>3</sub>)<sub>2</sub>(terpy)], 3441

TETRAZOLE

C. N. and C. N. Organostannyl tetrazoles: synthesis characteris-

TETRAZOLE

C-, N- and C,N-Organostannyl tetrazoles: synthesis, characterisation and reactivity, 2135

Effect of metal dilution on the thermal and light-induced spin

transition in  $[Fe_xZn_{1-x}(mtz)_6][ClO_4]_2$  (mtz = 1-methyl-1*H*-tetrazole), 2285

THALLIUM

Kinetics and mechanism for the redox reaction between hexaaqua-thallium(III) and sulfur dioxide in acidic aqueous solution, 1435

THERMOCHEMISTRY

Chemical hardness of metal ions in the gas phase: a thermochemical approach, 2177
Chemical hardness of metal ions in the gas phase: a thermochemical approach (1994, 2177), 3201
THERMOCHROMISM

Spin-state equilibria in non-aqueous solution and quantum-mechanical investigations of iron(II) and nickel(II) complexes with 4-substituted 2,6-bis(benzimidazol-2-yl)pyridines, 1523 THERMODYNAMICS

Molybdenum(v1) complex formation. Part 7. Equilibria and

thermodynamic quantities for the reactions with nitrilotriacetate,

45
Synthesis, protonation and co-ordination abilities of the openchain polyamine 4,8,11,15-tetraazaoctadecane-1,18-diamine, 637
Co-ordination properties of cyclopeptides. Formation and stability of zinc(ii) and copper(ii) complexes of histidine-containing cyclopeptides, or imidazole, 1227
Uranium-ligand bond-dissociation enthalpies of uranium(iv) poly(pyrazoly)lborate complexes, 2687
Potentiometric study of the protonation equilibria of tartaric acid in aqueous sodium perchlorate solutions at 25 °C. Construction of a thermodynamic model, 2729
On the hydrolysis of noibium(iv) and tantalum(v) in 3 mol dm<sup>-3</sup>

On the hydrolysis of niobium(v) and tantalum(v) in 3 mol dm<sup>-3</sup> KCl at 25 °C. Part 1. Construction of a thermodynamic model for Nb<sup>V</sup>, 3055

for Nb\*, 3055

Thermodynamics of complexation of manganese(II) and zinc(II) ions with pyridine, 3-methyl- and 4-methyl-pyridine in cyanomethane, 3267

Rhenium(I) tricarbonyl halide complexes of pyrazolylbipyridine ligands. Part I. Nuclear magnetic resonance studies of solution fluxionality, 3545

THIABORANE

Polythed by the thickness of persistent. To a vertex is it and

Polyhedral carbathiaborane chemistry. Ten-vertex *nido* and arachno, eleven-vertex *nido*, and eight-vertex *hypho* families of carbathiaboranes, 1317

Formation and characterization of neutral and cationic amino-(thio)carbene complexes of gold(I) from thiazolyl precursors,

THIN FILM

Spectral sensitization of large-band-gap semiconductors (thin films and ceramics) by a carboxylated bis(1,10-phenanthroline)-copper(1) complex, 1649

THIOCARBOXYLATE

Chemistry of molybdenum. Part 9. Non-oxomolybdenum(IV) and mononuclear oxomolybdenum(V) complexes with dithioacid

Crystal structure and oxo-transfer properties of [NH<sub>4</sub>]<sub>2</sub>-[W<sup>VI</sup>O<sub>2</sub>{O<sub>2</sub>CC(S)Ph<sub>2</sub>}<sub>2</sub>], 3511 THIOCYANATE

Crystal structure and magnetic behaviour of a new kind of one-dimensional nickel(II) thiocyanate compound [{NiL(SCN)-(µ-SCN)}\_][L = bis(3-aminopropyl)methylamine], 259 The synthesis and crystal structure of [K(18-crown-6)]<sup>+</sup>-[NCS-SO<sub>2</sub>]<sup>-</sup> (18-crown-6 = 1,4,7,10,13,16-hexaoxa-cyclooctadecane), 753

Dinuclear manganese(ii) complexes of unsymmetric phenol-based dinucleating ligands with amino and imino chelating arms: synthesis, structure and catalase-like activity, 1097

2,2'-Bipyrimidine (bipym)-bridged dinuclear complexes. Part 4. Synthesis, crystal structure and magnetic properties of [Co<sub>2</sub>(H<sub>2</sub>O)<sub>8</sub>(bipym)][NO<sub>3</sub>]<sub>4</sub>, [Co<sub>2</sub>(H<sub>2</sub>O)<sub>8</sub>(bipym)][SO<sub>4</sub>]<sub>2</sub>·2H<sub>2</sub>O and [Co<sub>2</sub>(bipym)<sub>3</sub>(NCS)<sub>4</sub>], 1175
Synthetic and structural studies on bismuth(III) thiocyanate and selenocyanate complexes, 1327
Crystal structures and magnetic behaviour of the two forms of

tetra-n-butylammonium tetraisothiocyanatochromate(II), 1425 Isomerism in bis(diethylenetriamine)nickel(II) thiocyanate: synthesis, solid-state interconversion and X-ray crystallographic

study of sym-fac and mer isomers, 2367

Transition-metal Schiff-base complexes as ligands in tin chemistry.

Part 5. Structural studies of intimate ion-paired heterobimetallic complexes of tin(IV) and nickel, copper or zinc with 3-methoxysalicylaldimine ligands, 2473

THIOETHER

Nucleophilic displacement of halides from dihalogenoplatinum(II) complexes containing a chelating thioether. Kinetics and

Unusual properties of metal complexes involving acyclic polydentate thioether ligands. Copper, nickel and palladium complexes of 3,6,9,12,15-pentathiaheptadecane, 185

complexes of 3,6,9,12,15-pentathiaheptadecane, 185
Crown thioether chemistry of tin(tv): formation and crystal and molecular structures of 35nCt<sub>4</sub>-2[9]aneS<sub>3</sub> and 2SnCl<sub>4</sub>-[18]aneS<sub>6</sub>-MeCN ([9]aneS<sub>3</sub> = 1,4,7-trithiacyclononane; [18]aneS<sub>6</sub> = 1,4,7,10,13,16-hexathiacyclooctadecane), 255
Platinum thioether macrocyclic chemistry: synthesis and electrochemistry of [PtL][PF<sub>6</sub>]<sub>2</sub> (L = [12]-, [14]- or [16]-aneS<sub>4</sub>) and [Pt<sub>2</sub>([28]aneS<sub>6</sub>)][PF<sub>6</sub>]<sub>3</sub>-MeCN, 627
Six- and seven-co-ordinate complexes of molybdenum(tt) and tungsten(tt) with thioether ligands. Crystal structures of [WI<sub>2</sub>(CO)<sub>3</sub>-{4-MeC<sub>6</sub>H<sub>2</sub>S(CH<sub>2</sub>)<sub>2</sub>SC<sub>6</sub>H<sub>2</sub>Me-4}] and [WI<sub>2</sub>(CO)<sub>2</sub>-{MeS(CH<sub>2</sub>)<sub>2</sub>S(CH<sub>2</sub>)<sub>2</sub>SC<sub>6</sub>H<sub>3</sub>Me-4}] and [WI<sub>2</sub>(CO)<sub>2</sub>-{MeS(CH<sub>2</sub>)<sub>2</sub>S(CH<sub>2</sub>)<sub>2</sub>SC<sub>6</sub>H<sub>3</sub>Me-5,S<sup>7</sup>,S<sup>7</sup>], 1401
Nickel thioether chemistry: syntheses and crystal structures of [Ni<sub>2</sub>L<sub>2</sub>(µ-Cl)<sub>2</sub>][BF<sub>4</sub>]<sub>2</sub> (L = 1,4,7,10-tertathiacyclododecane, 1,4,8,11-tertathiacyclotetradecane or 1,5,9,13-tetrathiacyclohexadecane), 1463
Influence of chelate-ring size and number of sulfur-donor atoms on

Influence of chelate-ring size and number of sulfur-donor atoms on the spectra and redox behaviour of copper(II) bis(benzimidazolyl) tetra- and penta-thioether complexes, 2277

Reactions of the cyclic platinum(II) thiolate complex

[Pt{SCH2C(O)CH2}(PPh3)2] with electrophiles, and the single-

crystal structure of [{Pt[SCH<sub>2</sub>C(O)CH<sub>2</sub>](PPh<sub>3</sub>)<sub>2</sub>·HgBr<sub>2</sub>}<sub>2</sub>], 2489 Synthetic, dynamic nuclear magnetic resonance and crystallographic studies of platinum complexes containing silyl-substituted dialkenyl-thioether and -selenoether ligands, 2637

Synthesis and solution multinuclear magnetic resonance studies of homoleptic copper(i) complexes of sulfur, selenium and tellurium donor ligands, 3225

Platinum(II) and palladium(II) complexes with 2-amino-4-methyl-sulfanylbutanol and 2-(ethylsulfanyl)ethylamine, 3231 THIOFORMAMIDE

Preparation of dithioformato, thioformamido and formamido

derivatives of iron(II), 1769 THIOGLYCOLATE

Structure and electrochemical properties of the new triply bridged molybdenum(V) complex [NBu<sup>n</sup><sub>4</sub>]<sub>2</sub>[Mo<sub>2</sub>O<sub>2</sub>(μ-O)(SCH<sub>2</sub>CO<sub>2</sub>)<sub>2</sub>- (μ-SCH<sub>2</sub>CO<sub>2</sub>)], 175
THIOGLYCOLIC ACID

Oxidation of thioglycolic acid and glutathione by (transcyclohexane-1,2-diamine-N,N,N',N'-tetraacetato)manganate(III) in aqueous media, 841

Intercalation of the oxo-transfer molybdenum(vi) complex [MoO<sub>2</sub>{O<sub>2</sub>CC(S)Ph<sub>2</sub>}<sub>2</sub>]<sup>2-</sup> into a zinc(II)-aluminium(III) layered double hydroxide host. Catalysis of the air oxidation of thiols,

THIOLATE

Di- and tri-nuclear nickel(II) complexes with bridging thiolato groups. Crystal structure of [NBu<sub>4</sub>]<sub>2</sub>[Ni<sub>3</sub>(C<sub>6</sub>F<sub>3</sub>)<sub>4</sub>(μ-SEt)<sub>4</sub>], 19

Tri- and tetra-nuclear palladium(II) and/or platinum(II) compounds

Tri- and tetra-nuclear palladium(II) and/or platinum(II) compounds with double thiolato bridges. Crystal structure of  $[P(CH_2Ph)Ph_3]_2[C_6F_3)_2Pd(\mu-SC_6F_3)_2Pt(\mu-SC_6F_3)_2Pt(\mu-SC_6F_3)_2Pt(\mu-SC_6F_3)_2Pt(\mu-SC_6F_3)_2Pt(\mu-SC_6F_3)_2Pt(\mu-SC_6F_3)_2Pt(\mu-SC_6F_3)_2Pt(\mu-SC_6F_3)_2Pt(\mu-SC_6F_3)_2Pt(\mu-SC_6F_3)_2Pt(\mu-SC_6F_3)_2Pt(\mu-SPr)_2[1]_3$  for a structure of  $[\{U(\eta-C_3H_3)(\mu-SPr)_2\}_2]_3$ , 501 Aggregation of fac- $[Ir(aet)_3]$  (aet = 2-aminoethanethiolate) around the  $[Co^{11}_4O]^{10}$  core. Structures and some properties of spontaneously resolved 5-bridged octanuclear complexes  $[\{Ir(aet)_3\}_4M_4O]Br_6$  ( $M_4 = CO^{11}_4$ ,  $Zn^{11}_4$  or  $Zn^{11}_2$ ,  $Zn^{11}_3$ , 533 New diiridium(i) and diiridium(i), iII) complexes containing thiolate ligands. Crystal structures of  $[(cod)C(SC_6F_3)Ir(\mu-SC_6F_3)]_2$  (cod =  $(cod)C(SC_6F_3)Ir(\mu-SC_6F_3)_2$ ) and  $[\{Ir(\mu-SC_6F_3)(CO)_2\}_2]$  (cod =  $(cod)C(SC_6F_3)Ir(\mu-SC_6F_3)_2$  dithiolato complexes of antimony-(III) and -(V), 1213

Synthesis, properties and crystal structures of benzene-1,2-dithiolato complexes of antimony-(III) and -(v), 1213
Synthesis and characterization of neutral technetium(III) complexes with mixed S,P-bidentate phosphine-thiolate ligands. Crystal structure of [Tc(SCH,CH,PPh)-),(SCH,CH,PPh)-0)], 1453
Thiolate complexes of osmium(v): preparation of [Os(SR)<sub>4</sub>(PR'<sub>3</sub>)]
(R = C<sub>6</sub>F<sub>5</sub>, C<sub>6</sub>F<sub>4</sub>H-4, C<sub>6</sub>H<sub>4</sub>F-4 or Ph, R' = Ph; R = C<sub>6</sub>F<sub>5</sub> or C<sub>6</sub>F<sub>4</sub>H-4, R'<sub>3</sub> = Me<sub>2</sub>Ph) and [OsCl(SC<sub>6</sub>F<sub>3</sub>)<sub>2</sub>(SC<sub>6</sub>H<sub>4</sub>X-3)-(PMe<sub>2</sub>Ph)] (X = F or CF<sub>3</sub>): crystal structures of [Os(SC<sub>6</sub>F<sub>4</sub>H-4)<sub>4</sub>-(PPh<sub>3</sub>)] and [OsCl(SC<sub>6</sub>F<sub>3</sub>)<sub>2</sub>(SC<sub>6</sub>H<sub>4</sub>CF<sub>3</sub>-3)(PMe<sub>2</sub>Ph)], 1819
Organometallic thiol and thiolato complexes of ruthenium(iv), 1949

1949
Evidence for π bonding in the boron-thiolate compounds (2,4,6-Mc<sub>3</sub>C<sub>6</sub>H<sub>2</sub>)<sub>2</sub>B(SPh) and (2,4,6-Pr<sub>3</sub>C<sub>6</sub>H<sub>2</sub>)B(SPh)<sub>2</sub>, 2113
Benzenehexathiol as a template rim for a golden wheel: synthesis and structure of [{CSAu(PPh<sub>3</sub>)}<sub>6</sub>], 2333
Synthesis and structural study of [{Pd(CH<sub>2</sub>C<sub>3</sub>H<sub>6</sub>N)}<sub>2</sub>- (μ-O<sub>2</sub>CR)(μ-X)] complexes (R = Me or CF<sub>3</sub>; X = hydroxide, amide or thiolate), 2353
Reversible so, ordination of alkali metals to sulfur heard.

Reversible co-ordination of alkali metals to sulfur-based organometallic ligands  $[M(SC_6F_5)_4(cp)]^-$  (M = Mo or W,  $cp = \eta^5 \cdot C_5H_5$ ), 2423

cp = 1/2C<sub>3</sub>13, 2425 Synthesis and characterization of five-co-ordinate rhenium(III) complexes with 2-(diphenylphosphino)ethanethiolate and monothiolate ligands. Crystal structure of [Re(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>3</sub>S)<sub>2</sub>(PhCH<sub>3</sub>S)], 2437 Reactions of the cyclic platinum(II) thiolate complex

[Pt{SCH2C(O)CH2}(PPh3)2] with electrophiles, and the singlecrystal structure of [{Pt[SCH2C(O)CH2](PPh3)2.HgBr2}2],

Synthesis, photophysical properties and crystal structure of tetra-n-butylammonium bis(maleonitriledithiolato)nitridoosmate(v1), 2519

Iridium-platinum perfluorobenzenethiolato trinuclear complexes: crystal structures of [Ir,Pt( $C_5Me_5$ )( $\mu$ -SR $_F$ )<sub>4</sub>Cl $_2$ ] (R $_F$  =  $C_6F_5$  or  $C_6F_4H$ -p), syntheses and solution behaviour, 2861

Dithiolenes revisited: an electron spin resonance study of some five-co-ordinate cobalt complexes and the crystal structures of [Co{S<sub>2</sub>C<sub>2</sub>(CF<sub>3</sub>)<sub>2</sub>}<sub>2</sub>{P(OPh)<sub>3</sub>}] and [Co{S<sub>2</sub>C<sub>2</sub>(CF<sub>3</sub>)<sub>2</sub>}<sub>2</sub>(PPh<sub>3</sub>)], 2903

Complexes with S-donor ligands. Part 2. Synthesis of anionic bis-

(thiolato)gold(i) complexes. Crystal structure of [N(PPh<sub>2</sub>)<sub>2</sub>][Au(SR)<sub>2</sub>] (R = benzoxazol-2-yl), 3183 Influence of secondary bonding on the intradimer distance of trichloro(ethane-1,2-diolato-0,0')tellurate(iv), 3279 Syntheses and crystal structures of nickel(ii) complexes with thiolate averaged heavily in Figure 12 (2456)

Syntheses and crystal structures of inckefin) complexes with thiolate or/and phosphine ligands, 3459

Synthesis and crystal structure of homoleptic uranium hexathiolates: [NEt<sub>2</sub>H<sub>2</sub>]<sub>2</sub>[U(SPh)<sub>6</sub>] and [(Ph<sub>3</sub>P)Cu(µ-SPh)<sub>3</sub>U(µ-SPh)<sub>3</sub>-Cu(PPh<sub>3</sub>)], 3563

Phosphorus-sulfur bond cleavage at a mixed-metal centre; reaction of [(OC)<sub>3</sub>Co(μ-PhCCH)Mo(CO)<sub>2</sub>(η<sup>5</sup>-C<sub>3</sub>H<sub>5</sub>)] with PPh<sub>2</sub>(SPh), 3607

THIOLE

THIOLE
Synthesis, crystal structure and electrical properties of two new palladium complexes of selenium and sulfur ligands:
[NMe<sub>4</sub>][Pd(C<sub>5</sub>S<sub>3</sub>Se<sub>2</sub>)<sub>2</sub>]<sub>2</sub> and [PMe<sub>4</sub>][Pd(C<sub>3</sub>S<sub>3</sub>)<sub>2</sub>]<sub>2</sub>, 249
New co-ordination mode of 4,5-dimercapto-1,3-dithiole-2-thionate(2—) in polynuclear gold(1) complexes. Crystal structures of [Au<sub>3</sub>(μ<sub>3</sub>-C<sub>3</sub>S<sub>3</sub>)(PPh<sub>3</sub>)<sub>3</sub>[ClO<sub>4</sub> and [Au<sub>4</sub>(μ-C<sub>3</sub>S<sub>3</sub>)<sub>2</sub>(μ-Ph<sub>2</sub>PCH<sub>2</sub>-PPh<sub>3</sub>)<sub>2</sub>], 1325
THIONATE
Synthesis, crystal structure and electrical properties of two new

HIONATE
Synthesis, crystal structure and electrical properties of two new palladium complexes of selenium and sulfur ligands:
[NMe4][Pd(C<sub>3</sub>S<sub>3</sub>Se<sub>2</sub>)<sub>2</sub>]<sub>2</sub> and [PMe4][Pd(C<sub>3</sub>S<sub>3</sub>)<sub>2</sub>]<sub>2</sub>, 249
4,6-Dimethylpyrimidine-2-thionato (dmpymt) complexes of nickel(n) and cadmium(n). Crystal structure of [Cd(dmpymt)<sub>2</sub>]: a compound with a calixarene-like structure, 1115
New co-ordination mode of 4,5-dimercapto-1,3-dithiole-2-thionate(2-) in polynyclear gold(1) complexes. Crystal structure

thionate(2 – ) in polynuclear gold(i) complexes. Crystal structures of [Au<sub>3</sub>(μ<sub>2</sub>-C<sub>3</sub>S<sub>3</sub>)(PPh<sub>3</sub>)<sub>2</sub>]ClO<sub>4</sub> and [Au<sub>4</sub>(μ-C<sub>3</sub>S<sub>3</sub>)<sub>2</sub>(μ-Ph<sub>2</sub>PCH<sub>2</sub>-PPh<sub>2</sub>)<sub>2</sub>], 1325

THOSEMICARBAZONATE

Synthesis, structure, spectroscopic and magnetic properties of two

THIOSEMICARBAZONATE (contd)

copper(II) dimers containing pyridine-2-carbaldehyde thiosemicarbazonate (L), [{CuL(X)}<sub>2</sub>] (X = Cl or Br), 2233 Ligand control on the synthesis and redox potency of mononuclear manganese-(III) and -(IV) complexes with tridentate ONS co-ordination, 2799

Synthesis and photochemical reactivity of phenylthioureato-triosmium cluster complexes: crystal structures of [O<sub>3</sub>H(CO)<sub>10</sub>-{μ-SC(NPh)(NHPh)}] and [O<sub>3</sub>H(CO)<sub>5</sub> {μ<sub>3</sub>-SC(NPh)(N-Ph)}], 1 Synthesis and crystal structure of *trans*-bis(N,N-dibutyl-N'-

naphthoylthioureato)platinum(II). First example of trans chelation of N,N-dialkyl-N'-acylthiourea ligands, 785

Crown thioether chemistry of tin(IV): formation and crystal and molecular structures of 3\$nCl<sub>4</sub>·2[9]aneS<sub>3</sub> and 2\$nCl<sub>4</sub>·[18]aneS<sub>6</sub>·MeCN ([9]aneS<sub>3</sub> = 1,4,7-trithiacyclononane; [18]aneS<sub>6</sub> = 1,4,7,10,13,16-hexathiacyclooctadecane), 255 Crystal and molecular structure of [SnLCl<sub>3</sub>]. The single-crystal electron paramagnetic resonance spectra of [MoE(L)Cl<sub>2</sub>] and [MoO(L)(NCS)<sub>2</sub>] diluted in [SnLCl<sub>3</sub>] [E = O or S; L = tris(3,5-dimethylpyrazolylhydroborate], 1003

Mössbauer spectroscopic investigations of metal incorporation within Nasicon-related NbTiP<sub>3</sub>O<sub>12</sub>, 1703

C-, N- and C,N-Organostannyl tetrazoles: synthesis, characterisation and reactivity, 2135

Hydrolysis of tin(II) fluoride and crystal structure of \$n<sub>4</sub>OF<sub>6</sub>, 2581

Hydrolysis, polymerisation, and structure of dimethyltin(IV) in aqueous solution. Molecular structure of the polymer [(SnMe<sub>2</sub>)<sub>2</sub>(OH)<sub>3</sub>]ClO<sub>4</sub>, 2749

TIRON

Multinuclear magnetic resonance studies on aluminium chelates.

Part 1. Chelates with catechol and disodium 4,5-dihydroxybenzene-1,3-disulfonate, 371

TITANIUM

Reactions of titanium tetrachloride with carboxylic acids. Crystal and molecular structure of the dinuclear titanium oxo compound [{TiCl<sub>2</sub>(O<sub>2</sub>CBu<sup>1</sup>)(Bu<sup>1</sup>CO<sub>2</sub>H)}<sub>2</sub>O], 195

[3] ItC.3(O.2.Bu'(Bu'C.), IT); O.3. [3]. Cationic titanium(iv) complexes via halide abstraction from [Ti(C,H<sub>3</sub>)(Cl<sub>3</sub>]; crystal and molecular structure of [Ti(C,H<sub>3</sub>)(MeCN), 3][SbCl<sub>3</sub>]·2MeCN, 305. New ansa-metallocenes of the Group 4 transition metals as homogeneous catalysts for the polymerization of propene and

Transition metal-carbohydrate chemistry. Part 2. Homoleptic diacetoneglucose complexes of aluminium and Group 4 metals,

Mössbauer spectroscopic investigations of metal incorporation within Nasicon-related NbTiP<sub>2</sub>O<sub>12</sub>. 1703
Controlled hydrolysis reactions of solvated [TiCl<sub>n</sub>]<sup>(4-π)+</sup> species. Crystal and molecular structures of [Mg(MeCN)<sub>6</sub>][{TiCl<sub>4</sub>-(MeCN)<sub>2</sub>(μ-O)]- 4MeCN and [{TiCl<sub>2</sub>(MeCN)<sub>2</sub>(μ-O)}<sub>4</sub>]-2MeCN, 1700

Functionalizable 5,5,10,10,15,15,20,20-octaethylporphyrinogen complexes of early transition metals: synthesis and crystal structure of titanium-, vanadium- and chromium-(III) derivatives and a two-electron oxidation of the porphyrinogen skeleton, 2015

Synthesis and structure of Cs<sub>3</sub>Ti<sub>3</sub>As<sub>5</sub>O<sub>20</sub>, 2289 Molecular and electronic structures of bis[1,4-bis(trimethylsilyl)-cyclooctatetraene] sandwich complexes of titanium and zirconium, 2867

Titanium oxo carboxylate compounds. Crystal and molecular structures of [{TiCl<sub>2</sub>(O<sub>2</sub>CEt)(EtCO<sub>2</sub>H)}<sub>2</sub>O] and [Ti<sub>2</sub>Cl<sub>2</sub>O<sub>2</sub>(O<sub>2</sub>CEt)<sub>3</sub>] and an unusual quantitative conversion of a Ti<sub>2</sub>O to a Ti<sub>3</sub>O<sub>2</sub> oxo derivative, 3533

TRANSITION METAL

Synthesis, protonation and co-ordination abilities of the open-Synthesis, protonation and co-ordination abilities of the open-chain polyamine 4,8,11,15-tetraazaoctadecane-1,18-diamine, 637 Synthesis, X-ray characterisation and spectroscopic studies of metal complexes of N,N'-1,2-xylene- $\alpha,\alpha'$ -diylbis(pyridin-2-one), 859

Octakis(alkylthio)-substituted phthalocyanines and their interactions with silver(1) and palladium(11) ions, 1419

Synthesis, structure and electrochemistry of Ph<sub>2</sub>PCH<sub>2</sub>PPh<sub>2</sub>-bridged heterometallic complexes containing a (η-C<sub>3</sub>H<sub>4</sub>Me)Mn(CO)<sub>2</sub> fragment, 1533

Synthesis and crystal structures of complexes of Mn<sup>II</sup>, Cu<sup>II</sup> and Zn<sup>II</sup> with the new bis(tridentate) chelate 2,3,5,6-tetrakis(amino-

methyl)pyrazine, 1549
Metallosupramolecular complexes containing ferrocenyl groups as redox spectators; synthesis and co-ordination behaviour of the helicand 4',4"-bis(ferrocenyl)-2,2':6',2":6",2":6",2":6",2"-quinquepyridine, 1585
Structural and bonding patterns in tetrahedral and pseudo-

tetrahedral transition-metal complexes containing π-donor ligands, 1607

Studies on a dioxotetraamine macrocyclic ligand, its copper(11) and

nickel(II) complexes and solution equilibria, 1873 Binding of divalent metal ions to synthetic double-stranded polyribonucleotides, 1929

Chemical hardness of metal ions in the gas phase: a thermochemical approach, 2177

approach, 2177

Extended X-ray absorption fine structure studies of transitionmetal periodate and tellurate complexes. Crystal structure of
Rb2Na4[OsO2(H,TeO3)-16H2O, 2983

Structural characterization of pyridazine (pydz) adducts of MX2

(M = Mn, Fe, Co, Ni, Cu or Zn; X = Cl or Br). Ab-initio X-ray
powder diffraction determination of polymeric [NiX2(pydz)] complexes, 3009

Carbon-functionalized 1,4,7-trithiacyclononanes: synthesis, molecular mechanics and co-ordination chemistry, 3165
Chemical hardness of metal ions in the gas phase: a thermochemical approach (1994, 2177), 3201

Interaction of transition- and post-transition-metal ions with O<sub>2</sub>N<sub>2</sub>-donor macrocycles incorporating pendant pyridylmethyl groups,

Complexes of functionalised phosphine ligands. Part 1. Complexes of Fe<sup>III</sup>, Co<sup>III</sup>, Ni<sup>II</sup> and Re<sup>V</sup> with tridentate Schiff bases having PNO, NNO and NNS donor sets. Crystal structures of 2-(Ph,PC,H<sub>4</sub>N=CH)C<sub>6</sub>H<sub>4</sub>OH and [Co{2-(Ph<sub>2</sub>PC<sub>6</sub>H<sub>4</sub>CH=N)-C<sub>6</sub>H<sub>4</sub>O}<sub>2</sub>][PF<sub>6</sub>], 3553

Co-ordination tendencies of two novel compartmental oxa-aza macrobicycles. Crystal structure of a Cu<sup>II</sup>(H<sub>2</sub>O) inclusion complex, 3581

Terdentate (P-N-O) complexes formed from Z,E-PPh<sub>2</sub>CH<sub>2</sub>C-(Bu)=N-N=CH(C<sub>6</sub>H<sub>4</sub>OH-2) or Z,E-PPh<sub>2</sub>CH<sub>2</sub>C(Bu)=N-N=CH-[C<sub>6</sub>H<sub>3</sub>(OH-2)(OMe)<sub>2</sub>-4,6] and nickel, palladium, platinum, rhodium or iridium, 3589

TRIAZENIDE

New synthetic routes to face-to-face and open-book triazenide-bridged dirhodium bipyridyl complexes with the [Rh<sub>2</sub>]<sup>4+</sup> core, 2025 TRIAZOLATE

Di- and tri-nuclear nickel(II) complexes with bridging thiolato groups. Crystal structure of [NBu<sub>4</sub>]<sub>2</sub>[Ni<sub>3</sub>(C<sub>6</sub>F<sub>5</sub>)<sub>4</sub>(μ-SEt)<sub>4</sub>], 19 TRIAZOLE

A convenient method for the preparation of 3-(2-pyridyl)triazolo-[1,5-a]pyridine (L). Crystal structures of L and [CuL\_(OH<sub>2</sub>),][NO<sub>3</sub>], 2651 TRIMETHYLENEMETHANE

Preparation and reactions of [MoH( $\eta^3$ -C<sub>4</sub>H<sub>7</sub>)(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>- $\kappa^2 P$ )(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>- $\kappa P$ )]: the intramolecular interconversion between  $\eta^3$ -2-methylallyl and  $\eta^4$ -trimethylenemethane ligands,

TRIPHENYLENE

Synthesis and characterization by fast atom bombardment and electrospray mass spectrometry of new copper(I) complexes with substituted 1,4,5,8,9,12-hexaazatriphenylenes and macrocycles,

Spectroelectrochemical and flash photochemical reduction of 1,4,5,8-tetraazaphenanthrene and 1,4,5,8,9,12-hexaazatriphenylene mono- and bi-metallic ruthenium(II) complexes, 3651 TUNGSTEN

UNGSTEN

Synthesis and reactions of but-2-yne complexes of tungsten(II) containing pyridine-2-thionate (SC<sub>3</sub>H<sub>4</sub>N): crystal structure of [W(CO)(NCMe)(SC<sub>3</sub>H<sub>4</sub>N)(η<sup>2</sup>-MeC<sub>2</sub>Me)-][BPh<sub>4</sub>], 37

Studies of phosphazenes. Part 34. Group 6 metal carbonyl complexes of bis(pyrazolyl)cyclotriphosphazenes, 63

A study of the polarities, anisotropic polarisabilities and carbonyl infrared vibrational frequencies of the complexes [M(CO)<sub>3</sub>(P(OCH<sub>2</sub>),CMe)] (M = Cr, Mo or W) and the crystal structure of [Mo(CO)<sub>3</sub>(P(OCH<sub>2</sub>)<sub>2</sub>CMe]]: evidence for π-acceptor behaviour in co-ordinated phosphorus, 91

Part 3. Ruthenium carbonyl halide complexes, [RuX<sub>2</sub>(CO)(terpy)] (X = Cl, Br or I) and metal tetracarbonyl complexes [M(CO)<sub>3</sub>(terpy)] (M = Cr, Mo or W): nuclear magnetic resonance studies of their solution dynamics and synthesis of trans-[RuX<sub>3</sub>(CO)(terpy)] (X = Cl, Br or I), 111

Electrochemical and electron-electron exchange interactions in binuclear molybdenum complexes containing the bridging ligand

binuclear molybdenum complexes containing the bridging ligand 4-(imidazol-1-yl)phenol, 143 Some chemistry with a chiral phosphine generated from fenchone-

pinacolone mixed azine: crystal structure of Z,E-Ph,PCH<sub>2</sub>C(Bu)=N-N=C<sub>10</sub>H<sub>16</sub>, 713
η-Cyclopentadienyltungsten compounds with vinyl- and allylphosphine ligands, 871

phosphine ligands, 871
Isodiazene complexes: synthesis and molecular structures of 2,2,6,6-tetramethylpiperid-1-ylisodiazene complexes of tungsten(tv) and of rhenium-(π) and -(π), 907
Aqueous molybdotungstates, 1061
Acidification of [WS<sub>4</sub>]<sup>2</sup> - Synthesis and structures of di-μ-sulfido-bis[(2,2'-bipyridine)chlorooxotungsten(v)] and di-μ-sulfido-bis[(2,2'-bipyridine)bromooxotungsten(v)], 1311

TUNGSTEN (contd)

A theoretical investigation of the bonding of early transition metals to tellurium, 1391

Six- and seven-co-ordinate complexes of molybdenum(II) and tungsten(ii) with thioether ligands. Crystal structures of [WI<sub>2</sub>(CO)<sub>3</sub>-{4-MeC<sub>6</sub>H<sub>5</sub>S(CH<sub>2</sub>)<sub>5</sub>SC<sub>6</sub>H<sub>5</sub>Me-4}] and [WI<sub>2</sub>(CO)<sub>2</sub>-{MeS(CH<sub>2</sub>)<sub>2</sub>S(CH<sub>2</sub>)<sub>5</sub>SMe-5,S',S'], 1401 Synthesis, structure and relative hydrolytic stability of *cis*-[PtCl<sub>2</sub>L]

and cis-[W(CO)<sub>4</sub>L] where L is the bidentate triaminophosphine

ligand [MeNCH<sub>2</sub>CH<sub>2</sub>N(Me)PN(Me)CH<sub>2</sub>]<sub>2</sub>, 1571 Molecular heterogeneous metathesis catalysts: an attempted synthesis of surface-anchored alkylidenetungsten complexes, 1723

Diphenylacetylene complexes of tungsten containing  $\pi$ -acceptor

Sterically hindered diphosphines (Ph<sub>2</sub>P)<sub>2</sub>C=CHR (R = Me or Ph) and their derivatives, 1791

and their derivatives, 1/91
An unexpected explanation for the unsymmetrically bridging alkyne ligand in [W<sub>2</sub>(n-C,H<sub>2</sub>Pr)<sub>2</sub>Br<sub>2</sub>(μ-C,Ph<sub>2</sub>)], 1843
A computational study of metal-dinitrogen co-ordination, 1943
Synthesis, mechanism of formation and characterization of a new class of octanuclear mixed-metal clusters Na<sub>2</sub>M<sub>2</sub>[M<sub>3</sub>O<sub>4</sub>-(O<sub>2</sub>CEt)<sub>8</sub>]<sub>2</sub> (M' = Cr or V; M = Mo or W), 2099

Synthesis and crystal structures of dinuclear oxotungsten(VI)

Synthesis and crystal structures of dinuclear oxotungsten(vI) diolato complexes, 2119

Electron distribution in the excited state of [(OC)<sub>5</sub>W(4,4'-bipy)-W(CO)<sub>5</sub>] (4,4'-bipy) = 4,4'-bipyridyl) determined by time-resolved infrared spectroscopy, 2217

Retardation effect of trimethyl phosphite on chelate ring closure of 2,2'-bipyridine (bipy) in cis-[W(CO)<sub>4</sub>]P(OMe)<sub>5</sub>(bipy)], 2239

Bis(pentafluorophenyl)nickel(II) thio-molybdates and -tungstates. Crystal structure of [NBu<sub>4</sub>]<sub>5</sub>[Ni<sub>5</sub>(C<sub>6</sub>F<sub>5</sub>)(µ-WS<sub>4</sub>)], 2271

Reversible co-ordination of alkali metals to sulfur-based organometallic ligands [M(S, E)<sub>5</sub>(C<sub>6</sub>F<sub>5</sub>)(q-WS<sub>4</sub>)]. [M = Moor W

organometallic ligands  $[M(SC_6F_5)_4(cp)]^-$  (M = Mo or W,  $cp = \eta^5 \cdot C_5H_3$ ), 2423 Syntheses of 4-benzyl-3,5-dimethylpyrazolylborato complexes of

molybdenum and tungsten nitrosyls: molecular structure of [Mo(CO)<sub>2</sub>(NO){HB(3,5-Me<sub>2</sub>-4-PhCH<sub>2</sub>C<sub>3</sub>N<sub>2</sub>)<sub>3</sub>}], a complex with an 'inverted' bowl-like structure, 2559

Solid-state nuclear magnetic resonance studies on the co-ordination

geometry of boron in polyoxotungstates, 2585 Organometallics of diphosphazanes. Part 10. Dinuclear Group 6 metal carbonyl complexes bridged by a cyclodiphosphazane in

metal carbonyl complexes bridged by a cyclodiphosphazane in its cis or trans form, 2661

Preparation and aqueous solution properties of the heterometallic cuboidal complex [W<sub>1</sub>CuS<sub>4</sub>(H<sub>1</sub>O)<sub>10</sub>]<sup>5+</sup>, 2809

Crystal structures of [W(CO)<sub>5</sub>(Ph<sub>3</sub>)], [M(CO)<sub>5</sub>(AsPh<sub>3</sub>)] and [M(CO)<sub>5</sub>(SbPh<sub>3</sub>)] (M = Mo or W): a comparative study of structure and bonding in [M(CO)<sub>5</sub>(EPh<sub>3</sub>)] complexes (E = P, As or Sb; M = Cr, Mo or W), 2827

(η-Cyclopentadienyl)imido derivatives of molybdenum and tunesten. 2851

tungsten, 2851

tungsten, 2851

A new route to organometallic selenolate complexes of tungsten(II) and molybdenum(II). Crystal structure of [W(η<sup>5</sup>-C<sub>3</sub>H<sub>5</sub>)(CO)<sub>3</sub>-(SeCH<sub>2</sub>Ph)], 3329

Reactivity of nido-[2-{Fe(η-C<sub>3</sub>H<sub>3</sub>)}B<sub>3</sub>H<sub>10</sub>] with some transition-metal hydride complexes, 3337

Non-linear optical materials containing molybdenum or tungsten mononitosyl reducements diagrams are aga derivatives 3427

mononitrosyl redox centres: diaromatic azo derivatives, 3427

mononitrosy) redox centres: diaromatic azo derivatives, 342/7 Seven-co-ordinate dibromo complexes of molybdenum(II) and tungsten(II) derived from [MBr<sub>2</sub>(CO)<sub>3</sub>(NCMe)<sub>2</sub>]. Crystal structures of the isostructural complexes [WX<sub>2</sub>(CO)<sub>3</sub>(NCMe)(SbPh<sub>3</sub>)]-CH<sub>2</sub>Cl<sub>2</sub> (X = Br or I), 3493 Crystal structure and oxo-transfer properties of [NH<sub>4</sub>]<sub>2</sub>-[W<sup>1</sup>O<sub>2</sub>{O<sub>2</sub>CC(S)Ph<sub>2</sub>}<sub>2</sub>], 3511 Reactions of monocyclopentadienyl complexes of molybdenum and tungsten with derivatives of phenols and pentafluoro-benzeneselenol. 3527

benzeneselenol, 3527

Preparation of  $\alpha$ -diazines and  $\alpha$ -2-pyridylazines containing (1R)-(+)camphor or (1R)-(-)-fenchone residues and their complexes with Group 6 metal carbonyls, 3597
TUNGSTEN-183

Aqueous molybdotungstates, 1061 URANATE

Direct synthesis of anhydrous alkali-metal tetrafluorodioxouranates(v1), A<sub>2</sub>[UO<sub>2</sub>F<sub>4</sub>], and the first synthesis of alkali-metal diaquatetrafluorodioxouranate(v1) monohydrates, A<sub>2</sub>[UO<sub>2</sub>F<sub>4</sub>(H<sub>2</sub>O)<sub>2</sub>]·H<sub>2</sub>O (A = Na, K or NH<sub>4</sub>), 2693 URANIUM

Monocyclooctatetraene uranium thiolate complexes. Crystal structure of  $[\{U(\eta + C_8H_8)(\mu - SPr)_2\}_2]$ , 501 A chemical model of the solvent extraction system: water-uranyl nitrate-nitric acid-tri-n-butyl phosphate-diluent, 2209 Synthesis, chiroptical and electrochemical studies of dioxouranium(VI) complexes of aldimine derivatives of L-/Dhistidine and crystal structure of (2,2'-bipyridyl)dioxo(N-o-vanillylidene-L-histidinato)uranium(v1)—water-methanol(1/1/1),

Uranium–ligand bond-dissociation enthalpies of uranium(IV) poly(pyrazolyl)borate complexes, 2687 Carbonylation of the alkyl compounds [U( $\eta$ -C<sub>3</sub>H<sub>4</sub>R)<sub>3</sub>R'] and rearrangement of the acyl derivatives [U( $\eta$ -C<sub>3</sub>H<sub>4</sub>R)<sub>3</sub>( $\eta$ <sup>2</sup>-COR')] into C<sub>6</sub>H<sub>4</sub>RR'. Influence of R and R' (Me, Pr' or Bu') and role of the solvent (benzene or tetrahydrofuran), 3397

Synthesis and crystal structure of homoleptic uranium hexathiolates: [NEt<sub>2</sub>H<sub>2</sub>]<sub>2</sub>[U(SPh)<sub>6</sub>] and [(Ph<sub>3</sub>P)Cu(μ-SPh)<sub>3</sub>U(μ-SPh)<sub>3</sub>-Cu(PPh<sub>3</sub>)], 3563

Preparation of urethane and urea derivatives of (NPCl<sub>2</sub>)<sub>3</sub>. Crystal structure of a spirocyclic phosphazene with a phosphacyanuric

Preparation of urethane and urea derivatives of (NPCl2)3. Crystal structure of a spirocyclic phosphazene with a phosphacyanuric

UTEROFERRIN

Mechanism of the reaction of different phosphates with the iron(II)iron(III) form of purple acid phosphatase from porcine uteri (Uteroferrin), 429

VANADILIM

N-Salicylideneamino acidate complexes of oxovanadium(IV). Part 1. Crystal and molecular structures and spectroscopic properties,

Copper(II) and oxovanadium(IV) complexes of 2,3-dihydroxy-terephthalic and 2,3,4-trihydroxybenzoic acids, 347 Synthesis, structure and metal redox of new VO3+ and VO2+ complexes incorporating mixed tridentate-bidentate binding,

Photo-oxidation of [V(CO)<sub>6</sub>] in low-temperature matrices containing O<sub>2</sub>: formation of a novel superoxovanadium species,

835
CaM<sub>2</sub>(PO<sub>4</sub>)<sub>2</sub>(HPO<sub>4</sub>) (M = Fe or V): phosphates containing dimers of edge-sharing MO<sub>6</sub> octahedra, 931
Photoelectrochemical dehalogenation: bis(cyclopentadienyl)-vanadium dichloride and -molybdenum dichloride, 1711
Preparation, crystal structure and magnetochemistry of [NEt<sub>4</sub>]-[V<sub>2</sub>Cl<sub>7</sub>(thf)<sub>2</sub>)-CH<sub>2</sub>Cl<sub>2</sub> (thf = tetrahydrofuran), 1813
Synthesic crystal structure and magnetic properties of the

Synthesis, crystal structure and magnetic properties of the alternating chain [VO(H<sub>2</sub>O)<sub>5</sub>][Cu<sub>2</sub>(bipym)<sub>2</sub>(H<sub>2</sub>O)(SO<sub>4</sub>)<sub>3</sub>]-7H<sub>2</sub>O (bipym = 2,2'-bipyrimidine), 1879

Functionalizable 5,5,10,10,15,15,20,20-octaethylporphyrinogen

complexes of early transition metals: synthesis and crystal structure of titanium-, vanadium- and chromium-(III) derivatives and a two-electron oxidation of the porphyrinogen skeleton, 2015

Synthesis, mechanism of formation and characterization of a new class of octanuclear mixed-metal clusters Na<sub>2</sub>M'<sub>2</sub>(M<sub>3</sub>O<sub>4</sub>-(O<sub>5</sub>CEt)<sub>8</sub>)<sub>2</sub> (M' = Cr or V; M = Mo or W), 2099 Novel modifications of the structure of the layered vanadyl hydrogenphosphate VO(HPO<sub>4</sub>)-0.5H<sub>2</sub>O, 2145

High-temperature spectrophotometric and electron spin resonance spectroscopic investigations of vanadium complexes in the molten salt-gas system V<sub>2</sub>O<sub>5</sub>-K<sub>2</sub>S<sub>2</sub>O<sub>7</sub>/SO<sub>2</sub>-SO<sub>3</sub>-N<sub>2</sub>, 2151 New polymeric compounds containing vanadium—oxygen chains, 2457

Novel binuclear vanadium(v)-Schiff base cations containing single fluorine bridges and the structure of difluorodioxovanadate(1-), 2591

Photochemistry of polyoxovanadates. Part 1. Formation of the anion-encapsulated polyoxovanadate  $[V_{15}O_{36}(CO_3)]^{\gamma-1}$  and electron-spin polarization of  $\alpha$ -hydroxyalkyl radicals in the presence of alcohols, 2599 Metals in the nitrogenases, 2739

Dinitrogenvanadates(-1): synthesis, reactions and conditions for their stability, 3471

Preparation of new vanadium(II) iodides and crystal structure of hexakis(acetonitrile)vanadium(II) (tetraiodide), 3683

η-Cyclopentadienyltungsten compounds with vinyl- and allyl-phosphine ligands, 871 Alkyl, aryl, vinyl, alkynyl and carbene derivatives of cyclohepta-

trienylmolybdenum complexes, 1671

Stereoselective alkyne insertion into a bridging hydride at a diiron centre: cis-trans isomerisation and metallacycle formation, 3389 Reactions of co-ordinated ligands. Part 58. The reaction of

dimolybdenum μ-σ: η²-(4e)-vinylidene complexes with proton sources and diazomethane; synthesis and crystal structure of the Mo=Mo bonded complex [Mo<sub>2</sub>{μ-σ: η²-CH<sub>2</sub>C(Ph)CH<sub>2</sub>}(CO)<sub>3</sub>-(η-C<sub>2</sub>H<sub>2</sub>)<sub>2</sub>][CF<sub>3</sub>SO<sub>3</sub>], 3569
VINYLIDENE

A series of rhodium(1) complexes, including carbene, vinylidene and allenylidene derivatives, with the bifunctional arsine Pri2AsCH2CH2OMe as ligand, 3415
Reactions of co-ordinated ligands. Part 58. The reaction of

dimolybdenum  $\mu$ - $\sigma$ :  $\eta^2$ -(4e)-vinylidene complexes with proton sources and diazomethane; synthesis and crystal structure of the

VINYLIDENE (contd)

VINYLIDENE (contd)

Mo≡Mo bonded complex [Mo₂{μ-σ: η²-CH₂C(Ph)CH₂}(CO)₃-(η-C₃H₃)₂][CF₃SO₃], 3569

VITAMIN B₁₂

Ligand substitution reactions of aquacobalamin: further evidence for a dissociative interchange mechanism, and factors controlling reaction rates 207

X-RAY DIFFRACTION

Synthesis, spectroscopic and structural studies of alkali metal-nickel periodates MNiIO<sub>6</sub> (M = Na, K, Rb, Cs or NH<sub>4</sub>), 1483 Synthesis and crystal structure of a new layered zirconium phosphate compound, Zr(PO<sub>4</sub>)F(OSMe<sub>2</sub>), 2453

Structural characterization of pyridazine (pydz) adducts of MX<sub>2</sub> (M = Mn, Fe, Co, Ni, Cu or Zn; X = Cl or Br). Ab-initio X-ray powder diffraction determination of polymeric [NiX<sub>2</sub>(pydz)]

complexes, 3009
X-RAY PHOTOELECTRON

X-Ray photoelectron spectroscopic characterization of [{Pt(PPh<sub>3</sub>)<sub>2</sub>(μ<sub>3</sub>-S)<sub>2</sub>PtCl<sub>2</sub>], [{Pt<sub>4</sub>(PPh<sub>3</sub>)<sub>4</sub>(μ<sub>3</sub>-S)<sub>2</sub>Cu]<sub>2</sub>(μ-dppf)]-[PF<sub>6</sub>]<sub>2</sub> [dppf = Fe(C<sub>3</sub>H<sub>4</sub>PPh<sub>2</sub>)] and other heterometallic aggregates derived from [{Pt(PPh<sub>3</sub>)<sub>2</sub>(μ-S)}<sub>2</sub>], 3177
XYLENE

Synthesis, X-ray characterisation and spectroscopic studies of metal complexes of N,N'-1,2-xylene-a,a'-diylbis(pyridin-2-one),

Syntheses of dinuclear gold(i) ring complexes containing two different bridging ligands. Crystal structure of [Au<sub>2</sub>{μ-(CH<sub>2</sub>)<sub>2</sub>- PPh<sub>2</sub>(μ-S<sub>2</sub>CNEt<sub>2</sub>)], 1163

YTTERBIUM

Complexity

Synthesis, fluxional behaviour in solution and crystal structure of the organolanthanide complexes [Ln(C<sub>5</sub>H<sub>4</sub>CH<sub>2</sub>CH<sub>2</sub>OMe)<sub>2</sub>(thf)]-[Co(CO)<sub>4</sub>] (Ln = Sm or Yb, thf = tetrahydrofuran), 1665

Structures of the yttrium complexes of 1,4,7,10-tetraazacyclododecane-N,N',N'',N'',\*-tetraacetic acid (H<sub>4</sub>dota) and N,N''-bis(benzylcarbamoylmethyl)diethylenetriamine-N,N',N''-triacetic acid and the solution structure of a zirconium complex of H<sub>4</sub>dota, 689

complex of H<sub>4</sub>dota, 889
Syntheses and characterization of polynuclear metal complexes related to a chemical precursor system for the YBa<sub>2</sub>Cu<sub>3</sub>O<sub>7-x</sub> superconductor, 955
Yttrium(III) and lanthanide(III) metal complexes of an 18-membered hexaaza tetraimine macrocycle. Crystal structure of the gadolinium(III) complex, 3369

Three-dimensional framework structures built of heptacyanotricadmate(II) units providing polyhedral cavities for guests: classification of the zeolite-like structures, 3695

Assembly of [2 + 2] bimetallic macrocyclic complexes from bis(bipyridyl) ligands and metal ions, 77
Nucleophilic attack at co-ordinated isocyanides promoted by the

Nucleophilic attack at co-ordinated isocyanides promoted by the 2-pyridyl ligand, 407
Studies of pendant-arm macrocyclic ligands. Part 8. Synthesis of two pentaazamacrocycles based upon pyridine-containing tetraazamacrocycles with a single pendant co-ordinating 2-pyridylmethyl arm, and characterisation of their nickel(II), copper(II) and zinc(II) complexes. Crystal structure of 7-(2-pyridylmethyl)-3,7,11,17-tetraazabicyclo[11.3.1]hepta-deca-1(17),13,15-trienezinc(II) tetrafluoroborate, 485
Aggregation of fac-[Ir(aet)\_3] (aet = 2-aminoethanethiolate) around the [Co<sup>11</sup>4,O]<sup>6+</sup> core. Structures and some properties of spontaneously resolved S-bridged octanuclear complexes [{Ir(aet)\_3}<sub>1</sub>4M<sub>2</sub>O]Br<sub>5</sub> (M<sub>4</sub> = Co<sup>11</sup>4, Zn<sup>11</sup>4 or Zn<sup>11</sup>2, ZO<sup>11</sup>12), 533
Selection of metal ions by geometric isomers of a polyamine macrocycle with pendant donors, 793
Clathrate compounds of cadmium cyanide and related hosts with cristobalite-like lattice structures, 1029
Co-ordination properties of cyclopeptides. Formation and stability

Co-ordination properties of cyclopeptides. Formation and stability of zinc(II) and copper(II) complexes of histidine-containing cyclopeptides, or imidazole, 1227

Different co-ordination behaviour of 1,2-diaminoethane (en) and

tetracyanonickelate(II) upon accommodation of polar guest molecules in their metal complex hosts: crystal structures of [M(en)<sub>2</sub>Ni(CN)<sub>4</sub>)-2PhNH<sub>2</sub> (M = Ni, Cu, Zn or Cd) and [{Cd(en)<sub>2</sub>(en){Ni(CN)<sub>4</sub>}-1APhOH, 1237 Effect of metal dilution on the thermal and light-induced spin

transition in  $[Fe_xZn_{1-x}(mtz)_6][ClO_4]_2$  (mtz = 1-methyl-1*H*-tetrazole), 2285

A model complex for the carboxylate-histidine-zinc system in zinc enzymes. Crystal structure of [Zn(Him)<sub>2</sub>(MeCO<sub>2</sub>)<sub>2</sub>] (Him = imidazole), 2331

(Him = imidazole), 2331

Acetazolamide binding to zinc(II), cobalt(II) and copper(II) model complexes of carbonic anhydrase, 2347

Transition-metal Schiff-base complexes as ligands in tin chemistry. Part 5. Structural studies of intimate ion-paired heterobimetallic complexes of tin(IV) and nickel, copper or zinc with 3-methoxysalicylaldimine ligands, 2473

Factors affecting the assembly of helical and non-helical zinc(II) bipyridyl metallomacrocycles, 2783

Potentiometric and repertorscopic studies on copper(II) and zinc(II)

Potentiometric and spectroscopic studies on copper(II) and zinc(II) complexes of peptides containing bis(imidazolyl) ligands,

Linkage isomerism in bis[hydrotris(1,2,4-triazolyl)borato]zinc from a molecular chelate complex to a three-dimensional co-ordination

polymer, 2947

Inter alation of the oxo-transfer molybdenum(vi) complex [MoO<sub>2</sub>{O<sub>2</sub>CC(S)Ph<sub>2</sub>}<sub>2</sub>]<sup>2-</sup> into a zinc(II)-aluminium(III) layered double hydroxide host. Catalysis of the air oxidation of thiols,

Proton transfer in a phenol-based compartmental cryptate; solution and solid-state structural studies, 3149

Thermodynamics of complexation of manganese(II) and zinc(II) ions with pyridine, 3-methyl- and 4-methyl-pyridine in cyanomethane, 3267

Interaction of transition- and post-transition-metal ions with O2N2donor macrocycles incorporating pendant pyridylmethyl groups,

Co-ordination of 1,4,7-tris(pyrazol-3-ylmethyl)-1,4,7-triazacyclononane with iron(iii), nickel(ii) and zinc(ii). Crystal and molecular structures of [ML][ClO<sub>4</sub>]<sub>2</sub>·nH<sub>2</sub>O (M = Ni, n = 0.5; Zn, n = 1), 3739

ZIRCONIUM

New ansa-metallocenes of the Group 4 transition metals as homogeneous catalysts for the polymerization of propene and

stylene, 05/N/N/N/N/N/N/N/Internaza-cyclododecane-N/N/N/N/N-tetraacetic acid (H<sub>4</sub>dota) and N/N''-bis(benzylcarbamoylmethyl)diethylenetriamine-N/N',N'-triacetic acid and the solution structure of a zirconium

N,N,N-triacete and and the solution structure of a zirconium complex of H<sub>4</sub>dota, 689

Synthesis and characterisation of zirconium complexes with the diphosphinophosphide ligands P(CH<sub>2</sub>CH<sub>2</sub>PR<sub>2</sub>)<sub>2</sub> (R = Me or Et); crystal structure of bis[bis(2-dimethylphosphinoethyl)-phosphido]pentachlorohydridodizirconium(IV), 977

rom synthesis to chemical reactivity of supported do complexes. Part 1. An *in situ* infrared spectroscopic study of silica-anchored zirconium hydrides, 1153

Transition metal-carbohydrate chemistry. Part 2. Homoleptic diacetoneglucose complexes of aluminium and Group 4 metals,

A theoretical investigation of the bonding of early transition metals to tellurium, 1391

to tellurium, 1391
From synthesis to chemical reactivity of supported do complexes.
Part 2. Reactivity of silica-anchored alkylzirconium complexes.
An attempt toward functionalization of alkanes, 2411
Synthesis and crystal structure of a new layered zirconium phosphate compound, Zr(PO<sub>4</sub>)F(OSMe<sub>2</sub>), 2453
Molecular and electronic structures of bis[1,4-bis(trimethylsilyl)-cyclooctatetraene] sandwich complexes of titanium and zirconium, 2867
Formation of cationic manocyclopentadienyl metal(ty) compound

Formation of cationic monocyclopentadienyl metal(tv) compounds following halide abstraction from  $[M(\eta^5-C_3H_3)Cl_3(MeCN)_2]$  (M = Zr or Hf): crystal and molecular structure of  $[Hf(\eta^5-C_3H_3)-t]$ (MeCN)<sub>6</sub>][SbCl<sub>6</sub>]<sub>3</sub>·CH<sub>2</sub>Cl<sub>2</sub>, 3285

